For ()	m 9- Feb. 1	- 881 a 961)	14	٧×	
		. 3	.		30 N
		3			N
				0	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land	Office	Sa	nta	Fe	
Lease	No	SF	080	466	
Unit .		· · · · · · · · · · · · · · · · · · ·			

Well No2-35 is located			
NOTICE OF INTENTION TO CHAMGE PLANS. NOTICE OF INTENTION TO TEST WATER SHIPT-OFF. NOTICE OF INTENTION TO TEST WATER SHIPT-OFF. NOTICE OF INTENTION TO REPORT OF ALTERING CASING. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. SUBSQUENT REPORT OF ALTERIAL CASING. SUBSQUENT REPORT OF ALTERIAL CASING. SUBSQUENT REPORT OF ALTERIAL CASING. SUBSQUENT REPORT OF ABANDONMENT. SUBSQUENT REPORT OF ALTERICALISM. SUBSQUENT REPORT OF ALTERIAL CASING. SUBSQUENT REPORT O	SUNDRY NOTICES	AN	D REPORTS ON WELLS
NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. SUBSEQUENT REPORT OF ABANDONMENT. SUBSEQUENT REPORT OF ALTERIAL CASING. SUBSEQUENT REPORT OF ALTER	NOTICE OF INTENTION TO DRILL	xx	SUBSECUENT REPORT OF WATER SHIFT OFF
SUBSEQUENT REPORT OF ALTERING CASING. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elementary Well History. Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elementary Well History. Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elementary Well History. Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elementary Well History. Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elementary Well History. Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elementary Well History. Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elementary Well History. Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elementary Well History. Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elementary Well History. Well No. 2-35 is located 890 ft. from Elementary Well History. Notice of INTENTION TO ABANDON WELL. August 25 is line of sec. 35 It was a substitute of REPORT, NOTICE, OR OTHER DATA NOTICE OF INTENTION TO ABANDON WELL. Supplementary Well History. August 25 is line of Supplementary Well History. NOTICE OF INTENTION TO ABANDON WELL. Supplementary Well History. August 25 is supplementary Well History. NOTICE OF INTENTION TO ABANDON WELL. Intention To Abandon Well History. NOTICE OF INTENTION TO ABANDON WELL. Supplementary Well History. August 25 is supplementary Well History. NOTICE OF INTENTION TO ABANDON WELL. August 25 is supplementary Well History. NOTICE OF INTENTION TO ABANDON WELL. Intention To Abandon Well History. NOTICE OF INTENTION TO ABANDON WELL. Supplementary Well History. August 25 is supplementary Well History. NOTICE OF INTENTION TO ABANDON WELL. August 25 is like of Terribory. (Sta	NOTICE OF INTENTION TO CHANGE PLANS		11
Subsequent report of Re-Drilling or Repair Well. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO ABARDON WELL (INDICATE ABOVE BY CHECK MARK HATURE OF REPORT, NOTICE, OR OTHER DATA) Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Elline of sec. 33 SE SE Section 35. 20 North, 14 West MPM (Range) Will county or Subdivision) The elevation of the detrick floor above sea level is ft. 5514 GL DETAILS OF WORK Siline names of and expected depths to objective sands; show alses, weights, and longths of proposed casings; indicate muddling jobs, came ing points, and all other important proposed work) Operator proposes to drill a well to total depth of approximate 250 feet to test the Dakota formation for oil and/or gas. CASING PROGRAM: Set 3-3/3" surface casing at approximately 250' with 230 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks coment. I understand that this plan of work must receive approval in writing by the Geological Survey before operation of the decay of the company company company company company company approach approval of the company company company approach approval of the company c	NOTICE OF INTENTION TO TEST WATER SHUT-OFF		1
SUBSEQUENT REPORT OF ABANDONMENT NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABO	NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		1
Well No. 2-35 is located 890 ft. from Siline and 990 ft. from Siline and Silin	NOTICE OF INTENTION TO SHOOT OR ACIDIZE		
(INDICATE ABOVE BY CHECK MARK HATURE OF REPORT, NOTICE, OR OTHER DATA) August 25	NOTICE OF INTENTION TO PULL OR ALTER CASING		4F i F
Well No. 2-35 is located 399 ft. from Siline and 390 ft. from Siline of sec. 35 SE Section 35. 30 North, 14 West Meridian) Wildcat (Field) San Juan County New Mexico (State or Territory) The elevation of the derrick floor above sea level is ft. 5514 GL DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coming points, and all other important proposed work) Operator proposes to drill a well to total depth of approximate 250 feet to test the Dakota formation for oil and/or gas. CASING PROGRAM: Set 3-3/3" surface casing at approximately 250 with 230 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks cement.	NOTICE OF INTENTION TO ABANDON WELL		
Well No. 2-35 is located 390 ft. from Siline and 390 ft. from E Willine of sec. 35 GR SE Section 35. 20 North, 14 West Medidan (Meridian) Wildcat (Pield) San Juan County New Mexico (State or Territory) The elevation of the derrick floor above sea level is ft. 5514 GL DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cemeling points, and all other important proposed work) Operator proposes to drill a well to total depth of approximate 6250 feet to test the Dakota formation for oil and/or gas. CASING PROGRAM: Set 3-5/3" Surface casing at approximately 250° with 230 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks cement.	(INDICATE ABOVE BY CHECK M	ARK NATI	URE OF REPORT, NOTICE, OR OTHER DATA)
SR SE Section 35. 20 North, 14 West Meridian (Kanaga) (Meridian) Wildcat (Field) San Juan County (County or Subdivision) New Mexico (State or Territory) The elevation of the derrick floor above sea level is ft. 5514 GL DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coming points, and all other important proposed work) Operator proposes to drill a well to total depth of approximate 6250 feet to test the Dakota formation for oil and/or gas. CASING PROGRAM: Set 3-5/3" Surface casing at approximately 250° with 239 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks cement.		•	August 25 , 19.60
San Juan County New Mexico (County or Subdivisión) The elevation of the derrick floor above sea level isft. 5514 GL DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceming points, and all other important proposed work) Operator proposes to drill a well to total depth of approximate 6250 feet to test the Dakota formation for oil and/or gas. CASING PROGRAM: Set 3-5/3" surface casing at approximately 250° with 239 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks cement.	Well No2_35 is located890 _ft. fr	om {	line and 990 ft. from E line of sec. 35
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, coming points, and all other important proposed work) Operator proposes to drill a well to total depth of approximate 6250 feet to test the Dakota formation for oil and/or gas. CASING PROGRAM: Set 3-5/3" surface casing at approximately 250' with 250 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks cement.			
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, ceming points, and all other important proposed work) Operator proposes to drill a well to total depth of approximate 250 feet to test the Dakota formation for oil and/or gas. CASING PROGRAM: Set 3-5/3" surface casing at approximately 250 with 250 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks cement.	Vildest San Juan (Country)	n Col	division) New Mexico (State or Territory)
Operator proposes to drill a well to total depth of approximate of proposed casing a indicate mudding jobs, come ing points, and all other important proposed work) Operator proposes to drill a well to total depth of approximate of the total depth of approximately 250 of the total de	he elevation of the derrick floor above sea	level i	is ft. 5514 GL
Operator proposes to drill a well to total depth of approximate to test the Dakota formation for oil and/or gas. CASING PROGRAM: Set 3-5/3" Surface casing at approximately 250' with 230 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks coment. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of the pla	DET	'AILS	OF WORK
Operator proposes to drill a well to total depth of approximate to test the Dakota formation for oil and/or gas. CASING PROGRAM: Set 3-5/3" Surface casing at approximately 250' with 230 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks coment. Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of work must receive approval in writing by the Geological Survey before operation for the plan of the pla	State names of and expected depths to objective sands; show ing points, and s	/ sizes, we all other !	sights, and lengths of proposed casings; indicate mudding jobs, cement- important proposed work)
with 230 sacks coment; if warranted set 4-1/2" production string with approximately 300 sacks cement. Approximately 300 sacks cement. Approximately 300 sacks cement.			
I understand that this plan of work must receive approval in writing by the Geological Survey before operations was becommenced. Company Compass Exploration, Inc.	with 200 sacks coment; if was	rrant	ted set 4-1/2" production string
Company Compass Exploration, Inc.	I understand that this plan of work must receive approval	l in writi	ng by the Geological Survey before operation from the commenced
Address1845_Court_Place			ON COM
	ddress 1845 Court Place		
Denver 2, Colorado By By	Denver 2, Colorado	. <u></u> (\$.	By
AM 6-1939 Title Vice President	AN 6-1939		Title Vice President

Carried Top Top Top

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

ection A.						DateAr	gust 25, 196	0
erator	COMPASS EXPI	CORATION	ING.	Lease	AZTEC			
ell No. 2-	35 Unit Le	tter	Section	35	Township	30 N	Range 14 W	NMF
cated8	90 Fee	t From 5	south	Line99	PO Fe Dedicat	et From	east	Lir
me of Proc	ducino Forma	tion	Dakota)n	Dedicat	ed Acreag	332_49	Acre
Is the C	Operator the	only ow	ner* in	he dedicat	ed acreage o	utlined o	n the plat below	N?
Yes	No_ <u>xx</u>	_·						
							e owners been	
					on Agreeme		. If answ	ei 15
							r respective in	terest
below:								
	Owner				land Des	cription		
	<u> </u>				20110 500	<u></u>		
	·				···	 		
								
	,							
ection B	- 1			-		7		
	1			1		This i	s to certify th	at the
				I			ation in Section	
							is true and com	
				ĺ			best of my know	
	1			1		and be	lief.	
			L			Compas	s Exploration	. T.
	!					CONDAS	(Operator)	1, In
	l .			1		1	9 - 12	24.2
	TO					Jan.		ne
				1		/ = /	epresentative) Court Place	
	·4\\\\\			1 }		38	. Colorado	
a ALG	20/10	SECTI	IDN 35			ZEMIEZ	Address	
120	25 1960 N. COM.							
OST	CO.					This i	s to certify th	at the
(3 74.			1		MI	ocation shown o	
				!			n Şection B was	
	į į		444	1			ield notes of a	
	!						s made by me or	
			 				ervision and the s true and corre	
	I				,	44	st of my knowle	
	1				0 990	belief	ر ما ما الحد الحر	
					1	Date S	Anglist	19 ولات
	1				o	STE	79	every
				8	2	Regist	eyed Drawei In	- V
			F	1	-1	Engine		rvey
				S-38-38-38-3	THE PERSON FILE		12 OHN	
330 660 9	190 1320 1660 1 /	SAD 2310 1	.64 0 2 0	00 1560	1000 500	o Gertif	icate 1431)1803.	e de la companya de