(A)	oril 194	52)	
	-81		
I			

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Ag	Indian Agency						
Window	Rock,	Arisona					

Allottes .							
Lease No.	14-20-	803-2032					

SUNDRY NOTICES AND REPORTS ON WELLS

SUBSCOURT REPORT OF MATER SHIT-OFF SUBSCOURT REPORT OF MATER CASING SUBSCOURT REPORT OF MATERIAL SASING SUBSCOURT REPORT OF ALTERIAL SASING SUB			aunorough)	REPORT OF WATER SI	HUT-OFF	
SUBSQUEST REPORT OF ALTERING CASHIG. WITHERTON TO REDRILL OR REPAIR WELL SUBSQUEST REPORT OF ALTERING CASHIG. SUPPLEMENTARY WELL HISTORY. CHARLES OF REPORT, NOTICE, OR OTHER DAYA) WARTON 3 , 1961 WE 16 Sec. 31	NOTICE OF INTENTION TO DRILL					- 15 11 1W TE 11 5
Subscould report of redefined or redefined	NOTICE OF INTENTION TO CHANGE P	LANS				
Subsequent report of Abandonhent (Redicate Above by Check Mark Nature of Report, Notice, or other Daya) (Redicate Above by Check Mark Nature of Report, Notice, or other Daya) (Redicate Above by Check Mark Nature of Report, Notice, or other Daya) (Redicate Above by Check Mark Nature of Report, Notice, or other Daya) (Note of Intention to Abandon Well (Note of Intention to Abandon to Abandon to Abandon Well (Note of Intention to Abandon t	NOTICE OF INTENTION TO TEST WAT	ER SHUT-OFF	SUBSEQUEN	REPORT OF ALIERING	INC OF PERAIR	
Wilder of intention to full or alter casing. Were of intention to abandon well. Were of intention to abandon well. Were of a possible of intention to abandon well. Were of a possible of intention to abandon well. Were of a possible of the from S line and 350 ft. from W line of sec. 51 Were of a possible of the sec. 51 Wilder of the sec. 51 DETAILS OF WORK State names of and expected depths to objective anaday above sea level is 5057 ft. DETAILS OF WORK State names of and expected depths to objective anaday above sea, weights, and lengths of proposed casings; indicate metaling into possible and all other important proposed work) It is intended to plug and abandon this well in the following manner: The a coment plug from 279' (TD) to 285'. Fill hole with mud from 265' to 50'. Run a coment plug from 50' to surface. Flace a 4" steel pipe marker at surface in coment leaving 4' above ground level with name, number and loostion of well stendiled thereon. Clean and level loostion. Lunderstand that this plan of west must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Goring Exploration Co. Address 1809 Laguna Farmington, New Mexico By Carl E. Harmon						
(NOTICE OF INTENTION TO ASAMON WELL (NEDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (NEDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (NEDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (NET S	NOTICE OF INTENTION TO SHOOT OF	ACIDIZE				
(MEMCATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Valid No. Mayer 10 1 is located	NOTICE OF INTENTION TO PULL OR	ALTER CASING	1 13	TARY WELL HISTORY	0.70	VEVELUS ROLLOGIC
/ell No. Mayajo 1 is located 700 ft. from S line and 330 ft. from W line of sec. 31 80 H 16 W H.M.P.M. (Ready) (Meridian) Wildost San Juan County Hew Hexico County of Subdivision) (Press) (County of Subdivision) (State of Terrison WILL CON. COM. DETAILS OF WORK State names of and expected depths to objective anales show sizes, weights, and lengths of proposed casings, indicate modeling points, and all other important proposed work) It is intended to plug and abandon this well in the following manner: Rum a cement plug from 279' (TD) to 265'. Fill hole with mud from 265' to 50'. Rum a cement plug from 50' to surface. Place a 4" steel pipe marker at surface in cement leaving 4' above ground level with name, number and location of well stenciled thereon. Clean and level location. I understand that this plan of werk must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Goring Exploration Co. Address 1809 Laguna Farmington, liew Mexico By Carl E. Harmon	NOTICE OF INTENTION TO ABANDON	WELL			[] [2] [1]	TON MIW WILLAMS
/ell No. Mava 10 1 is located 700 ft. from S line and 330 ft. from W line of sec. 31 SO N 16 W N.M.P.M. (K Box and Box No.) (Twp.) (Range) (Meridian) Wildost San Juan County Hew Hex 100 The elevation of the derrick floor above sea level is 5057 ft. DETAILS OF WORK State names of and expected depths to objective anales show sizes, weights, and lengths of proposed casings, indicate modulus in points, and all other important proposed work) It is intended to plug and abandon this well in the following manner: Rum a cement plug from 279' (TD) to 265'. Fill hole with mud from 265' to surface. Flace a 4" steel pipe marker at surface in cement leaving 4' above ground level with name, number and location of well stenoiled thereon. Clean and level location. I understand that this plan of week must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address 1809 Laguna Farmington, New Mexico By Carl E. Harmon			THE NAME OF BERON	MOTICE, OR OTHER	DATA)	
Wildogs and see Na.) (Two.) (Isa.) (Two.) (Isa.)	(INDICA	te above by check ma	RK NATURE OF ILE O			1081
See Solution of the derick floor above sea level is 5057 ft. DETAILS OF WORK State names of and expected depths to objective sands; show diese, weights, and lengths of proposed casings; indicate medicing july styres. It is intended to plug and abandon this well in the following manner: Rum a coment plug from 279' (TD) to 265'. Fill hole with mud from 265' to 50'. Rum a coment plug from 50' to surface. Place a 4" steel pipe marker at surface in coment leaving 4' above ground level with name, number and location of well stenoiled thereon. Clean and level location. Lunderstand that this plan of werk must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address. 1809 Lagune Farmington, New Mexico By Carl E. Harmon					March 8	, 1901
See Solution of the derick floor above sea level is 5057 ft. DETAILS OF WORK State names of and expected depths to objective sands; show diese, weights, and lengths of proposed casings; indicate medicing july styres. It is intended to plug and abandon this well in the following manner: Rum a coment plug from 279' (TD) to 265'. Fill hole with mud from 265' to 50'. Rum a coment plug from 50' to surface. Place a 4" steel pipe marker at surface in coment leaving 4' above ground level with name, number and location of well stenoiled thereon. Clean and level location. Lunderstand that this plan of werk must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address. 1809 Lagune Farmington, New Mexico By Carl E. Harmon		1 700 c	A STATE OF THE OWNER OWNER OF THE OWNER		line of	sec. 31
(1) (4) San Juan County (State of Territor) Wildogs The elevation of the derrick floor above sea level is 5057 ft. DETAILS OF WORK State names of and expected depths to objective sands show sizes, weights, and lengths of proposed casinge; indicate medding jobs 57.8 It is intended to plug and abandon this well in the following manner: Rum a coment plug from 279' (TD) to 265'. Fill hole with mud from 265' to 50'. Rum a coment plug from 50' to surface. Place a 4" steel pipe marker at surface in coment leaving 4' above ground level with name, number and location of well stenoiled thereon. Clean and level location. I understand that this plan of werk must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address 1809 Laguna Farmington, New Mexico By Carl E. Harmon	Vell No. Hava jo 1 is lo	catedt.	from (S) line a		W W	
Wildogt San Juan County San Juan County (Pield) (County or Subdivision) (State or Terrisco) The elevation of the derrick floor above sea level is 5057 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate modeling points, and all other important proposed work) It is intended to plug and abandon this well in the following manner: Rum a cement plug from 279' (TD) to 285'. Fill hole with mud from 265' to 50'. Rum a cement plug from 50' to surface. Place a 4" steel pipe marker at surface in cement leaving 4' above ground level with name, number and logation of well stenoiled thereon. Clean and level location. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address 1809 Laguna Farmington, New Mexico By Garl E. Harmon	SW Sec. 31				~==+=+	
(Pied) (County or Subdivision) (Record) (County or Subdivision) (Coun	(% Sec. and Sec. No.)	• • • • •	(•	Marino /	ACEILARY
The elevation of the derrick floor above sea level is 5057 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate modding jobs 57. It is intended to plug and abandon this well in the following manner: Rum a cement plug from 279' (TD) to 265'. Fill hole with mud from 265' to 50'. Run a cement plug from 50' to surface. Place a 4" steel pipe marker at surface in dement leaving 4' above ground level with name, number and location of well stenciled thereon. Clean and level location. I understand that this plan of werk must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address 1809 Laguna Farmington, New Mexico	Wildogt					ott.fiveD
DETAILS OF WORK Collective sands; show sizes, weights, and lengths of proposed casings; indicate modding jobs STENS It is intended to plug and abandon this well in the following manner: Rum a cement plug from 279' (TD) to 265'. Fill hole with mud from 265' to 50'. Rum a cement plug from 50' to surface. Place a 4" steel pipe marker at surface in cement leaving 4' above ground level with name, number and location of well stenciled thereon. Clean and level location. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address 1809 Laguna Farmington, New Mexico By Carl E. Harmon					· / 1	Vrnri , m-
DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate modding jobs STENS It is intended to plug and abandon this well in the following manner: Rum a cement plug from 279' (TD) to 265'. Fill hole with mud from 265' to 50'. Rum a cement plug from 50' to surface. Place a 4" steel pipe marker at surface in cement leaving 4' above ground level with name, number and location of well stenciled thereon. Clean and level location. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address 1809 Laguna Farmington, New Mexico By Carl E. Harmon	9 Lucius of the derrich	k floor above sea	level is 5057	_ ft.	1	1961
It is intended to plug and abandon this well in the following manner: Rum a cement plug from 279' (TD) to 265'. Fill hole with mud from 265' to 50'. Rum a cement plug from 50' to surface. Place a 4" steel pipe marker at surface in cement leaving 4' above ground level with name, number and location of well stenoiled thereon. Clean and level location. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address 1809 Laguna Farmington, New Mexico By Carl E. Harmon	he elevation of the define	K HOOL WOOLG SON			1	MIMIL -
It is intended to plug and abandon this well in the following manner: Rum a cement plug from 279' (TD) to 265'. Fill hole with mud from 265' to 50'. Rum a cement plug from 50' to surface. Rum a cement plug from 50' to surface. Place a 4" steel pipe marker at surface in gement leaving 4' above ground level with name, number and location of well stenciled thereon. Clean and level location. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company Drilling & Coring Exploration Co. Address 1809 Laguna Farmington, New Mexico By Carl E. Harmon						C()N
Address 1809 Laguna Farmington, New Mexico By Carl E. Harmon	State names of and expected depths	to objective sands; sho ing points, and	w sizes, weights, and all other important	engths of proposed cas proposed work)	ings; indicate made	DIST
Title Propriet or	It is intended to proceed depths It is intended to proceed depths Rum a cement plug if Pill hole with mud Rum a cement plug if Place a 4° steel pi ground level with i	objective sands; sho ing points, and plug and aband from 279 (TD) from 265 to store to suppose the marker at mame, number	w sizes, weights, and all other important don this well) to 265'. 50'. urface.	engths of proposed cas proposed work) 1 in the foll	owing manne	or:
	It is intended to provide the second of the second	to objective sands; sho ing points, and plug and aband from 279' (TD from 265' to from 50' to stipe marker at name, number oation. coring Explosion.	waizes, weights, and all other important don this well to 265'. 50'. urface. surface in and location	engths of proposed casproposed work) 1 in the followers leaving of well stemped works By Carl I	owing manners of above noticed there	or:

ting the second second

.