١.	_
v	

Form 9-331 a (Feb. 1951)

ļ	 	
1		

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Senta Pe
Lease No.	019962
Unit	Wood

## SUNDRY NOTICES AND REPORTS ON WELLS

TICE OF INTE	ENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
	ENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
TICE OF INTE	ENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
TICE OF INTI	ENTION TO RE-DRILL OR REPAIR WELL	L SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
TICE OF INT	ENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
	ENTION TO PULL OR ALTER CASING	
OTICE OF INT	ENTION TO ABANDON WELL	
	(INDICATE ABOVE BY CH	ECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)
		April 24 , 1959
/4 Sec.		
to Pict	ured Cliffs	(County or Subdivision) (State or Territory)
	on of the derrick floor above	lovel in 5058 ft
		DETAILS OF WORK
23-59	Total Depth 2303'. C. perforated intervals : with 35,200 gallons w Avg. tr. pr. 1300-140	ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cements, and all other important proposed work)  1.0.T.D. 2270'. Water fractured Pictured Cliffs 2194-98; 2204-16; 2224-32; 2246-56 with 2 DJ/Rt.
23-59	Total Depth 2303'. C.	ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cements, and all other important proposed work)  1.0.T.D. 2270'. Water fractured Pictured Cliffs 2194-98; 2204-16; 2224-32; 2246-56 with 2 DJ/ft.
<b>23-</b> 59	Total Depth 2303'. C. perforated intervals with 35,200 gallons was Avg. tr. pr. 1300-140 two sets of 15 balls.	ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cements, and all other important proposed work)  1.0.T.D. 2270'. Water fractured Pictured Cliffs 2194-98; 2204-16; 2224-32; 2246-56 with 2 DV/ft.  2194-98; 2204-16; 2224-32; 2246-56 with 2 DV/ft.  The same and 40,000 sand. ED pr. 2000 Max. pr. 2  1.R. 55 RfM. Flush 2300 sallons. Drop  APR 29 1959  OIL CON. COM.  o approval in writing by the Geological Survey before operations of the 2 bommenced.
23-59	Total Depth 2303'. C. perforated intervals with 35,200 gallons was Avg. tr. pr. 1300-140 two sets of 15 balls.	ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cements, and all other important proposed work)  1.0.T.D. 2270'. Water fractured Pictured Cliffs 2194-98; 2204-16; 2224-32; 2246-56 with 2 DV/ft.  2194-98; 2204-16; 2224-32; 2246-56 with 2 DV/ft.  The same and 40,000 sand. ED pr. 2000 Max. pr. 2  1.R. 55 RfM. Flush 2300 sallons. Drop  APR 29 1959  OIL CON. COM.  o approval in writing by the Geological Survey before operations of the 2 bommenced.
1 understar	Total Depth 2303'. C. perforated intervals with 35,200 gallons was Avg. tr. pr. 1300-140 two sets of 15 balls.	ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cements, and all other important proposed work)  1.0.T.D. 2270'. Water fractured Pictured Cliffs 2194-98; 2204-16; 2224-32; 2246-56 with 2 DV/ft.  2194-98; 2246-98
23-59	Total Depth 2303'. C. perforated intervals with 35,200 gallons was avg. tr. pr. 1300-150 two sets of 15 balls.  Indicate the plan of work must receive the present the sets of 15 balls.	ds; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cements, and all other important proposed work)  1.0.T.D. 2270'. Water fractured Pictured Cliffs 2194-98; 2204-16; 2224-32; 2246-56 with 2 DV/ft.  2194-98; 2246-98