Form	9-831 a
(Feb	1951)

		 -
	٥	
		 ļ
1		

(SUBMIT IN TRIPLICATE)

	Land Office Hear Mexico
	Lease No. 012150
NOP.	Unit

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

ll No. 1-31 is located 790 ft. from line and 1820 ft. from W line of sec. 31						
SUBSCOUENT REPORT OF SMOOTHING OR ACLIDANG. SUBSCOUENT REPORT OF ALTERING CASING. SUBSCOUENT REPORT OF ALTERING. SUBSCO	OTICE OF INTENTION TO DRILL					
Subsequent Report of Allenia Coling Coling Price of Intention to Response Coling Coling Price of Intention to Response Coling Coling Price of Intention to Shoot of Acidize. Subsequent Report of Respituing on Repair. Subsequent Report of Respituing Coling Report Report of Respituing Coling Report Report of Respituing Coling Report Report Report Report of Respituing Coling Report Park Report of Report Report Report Report Report Park Repor						
Subsequent report of Repair and Subsequent report of Report rep						
Supplementary well history (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Supplementary well history (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Supplementary well history (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Supplementary (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Supplementary (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) Supplementary (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE			SUBSE			
September 11 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) September 11 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) September 11 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) September 11 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) September 11 (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF THE DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF THE DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF THE DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF THE DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF THE DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF THE DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF THE DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF THE DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF THE DATA) (INDICATE ABOVE BY CHECK MA	OTICE OF INTENTION TO SHOOT OR AC	CIDIZE	SUBSE			
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) September 11 [No. 1-31] is located 790 ft. from No. 1-31 is located 790 ft. No. 1-31 is located 790 ft. from No. 1-31 is located 790 ft. No. 1-31 is located	OTICE OF INTENTION TO PULL OR ALT	ER CASING	SUPPL	EMENTARY WELL HIS	STORY	
September 11			-			
Federal *PC* No. 1-31 is located 790 ft. from No. 1-31 is located 790 ft. No. 1			_	DEPORT NOTICE OR	OTHER DATA)	
Federal *PC* Il No. 1-31 is located 790 ft. from N.M.P.M. (4 Sec. 31 308 11W N.M.P.M. (4 Sec. 31 308 11W N.M.P.M. (5 Sec. 31 308 11W N.M.P.M. (6 Sec. and Sec. No.) (Twp.) (Range) (Meridian) Mesignated San Juan (County or Subdivision) (8 sec or Territory SEP 1.5 OIL CON DETAILS OF WORK Alternames of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, camen ing points, and all other important proposed work) plan to drill a 2150 Pictured Cliffs gas well, using rotary tools. plan to set approximately 100 of 8 5/8" surface casing with 100 sacks. expect to set a 5 1/2" production string on bettom with 100 sacks, and productionally perforations. Il casing will be run and cemented, using methods approved by the U. S. vological Survey.	(INDICATE	ABOVE BY CHECK MAR	RK NATURE OF			10
(4) Sec. and Sec. No.) (3) Sec. and Sec. No.) (Twp.) (Range) (Range) (Range) (Read Sec. No.) (Read Sec. No.) (Twp.) (Range) (Read Sec. No.) (Read Se	Federal "PC" ell No. 1-31 is located		m [N] lii			,
(4 Sec. and Sec. No.) Adesignated San Juan (County or Subdivision) Rew Mexico (State or Territory SEP 1.5 OIL CON DETAILS OF WORK Ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, camen ing points, and all other important proposed work) plan to drill a 2150 Pictured Cliffs gas well, using rotary tools. plan to set approximately 100 of 8 5/8 surface casing with 100 sacks. expect to set a 5 1/2 production string on bettom with 100 sacks, and productionally perforations. I casing will be run and cemented, using methods approved by the U. S. Plunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany John H. Trigg			~~~		•	1081
designated (Field) (County or Subdivision) e elevation of the derrick floor above sea level is 5822 ft. DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs-common ing points, and all other important proposed work) plan to drill a 2150' Pictured Cliffs gas well, using rotary tools. plan to set appreximately 100' of 8 5/8" surface casing with 100 sacks. expect to set a 5 1/2" production string on bettom with 100 sacks, and productionally perforations. I casing will be run and cemented, using methods approved by the U. S. Fological Survey. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany John H. Trigg			(Range)	•	=	/ NLU
de elevation of the derrick floor above sea level is 5822 ft. DETAILS OF WORK Ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs-camen ing points, and all other important proposed work) plan to drill a 2150' Pictured Cliffs gas well, using rotary tools. plan to set appreximately 100' of 8 5/8" surface casing with 100 sacks. expect to set a 5 1/2" production string on bettom with 100 sacks, and productionally perforations. It casing will be run and cemented, using methods approved by the U. S. bological Survey. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany John H. Trigg		San Juan				
DETAILS OF WORK ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs-camening points, and all other important proposed work) plan to drill a 2150' Pictured Cliffs gas well, using rotary tools. plan to set approximately 100' of 8 5/8" surface casing with 100 sacks. expect to set a 5 1/2" production string on bottom with 100 sacks, and productions perforations. 1 casing will be run and cemented, using methods approved by the U. S. bological Survey. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany John H. Trigg		(Count	y or Subdivisio	n)	(State or Ten	THOTY SEP 1
l casing will be run and cemented, using methods approved by the U. S. cological Survey. I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Trigg		DET	AILS OF	WORK	l indicate	DIS'
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Ompany John H. Trigg	plan to set approxima	DETA chipictive sands; show ing points, and a Pictured Cl stely 100° of	AILS OF sizes, weights ill other impor	WORK and lengths of properties the proposed work) well, using surface cas	g rotary too	ols. D sacks.
ompany John H. Trigg	plan to drill a 2150; plan to set approxima expect to set a 5 1/2 hrough perforations.	DETA objective sands; show ing points, and a Pictured Cl tely 100' of	AILS OF sizes, weights ill other impor iffs gas 8 5/8* a string	WORK and lengths of properties proposed work) well, using surface case on bettom w	g rotary too ing with 100 ith 100 sack	ols.) sacks. ks, and prod
$\sim 10^{-3}$	plan to drill a 2150; plan to set approxima expect to set a 5 1/2 hrough perforations.	DETA objective sands; show ing points, and a Pictured Cl tely 100' of	AILS OF sizes, weights ill other impor iffs gas 8 5/8* a string	WORK and lengths of properties proposed work) well, using surface case on bettom w	g rotary too ing with 100 ith 100 sack	ols.) sacks. ks, and prod
$\sim 10^{-3}$	plan to drill a 2150; plan to set approxima expect to set a 5 1/2 arough perforations. Il casing will be run sological Survey.	DETA objective sands; show ing points, and a Pictured Cl tely 100' of production and cemented	AILS OF sizes, weights ill other impor iffs gas 8 5/8* a string	WORK and lengths of properties of properties of properties with the surface case on bottom with the surface case of the surface ca	g rotary too ing with 100 ith 100 sack	ols.) sacks. ks, and produce U.S.
Rosvell, New Mexico	plan to drill a 2150; plan to set apprexima expect to set a 5 1/2 prough perforations. Il casing will be run sological Survey.	DETA objective sands; show ing points, and a Pictured Cl tely 100' of production and cemented	AILS OF sizes, weights ill other impor iffs gas 8 5/8* a string	WORK and lengths of properties of properties of properties with the surface case on bottom with the surface case of the surface ca	g rotary too ing with 100 ith 100 sack	ols.) sacks. ks, and produce U.S.
HOUNGTT' MAN WANTAN	plan to drill a 2150° plan to set approximate expect to set a 5 1/2 prough perforations. Il casing will be run cological Survey. I understand that this plan of work company John H. Trigother to company John H. Trigoth	DETA bijective sands; show ing points, and a Pictured Cl tely 100 of production and cemented must receive approve	AILS OF sizes, weights ill other impor iffs gas 8 5/8" a string b, using	work well, using surface cas: on bottom w methods app	g rotary too ing with 100 ith 100 sack	ols.) sacks. ks, and produce U.S.
	plan to drill a 2150; plan to set appreximate expect to set a 5 1/2 arough perforations. Il casing will be run sological Survey. I understand that this plan of work company John H. Trigoddress P. O. Box 56	DETA bijective sands; show ing points, and a Pictured Cl tely 100 of production and cemented must receive approve	AILS OF sizes, weights ill other impor iffs gas 8 5/8" a string b, using	work well, using surface cas: on bottom w methods app	g rotary too ing with 100 ith 100 sack	ols.) sacks. ks, and produce U.S.

FORM C-128 Revised 5/1/57

HEW MEXICO OIL CONSERVATION COMMISSION

WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE								
			SECTIO Lease	N A			Well_N	0.
Operator JO	HN H. TRIGG		Lease	PEDERAL PO			1-31	
Unit Letter C	Section 31	Township ORTH	Rang	vest	County SAN	Juan		
Actual Footage L 790	ocation of Well: feet from the	he NORTH line a	nd 16	XO feet	t from the	est	line	
Ground Level Ele			Pool				Dedicated Ac	reage:
5811.0	Mictured		1	Undesignate	ed		170.25	Acres
who has the ri another. (65- 2. If the answer wise? YES	r the only owner in ght to drill into an -3-29 (e) NMSA 19 to question one is NO	"no," have the interes If answer is "yes," Ty	coutlined on bool and to a sts of all the ope of Conso	owners been collidation Com	production ei onsolidated b munitizat	ther for hin by communition Agr	nself or for hin tization agreen eement	nself and
<u></u>	to question two is	"no," list all the owner	ers and their	Land Descript				
Owner John H.	Trigg			• .	4, Section	on 31		P12 1958
John J.	Redfern, Jr.	, et. al		Lots 1	& 2, Sect	cion 31	4.7	
		SECTION B					CERTIFICAT	rion
	, i	31				in SECT. plete to belief. Name Age Position Joh Company	the best of my ent nn H. Trig	knowledge and
			RECT SEP OIL S	15 1958 CON. SOM	The state of the s	shown or plotted f surveys supervis and corre and believed. Date Sur Register and/or I	n the plat in Sirom field note: made by me or ion, and that t ect to the best ef. veyed Septembered Profession and Surveyor P. Leese	under my he same is true of my knowledge r 1958 al Engineer

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.