

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office **New Mexico**

Lease No. **012150**

Unit

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		Workover	X

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Federal "PC"

October 23

19 61

Well No. **1-31** is located **790** ft. from **N** line and **1820** ft. from **W** line of sec. **31**

NE 1/4 Sec. 31
(1/4 Sec. and Sec. No.)


30N
(Twp.)

11W
(Range)

N.M.P.M.
(Meridian)

Undesignated
(Field)

San Juan
(County or Subdivision)



The elevation of the derrick floor above sea level is **5822** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

May 5, 1960 - Ran 2 3/8" tubing and squeezed perforations 2046-2070 with 500 gallons, Dowell Latex Cement. Drilled out to 2031'. Perforated 2046-2050 with Dowell abrasijet. Refracted with 20,000 lbs. 10/20 sand, 20,000 gal. river water. Work finished May 9, 1960.

May 5, 1960 - All frac water swabbed back, well is still making some formation water. Well will make an estimated 50 MCF per day, casing pressure 465#, if the formation water could be kept down.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **John H. Trigg**

Address **P. O. Box 520**

Reynolds, New Mexico

By

Title **John H. Trigg, Owner**