

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078139
Unit Elliott Gas Unit
East 1/2 Section 26
Designated Drilling Unit
30-045-09223

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	<input type="checkbox"/>	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	<input type="checkbox"/>	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	<input type="checkbox"/>	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico April 17, 1953

Well No. H-1 is located 990 ft. from N line and 1650 ft. from E line of sec. 26

NE 1/4 Section 26
(1/4 Sec. and Sec. No.)

T-30-N
(Twp.)

R-9-W
(Range)

NMSPM
(Meridian)

Blanco Mesaverte
(Field)

San Juan
(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is ft.
(To be reported later)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to approximately 5200 feet. Rotary tools will be used to total depth. Casing will be set on top of Cliffhouse. Mesaverte formation will be drilled with gas and cleaned out with gas after shot with SNG.

The following casing program is proposed:

Size	Depth	Cement	Remarks:
9-5/8"	250'	225	175% of calculated amount to circulate.
7"	4100'	300	150% of calculated amount to fill 1260' above shoe.

Copies of location plats are attached. A copy of any change taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Stanolind Oil and Gas Company

Address Box 487

Farmington, New Mexico

By [Signature]

Title Field Engineer



NEW MEXICO
OIL CONSERVATION COMMISSION

Gas Well Plat

Date 12-1-54

Stanolind Oil Co.
Operator Lease Well No

Name of Producing Formation Wendover Pool Wendover

No. Acres Dedicated to the Well 320

Indicate land status and acreage:

2/2 SECTION 26 TOWNSHIP 30N RANGE 9W

USA Elmer E. Elliott "B"	160.00
(Contributed 100% by Stanolind)	
USA W. H. Riddle	40.00
(Contributed 100% by El Paso)	
Theodore C. McNutt, et al	40.00
(Contributed 100% by Johnston Oil Gas Co.)	
Eugene Jacquez	80.00
(Contributed 75% by El Paso and 25% by Eldorado Ref. Co.)	

Total to Unit 320.00



I hereby certify that the information given above is true and complete to the best of my knowledge.

Name Carl H. Hall
Position President
Representing Stanolind Oil Co.
Address Fort Worth, Texas

OIL CONSERVATION COMMISSION		
AZTEC DISTRICT OFFICE		
No. Copies Received		3
DISTRIBUTION		
	NO. FURNISHED	
Operator		
Santa Fe	1	
Production Office		
State Land Office		
U. S. G. S.	1	
Production Office		
File	1	✓