NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

Dellag Texas (Pag.)	Notice mu egins, If char obmit this no	ist he giv	en to the Distric	t Office of the C	Oil Conservation	Commission and app	RECOMPLE I roval obtained before d g such changes will be additional instructions	rilling or recompletion			
IL CONSERVATION COMMISSION NATA FR. NEW MEXICO entelemen: You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as Southern Union. Gas. Company Calloway Cal	ons of the Co	mmission	_								
NTA FE, NEW MEXICO nulceners: You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as Southern Union Gas Company Calloway Lease August 1050 feet from the North East Since of Section 3 T. 30-N R. Li-W. NMPM Axtec Pictured Cliffs pool, San Juan If State Land the Oil and Gas Lease is No. If patented land the owner is Carl G. Calloway et al. Address. New Mexico We propose to drill well with drilling equipment as follows: Botary tools to of Pay and cable tools thru Pay The status of plugging bond is. Stata Mide. Drilling Contractor We propose to use the following strings of Casing and to complete this well in the Pictured Cliffs formation at an approximate depth of. 2250! CASING PROGRAM We propose to use the following strings of Casing and to coment them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 13-3/4 9-5/8 36 new 100! If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000 of sands. Approved. Position Manager Exploration Depth School Communications recarding we found the same of the			(Place)	exas			(Date)				
You are hereby notified that it is our intention to commence the (Drilling) (Recompletion) of a well to be known as Southern. Union. Gas. Company Calloway Calloway Calloway Calloway Calloway Calloway Company or Operator. Calloway Well No. 1 Inc. and 900 A Company or Operator. Inc. and 900 Calloway Inc. 13	L CONSEI NTA FE, I	RVATIO	N COMMISSIO XICO	N							
Calloway Calloway Calloway Company or Operator Calloway Company or Operator Avell No. 1 In and 900 Feast In of Section 3 T 30-N a 11-W NMPM IVE LOCATION FROM SECTION LINE) BY State Land the Oil and Gas Lease is No. If State Land the Oil and Gas Lease is No. If patented land the owner is Carl C. Calloway et al Address. Aztec, New Mexico We propose to drill well with drilling equipment as follows: Fotary tools to of Pay, and cable tools thru Pay The status of plugging bond is. State wide. I. K J I Drilling Contractor M N O P We intend to complete this well in the Pictured Cliffs formation at an approximate depth of 2250! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Castag Weight per Foot New or Second Hand Depth Sadu 13-3/4 9-5/8 36 new 1001 11 8-3/4 5-1/2 15-5 new 22001 1 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. OIL CONSERVATION COMMISSION Southern Weight per Record Manager Exploration Depth A. M. WileDerRECHER Position Manager Exploration Depth Sead Comminguistums regarding with a sead Comminguistums regarding with a sead Comminguistum streaming with a sead Comminguistum str	ntlemen:	. ,	or a star to the	un intention to	commence the (Drilling) (Recompletion	on) of a well to be know	vn as			
Calloway (Lease) Mell No. 1 In A (Unit) Sast Incomplete from the North Sine of Section 3 T 30-N R 11-N INFORMATION (INF) Axtec Pictured Cliffs Pool, San Juan If State Land the Oil and Gas Lease is No. If patented land the owner is Carl G. Calloway et al Address. Axtec, New Mexico We propose to drill well with drilling equipment as follows: Fotary tools to of Pay and cable tools thru Pay The status of plugging bond is State wide I. K J I Drilling Contractor M N O P We intend to complete this well in the Pictured Cliffs formation at an approximate depth of 2250! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Mole Size of Castag Weight per Foot New or Second Hand Depth Sack 13-3/4 9-5/8 36 new 1001 1 B-3/4 5-1/2 15-5 new 22001 1 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. OIL CONSERVATION COMMISSION Is and Melloway Cast Company A. M. Wiederkether Position Manager Exploration Depth A. M. Wiederkether Position Manager Exploration Depth Send Communications regarding with the position Manager Exploration Depth Send Communications regarding with the send communications regarding with the send communications regarding with the content of the company of	You are	hereby no	m linion Ga	s Company	(
State Stat				•	(Company or	Well No. 1	in A				
Inc Section 3 The propose to Inc Agtec Pictured Cliffs Pool San Juan		allow	(Lease)		***************************************	YVCII 1:0	, (σι	nit)			
D C B A Address	ated	1050 ····	feet from t	eNorth			line and July	NMPM			
If State Land the Oil and Gas Lease is No. If patented land the owner is. Carl G. Calloway et al. Address					e of Section	ed Cliffs	San Juan				
If patented land the owner is. Carl G. Calloway et al. Address. Aztec, New Mexico We propose to drill well with drilling equipment as follows: Entary tools to of Pay and cable tools thru Pay The status of plugging bond is. State wide. I. K. J. I. Drilling Contractor. M. N. O. P. We intend to complete this well in the. Pictured Cliffs formation at an approximate depth of. 2250! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks 13-3/4: 9-5/8 36 new 1000! 1 8-3/4: 5-1/2 15.5 new 2200! If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals. of oil and 3000# of sand. Sincerely yours, SOUTHERN CHARGE CAPPAIN Section Manager Exploration Depth Send Communications recarding with Section Manager Exploration Depth Send Communications recarding with Send Co	IVE LOCA	ATION F	ROM SECTION	**************************************	1 de Oil and	Con Luces is No.					
Address. Aztec, New Maxico We propose to drill well with drilling equipment as follows: Eotary tools to of Pay and cable tools thru Pay The status of plugging bond is State. wide L K J I Drilling Contractor M N O P We intend to complete this well in the Pictured Cliffs formation at an approximate depth of 2250! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks 13-3/4; 9-5/8 36 new 100! 1 3-3/4; 9-5/8 15-5 new 2200! 1 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Sincerely yours, Southern delication Depth Sanger. Exploration Depth Send Communications regarding with sanger. Exploration Send Communications regarding with sangers. Exploration Send Communications regarding with sangers. Exploration Send Communications regardi				If State L	and the Oil and	carl G. Carl	lloway et al				
We propose to drill well with drilling equipment as follows: Ectary tools to favorable tools thru Pay The status of plugging bond is. State wide L K J I Drilling Contractor M N O P We intend to complete this well in the Pictured Cliffs formation at an approximate depth of .2250! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 13-3/4 9-5/8 36 new 100! 1 8-3/4 5-1/2 15.5 new 2200! 1 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Sincerely yours, Sincerely yours, Sincerely yours, Southkin Child Case Cippania By A M. WIEDERKEHR A. H. Wiederkehr Position. Manager Exploration Depth Sender Communications recarding with a send Communications recarding with the send communicati	n	C	ВА	Address		Aztec. Nev	/ Mexico				
The status of plugging bond is State wide L K J I Drilling Contractor M N O P We intend to complete this well in the Pictured Cliffs formation at an approximate depth of 2250! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Welcht per Foot New or Second Hand Depth Sacks 13-3/4 9-5/8 36 new 100! 1 8-3/4 5-1/2 15-5 new 2200! If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frace Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Sincerely yours, SOUTHERN CHILDING CASE COMPANY A. M. WIEDERKEHR A. M. Wiederkehr Position. Manager Exploration Deputy Position Manager Exploration Deputy Position. Manager Exploration Deputy Position. Manager Exploration Deputy Position Manager Exploration Position Manager Exploration Position Manager Exploration Position Position Manager Exploration Position Position Manager Exploration Position	D			We prope	see to drill well v	with drilling equipment	as follows: Fotary	roofs to rob			
The status of plugging bond is. State wide L K J I Drilling Contractor				of Pay	and cable	tools thru Pay	<u></u>	***-			
L K J I Drilling Contractor M N O P We intend to complete this well in the Pictured Cliffs formation at an approximate depth of 2250! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks 13-3/4 9-5/8 36 new 100! 1 13-3/4 5-1/2 15.5 new 2200! 1 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Approved. 7-9, 19.5- Sincerely yours, Southern diffusion capacity of the position of the proposed of	E	F	G H	The statu	as of plugging be	bond is State vide					
M N O P We intend to complete this well in the Pictured Cliffs formation at an approximate depth of 2250 CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 13-3/4: 9-5/8 36 new 1001 1 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals. of oil and 3000# of sand. 2-9 19.5- Sincerely yours, Southern Children Company A. M. WIEDERKEHR A. M. Wiederkehr Position Manager Exploration Dep				****							
M N O P We intend to complete this well in the Pictured Cliffs formation at an approximate depth of 2250! CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sacks 13-3/4: 9-5/8 36 new 100! 1 8-3/4: 5-1/2 15.5 new 2200! If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Sincerely yours, Sincerely yours, Southern Charles Company A. M. WIEDERKEHR A. M. Wiederkehr Position Manager Exploration Depth Sacks Send Communications regarding was to send for the proposed of the position of the positi	L	к	j I	Drilling (Contractor						
We propose to use the following strings of Casing and to cement them as indicated: Size of Hole				•							
formation at an approximate depth of	3.6		O P				1 07:00-				
CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 13-3/4: 9-5/8 36 new 1001 1 8-3/4: 5-1/2 15-5 new 22001 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Approved	NI	1		We inter	nd to complete the	his well in the P1CU	ired Ullis	feet			
We propose to use the following strings of Casing and to cement them as indicated: Size of Hole	·			formation			<u> </u>				
Size of Hole Size of Casing Weight per Foot New or Second Hand Depth Sack 13-3/lt 9-5/8 36 new 1001 1 8-3/lt 5-1/2 15.5 new 22001 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals. of oil and 3000# of sand. Sincerely yours, Southern defined charger figurators By. A. M. WIEDERKEHR A. M. WIEDERKEHR A. M. WIEDERKEHR OIL CONSERVATION COMMISSION Send Communications regarding with the second Hand Depth Sack Southern Communications regarding with the second Hand Depth Sack New or Second Hand Depth Sack 1001 1	We prot	nose to us	e the following st	rings of Casing at							
13-3/h 9-5/8 36 new 100! 8-3/h 5-1/2 15.5 new 2200! If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals. of oil and 3000# of sand. Approved			1	2	1		Depth	Sacks Cement			
13-3/4 9-5/8 36 new 22001 8-3/4 5-1/2 15.5 new 22001 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals. of oil and 3000# of sand. Approved	5.00 07 2500					3001	100				
If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals. of oil and 3000# of sand. Sincerely yours, Southern Change Company By. A. M. Wiederkehr Position. Manager Exploration Deputy of the sand of t	13-3/4		9-5/	8	36			100			
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Approved	- 8-3,	/4		2	.5.5	new					
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Sincerely yours, Sincerely yours, Southern Child Gas Company A. M. WIEDERKEHR A. M. Wiederkehr Position. Manager Exploration Dep											
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Sincerely yours, Sincerely yours, Southern Child Case Company By A. M. WIEDERKEHR A. M. Wiederkehr Position Manager Exploration Dep	If chan	ges in the	above plans bed	ome advisable we	will notify you	immediately.					
We propose to sand frac Pictured Cliffs sand with about 5000 gals, of oil and 3000# of sand. Approved	ADDIT	IONAL	INFORMATIO	I (If recompletion	on give full det	ails of proposed plan	of work.)				
and 3000# of sand. Approved								oil			
Approved	We p	ropose	to sand fi	ac Picture	1 CILLIS S	SIM WIMI ADORD)000 gaza, o	A STATE OF THE STA			
Approved	and	30 00#	or same								
By A. M. WIEDERKEHR OIL CONSERVATION COMMISSION SOUTHERN CHIEN CAS COMPANY By A. M. WIEDERKEHR Position Manager Exploration Dep				7 - 9	10.5-5	Sincerely yours,		1/4335			
By A. M. WIEDERKEHR A. M. Wiederkehr OIL CONSERVATION COMMISSION A. M. Wiederkehr Position. Manager Exploration Dep	Approved Except as fo	ollows:		,	19,	LL MATHUMP	LTON GAS COMPAN	Y			
A. M. Wiederkehr Position. Manager Exploration Dep OIL CONSERVATION COMMISSION Send Communications regarding with to	-					A. N	Same Considition of the crace	1133 6 3			
OIL CONSERVATION COMMISSION Position Manager. Exploration Dep								1300			
					₹	nation Manage	er Exploration	Depter ding well to			
O to 1 Stand Empry C. Arnold		OIL C	ONSERVATION	Ement C	i Arnold						
Original Signed Emery C. Arnold Name Address.	Ву	Origi	nal Signed	emery G.	l #T 1101M						
Oil and Gas Inspector Dist. #3.	•	Oil ar	nd Gas Insna	ctor Diet #2	l .	Aggress					

e Calloway Well No. 1							
3	, T	30 N	, R	11.	ly llva	.Palle	
) from East 1	the No	rch-lir	e-and-	.9001	from	
on	•••••		•••••		••••••		•
hon	Court !				low its	, in the second]
				l	9		
					<u></u>		
					6-	- - - -	
				<u>'</u>			
						-	
			_				
			3 /				
		<u>. j</u>					
						<u> </u>	
							Ŋ
			ļ				
			<u> </u>			<u> </u>	j
-4 inche	s equal 1	mile.					
nal surv	evs made	he above p by me or	under my	supervis	sion and	i that the	} •
are true	and corre	ect to the	best of m	y knowle	dge and	l belief.	
		1		0	To a	e	
	7	I I	Registered	Professi	onel		Tenan 7
	-		rincer and			:. M	James P. lexReg. N

No. Copies	ERVATION COMMI C DISTRICT OFFIC Received &
	DISTRIBUTION
	- Water
Operator Santa Fe	
Proration Office	
State Land O'S	0.9
U. S. G. S.	
Transporter File	