

N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

ILLECIBLE
WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

Paces Development, Inc.
(Company or Operator)

State
(Lease)

Well No. 7, in 3/4 of 32, T. 11N, R. 9E, NMPM.

Blanco

Pool,

San Juan

County.

Well is 1,650 feet from North line and 1,190 feet from East line

of Section 32. If State Land the Oil and Gas Lease No. is

Drilling Commenced June 16, 1952 Drilling was Completed August 22, 1952

Name of Drilling Contractor Central Drilling Company, Well, Inc.

Address Farmington, New Mexico

Elevation above sea level at Top of Tubing Head 5,119 The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 5,000 to 5,063 No. 4, from 5,406 to 5,440

No. 2, from 5,162 to 5,190 No. 5, from to

No. 3, from 5,290 to 5,320 No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 1/4	32	NEW	187	Ball			
7	23	NEW	964	Ball			
7	20	NEW	3,917				

Tool set at 3,217.1 with 210 rods

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
13 1/2	10 1/2	187	150	Ball		
7	3/2 7	4,031	135			

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Shot with 1,625 qts. of solidified nitroglycerine from 1,950 to 5,505

Result of Production Stimulation IP 5,452 after 6 hrs.

SLIP 1,010

Depth Cleaned Out 5,565

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from surface feet to 2,927 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 1952
OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Devonian	T. Ojo Alamo	2,73
T. Salt	T. Silurian	T. Kirtland-Fruitland	
B. Salt	T. Montoya	T. Farmington	3,115
T. Yates	T. Simpson	T. Pictured Cliffs	5,333
T. 7 Rivers	T. McKee	T. Menefee	5,333
T. Queen	T. Ellenburger	T. Point Lookout	7,267
T. Grayburg	T. Gr. Wash	T. Mancos	
T. San Andres	T. Granite	T. Dakota	
T. Glorieta	T.	T. Morrison	
T. Drinkard	T.	T. Penn	
T. Tubbs	T.	T.	
T. Abo	T.	T.	
T. Penn	T.	T.	
T. Miss	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
2,054	2,823	769	Kirtland	<div>U.S. CONSERVATION COMMISSION AZTEC DISTRICT OFFICE 10 Copies Received DISTRIBUTION NO. FURNISHED Director Santa Fe Bureau of Land Office U.S. G.S. Inspector file</div>			
2,823	3,115	322	Fruitland				
3,115	3,254	105	Pictured Cliffs				
3,254	4,956	1702	Lewis				
4,956	5,333	107	Cliffhouse				
5,333	5,333	317	Menefee				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator, abco Development, Inc.
Name, Charles L. Peters
Address, 10-20-52
Position or Title, Geologist