


(SUBMIT IN TRIPLICATE)

Land Office Santa FeLease No. 7636Unit Santa Juan 32-7 UnitUNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

## SUNDRY NOTICES AND REPORTS ON WELLS

DECEIVED

JUL 2 1953

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 20, 1953

Well No. 1 is located 28 ft. from N line and 1000 ft. from E line of sec. 15

Section 15 (1/4 Sec. and Sec. No.) 30 (Twp.) 4 (Range) N. M. P. T. (Meridian)  
Dona (Field) Santa Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 1000 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is intended to drill a well with rotary tools through the Mesoverde, drilling the pay with gas circulation, and to shoot the pay with two quarts of oil. per foot. Total depth 2400'.

Casing Program:

5/8" at 100' with 125 sacks of regular cement circulated to surface.  
 7/8" at 1000' with 300 sacks of regular cement.

The N. M. P. T. section 15 is dedicated to this well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company THE PRODUCTION AND COMPANYAddress Box 100San Juan, N. M.By [Signature]Title Production Engineer.