## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval expires 12-31-60. Santa Te

Land Office

Loase No. SF 078510

Unit N. M. P. H., San Juan Co., Hew Mexico

# SLINDRY NOTICES AND REPORTS ON WELLS

		SUBSPOLIEN	T REPORT OF WATER	SHUT-OFF				
TICE OF INTENTION TO DRILL		SUBSEQUEN	T REPORT OF WATER	ING OR ACIDIZING	CHIVE			
TICE OF INTENTION TO CHANGE PLAN	NS	SUBSEQUEN	T DEPORT OF ALTER	ING CASING				
TICE OF INTENTION TO TEST WATER	SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASHALL SUBSEQUENT REPORT OF ABANDONMENT					
TICE OF INTENTION TO RE-DRILL OR	REPAIR WELL							
TICE OF INTENTION TO SHOOT OR AC	CIDIZE	SUBSEQUEN						
TICE OF INTENTION TO PULL OR ALT	TER CASING	SUPPLEMEN	IART WELL INSTANT	1.diMH	ACT CAL MENT ALL ME COU			
TICE OF INTENTION TO ABANDON WE	ELL							
			DT NOTICE OR OTHE	R DATA)				
(INDICATE	ABOVE BY CHECK MA	RK NATURE OF REPO	R1, NO11-2, 341		** 80			
				June	<b>29.</b> 19 <b>59</b>			
Il No. 3 is located	d 1850 ft. fro	om line a	H.H.P.E.	rom ine	of sec			
(½ Sec. and Sec. No.)	(Twp.)	(Range)	(Meridian)	w Mexico				
meo Nossyerds		an County		(State or Territo	ory)			
(Field)	-	nty or Subdivision)		•				
		, , 6600	f. G.L.					
ne elevation of the derrick	floor above sea	level 18	16.					
ic cicvation			ND 17					
	nca	CATIC CIE WI	JKK					
	DET	CATIC CIE WI	JKK	casings; indicate	mudding jobs, cement-			
ate names of and expected depths to	DET objective sands; show	CATIC CIE WI	JKK	casings; indicate:	mudding jobs, cement-			
ate names of and expected depths to	objective sands; showing points, and	CATIC CIE WI	JKK	casings; indicate	mudding jobs, cement-			
	objective sands; showing points, and	TAILS OF We we sizes, weights, and all other important	lengths of proposed proposed work)		/CULIVEN			
	objective sands; showing points, and	We sizes, weights, and all other important	lengths of proposed proposed work)		/CULIVEN			
	objective sands; showing points, and	We sizes, weights, and all other important	lengths of proposed proposed work)		rog RELEIVED			
ate names of and expected depths to he objective sands or pproximately 5400° an	objective sands; showing points, and	w sizes, weights, and all other important  House and I	lengths of proposed proposed work)	t enticipa	101.6 1959			
he objective sends er pproximately 5400° so	objective sands; showing points, and the Cliff at 5775, resp	w sizes, weights, and all other important  House and I	lengths of proposed proposed work)  Point Lookou	t enticipa	101.6 1959			
	objective sands; showing points, and the Cliff of 5775' response; 200' 10	w sizes, weights, and all other important  House and in postively.	lengths of proposed proposed work)  Point Lookou  ted to surfe	t anticipa nce ) sacks	JULIG 1959			
he objective sends er pproximately 5400° so	objective sands; showing points, and the Cliff of 5775' response; 200' 10-3600' 7:	w sizes, weights, and all other important  House and in postively.	lengths of proposed proposed work)  Point Lookou  ted to surfe	t anticipa nce ) sacks	JULIG 1959			
he objective sends or pproximately 5400° an roposed Casing Progra	objective sands; showing points, and the Chiff of 5775' response; 200' 10- 3600' 7- 2600' 5	House and I poctively.  -3/4" comes: -5/8" comes: -1/2" liner	lengths of proposed proposed work)  Coint Lookov  ted to surfated with 150 cemented wi	t anticipa nce ) sacks ith 200 sac	JULG 1959 DIST. 3			
he objective sends or pproximately 5400° an roposed Casing Progra	objective sands; showing points, and the Chiff of 5775' response; 200' 10- 3600' 7- 2600' 5	House and I poctively.  -3/4" comes: -5/8" comes: -1/2" liner	lengths of proposed proposed work)  Coint Lookov  ted to surfated with 150 cemented wi	t anticipa nce ) sacks ith 200 sac	JULG 1959 DIST. 3			
he objective sands or pproximately 5400° an roposed Casing Progra	objective sands; showing points, and the Chiff of 5775' ree; and 3775' ree; and 3600' 7. 2600' 5	House and I poctively.  -3/4" comes: -5/8" comes: -1/2" liner	lengths of proposed proposed work)  Coint Lookov  ted to surfated with 150 cemented wi	t anticipa nce ) sacks ith 200 sac	JULG 1959 DIST. 3			
he objective sands or pproximately 5400' an roposed Casing Progra de propose to drill wi	objective sands; shoving points, and the Cliff of 5775' responses 200' 10- 3600' 7- 2600' 5  1th Rotary T	House and in pactively.  -3/4" comes: -1/2" liner	lengths of proposed proposed work)  Point Lookou  ted to surfeted with 150 comented wi	t anticipa nos ) sacks lth 200 sac pugh Pictus	JUL 6 1959 DIST. 3			
he objective sends or pproximately 5400° an reposed Casing Progra We propose to drill wi pas drill to estimate	objective sands; showing points, and the Cliff of 5775' response; 200' 10- 3600' 7- 2600' 5 ith Rotery 7- d TD 6050'.	House and in portively.  -3/4" comes: -1/2" liner	lengths of proposed proposed work)  Point Lookou  ted to surfeted with 150 camented	t enticipa nos ) sacks  th 200 sac  sugh Pictus	JUL 6 1959  OHL CON. CO DIST. 3			
he objective sends or pproximately 5400° an reposed Casing Progra We propose to drill wi pas drill to estimate	objective sands; showing points, and the Cliff of 5775' response; 200' 10- 3600' 7- 2600' 5 ith Rotery T. d TD 6050'.	House and in portively.  -3/4" comes: -1/2" liner	lengths of proposed proposed work)  Point Lookou  ted to surfeted with 150 camented	t enticipa nos ) sacks  th 200 sac  sugh Pictus	JUL 6 1959  OHL CON. CO DIST. 3			
he objective sands or pproximately 5400° as reposed Casing Progration for propose to drill will be sand.  I understand that this plan of wor	objective sands; showing points, and the Cliff of 5775' ree; and 3775' ree; and 3600' 7. 2600' 5 the Rotary T. d TD 6050'. I freced in and the must receive approximately and the control of the control	House and i poctively.  -3/4" comen: -1/2" liner  cols capley  an effort to	lengths of proposed proposed work)  Point Lookou  ted to surfeted with 150 camented	t enticipa nos ) sacks  th 200 sac  sugh Pictus	JUL 6 1959  OHL CON. CO DIST. 3			
he objective sands or pproximately 5400° as reposed Casing Progration for propose to drill will be sand.  I understand that this plan of wor	objective sands; showing points, and the Cliff of 5775' ree; and 3775' ree; and 3600' 7. 2600' 5 the Rotary T. d TD 6050'. I freced in and the must receive approximately and the control of the control	House and i poctively.  -3/4" comen: -1/2" liner  cols capley  an effort to	lengths of proposed proposed work)  Point Lookou  ted to surfeted with 150 camented	t enticipa nos ) sacks  th 200 sac  sugh Pictus	JUL 6 1959  OHL CON. CO DIST. 3			
he objective sends or pproximately 5400° an reposed Casing Progra We propose to drill wi pas drill to estimate	objective sands; showing points, and the Cliff of 5775' ree; and 3775' ree; and 3600' 7. 2600' 5 the Rotary T. d TD 6050'. I freced in and the must receive approximately and the control of the control	House and i poctively.  -3/4" comen: -1/2" liner  cols capley  an effort to	lengths of proposed proposed work)  Point Lookou  ted to surfeted with 150 camented	t enticipa nos ) sacks  th 200 sac  sugh Pictus	JUL 6 1959  OHL CON. CO DIST. 3			
he objective sends or proximately 5400° and reposed Casing Program of the propose to drill with the send of the well will be send of the well will	objective sands; showing points, and the Cliff of 5775' ree; and 3775' ree; and 3600' 7. 2600' 5 the Rotary T. d TD 6050'. I freced in and the must receive approximately and the control of the control	House and i poctively.  -3/4" comen: -1/2" liner  cols capley  an effort to	lengths of proposed proposed work)  Point Lookou  ted to surfeted with 150 camented	t enticipa nos ) sacks  th 200 sac  sugh Pictus	JUL 6 1959  OHL CON. CO DIST. 3			
he objective sands or pproximately 5400° and reposed Casing Progration of the propose to drill with the sand I understand that this plan of wor SQUTHERN UNIX	objective sands; showing points, and the Cliff of 5775' ree; and 3775' ree; and 3600' 7. 2600' 5 the Rotary T. d TD 6050'. I freced in and the must receive approximately and the control of the control	House and in poctively.  -3/4" comes: -3/8" comes: -1/2" liner  cools copley  m effort to	lengths of proposed proposed work)  Coint Lookou  ted to surfated with 150 comented	t enticipa nos ) sacks  th 200 sac  sugh Pictus	JUL 6 1959  OHL CON. CO DIST. 3			
he objective sends or proximately 5400° and reposed Casing Program of the propose to drill with the send of the well will be send of the well will	objective sands; showing points, and the Cliff of 5775' ree; and 3775' ree; and 3600' 7. 2600' 5 the Rotary T. d TD 6050'. I freced in and the must receive approximately and the control of the control	House and in poctively.  -3/4" comes: -3/8" comes: -1/2" liner  cools copley  m effort to	lengths of proposed proposed work)  Coint Lookou  ted to surfated with 150 comented	t enticipa nos ) sacks  th 200 sac  sugh Pictus	JUL 6 1959  OHL CON. CO DIST. 3			
he objective sands or pproximately 5400° and roposed Casing Program of the propose to drill will be sand. I understand that this plan of wor southern unit of the propose of the plan of wor southern unit of the plan of the pla	objective sands; showing points, and the Cliff of 5775' ree; and 3775' ree; and 3600' 7. 2600' 5 the Rotary T. d TD 6050'. I freced in and the must receive approximately and the control of the control	House and i poctively.  -3/4" comen: -1/2" liner  cols capley  an effort to	lengths of proposed proposed work)  Coint Lookou  ted to surfated with 150 comented	t enticipa nos ) sacks  th 200 sac  sugh Pictus	JUL 6 1959  OIL CON. CO DIST. 3  red Cliffs and			

#### FORM C-128 Revised \$/1/57

# NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE										
0			SECTIO	N A	·					
	nion Gas Comp		Lesse	costrd		Veli No. 3				
Unit Letter	Section 8	Township Morth	R	Vest	County Seza	Juan				
Actual Footage Lo	ocation of Well: feet from the	Forth line	aad 990	fee	et from the	st lise				
Ground Level Ele-	v. Producing F		Pool	Blance W		Dedicated Acreage: 320 Acres				
<ol> <li>Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES NO</li></ol>										
Owner				Land Descrip		l 6 19 <b>59</b>				
						CON. COM.				
		SECTION B				DIST. 3				
	<del> </del>	SECTION B	· · · · · · · · · · · · · · · · · · ·	T	<b>——</b>	CERTIFICATION				
				1850 •		I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.  Name L. S. Macmalak Empleration Engineer Position Suthern Baion See Co.  Company Date				
					F	I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledged belief.  Date Surveyed June 22, 1959  Registered Professional Engineer and/or Land Surveyor				
ò 330 660 s	090 1320 1660 IS	260 2310 2640	2000 1500	1000	<b>500</b> 0	Certificate No.				

#### INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.