

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office New Mexico  
Lease No. 24 04443  
Unit O. J. Hoover #2

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

JUN 7 1960  
U. S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

O. J. Hoover #2

Farmington, New Mexico June 6, 1960

Well No. 5 is located 1980 ft. from N line and 1980 ft. from W line of sec. 15

34/4 NW/4 of Section 15 T-30-N R-16-W N.M.P.M.  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)


Horseshoe Gulch San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3485 ft. (BSL)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Total depth 1750' - Set 5-1/2" casing at 1742' with 80 sacks 6 percent gel with 1-1/2 pounds tuf plug per sack followed by 50 sacks neat cement. Spotted 250 gallons MCA. Tested casing with 3000 psi for 30 minutes, which held with no indication of pressure drop. Released rig May 28, 1960.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address P. O. Box 487

Farmington, New Mexico

Attn: L. C. Speer, Jr.

ORIGINAL SIGNED BY  
R. M. Bauer, Jr.

By \_\_\_\_\_

Title Area Engineer