DEPUTY OIL & GAS INSPECTOR

DEC 22 1997

Meter Number:75989
Location Name:RIDDLE #3 FT
Location:TN-30 RG-09
SC-21 UL-O
2 - Federal
NMOCD Zone:OUTSIDE
Hazard Ranking Score:00



RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone 10⁻⁹ to 10⁻¹³ cm/sec Shale 10⁻¹² to 10⁻¹⁶ cm/sec Clay 10⁻¹² to 10⁻¹⁵ cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

FIELD PIT SITE ASSESSMENT FORM ELPASOFIELD SERVICES

GENERAL	Meter: 75989 Location: RIDDLE # 3 FT Operator #: 0203 Operator Name: Amoco P/L District: Bloomfield Coordinates: Letter: O Section 21 Township: 30 Range: 9 Or Latitude Longitude Pit Type: Denydrator Location Drip: X Line Drip: Other: Site Assessment Date: 4.19.94 Area: 10 Run: 33				
SITE ASSESSMENT	NMOCD Zone: Cand Type: BLM				
REMARKS	Remarks: THREE PITS ON LOCATION. WILL CLOSE TWO OF THEM. PITS ARE DRY.				

(SP3190) 04/08/94

	ORIGINAL PIT LOCATION
ORIGINAL PIT LOCATION	Original Pit : a) Degrees from North <u>291°</u> Footage from Wellhead <u>75′</u> b) Length : <u>14′</u> Width : <u>/2′</u> Depth : <u>2′</u>
	12 25 NEILIEAD 291°
	Remarks: STATED TAKING PICTURES AT 1:04 P.M. END DUMP
REMARKS	
	Completed By:
	Signature Date

FIELT 'IT REMEDIATION/CLOSUI FORM

GENERAL	Meter: 75989 Location: R:312#3 FT Coordinates: Letter: O Section21 Township: 30 Range: 9 Or Latitude Longitude Longitude Date Started: 5-17-94 Area: 10 Run: 3:3
FIELD OBSERVATIONS	Sample Number(s): 1489 Sample Depth: 14 Feet Final PID Reading 1203 PID Reading Depth 14 Feet Yes No Groundwater Encountered 14 (1) 14 (2) Approximate Depth Feet
CLODURE	Remediation Method: Excavation
	Soil Disposition: Envirotech (1) (3) Tierra Other Facility (2) Name: Pit Closure Date: 5-17-94 Pit Closed By: 355
REMARKS	Remarks: EPNG Ine Markers. 4' Sandstone
	Signature of Specialist: Vale Wilson (SP3191) 04/07/94

-2-



FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

SAMPLE IDENTIFICATION

	Field ID	Lab ID		
SAMPLE NUMBER:	VW 89	945204		
MTR CODE SITE NAME:	75989	₩ /A		
SAMPLE DATE TIME (Hrs):	5-17-94	1100		
SAMPLED BY:	N/A			
DATE OF TPH EXT. ANAL.:	5-18-94	5/18/94		
DATE OF BTEX EXT. ANAL.:	NIF	NIA		
TYPE DESCRIPTION:	V6	light moion course and		
1				

REMARKS:	

RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
BENZENE		MG/KG				
TOLUENE		MG/KG				
ETHYL BENZENE		MG/KG				
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG				
TPH (418.1)	8 34	MG/KG			2.69	2 %
HEADSPACE PID	203	PPM				
PERCENT SOLIDS	92.4	%				

PERCENT SOLIDS	92.4	%			
	TPH is by EPA Method	418.1 and BTEX is by EPA	Method 8020		
The Surrogate Recovery was at Narrative:		% for this sample	All QA/QC	was acceptable.	
DF = Dilution Factor Used					
	\mathcal{L}		Date	÷/21/64	