## **UNITED STATES**

DEPARTMENT OF THE INTERIOR  GEOLOGICAL SURVEY	NM 19573.  6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS  (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir, Use Form 9–331–C for such proposals.)	7. UNIT AGREEMENT NAME  8. FARM OR LEASE NAME
1. oil gas other	Norton 9. WELL NO.
<ol> <li>NAME OF OPERATOR         Union Texas Petroleum Corporation     </li> <li>ADDRESS OF OPERATOR         P. 0. Box 808, Farmington, N.M. 87499     </li> <li>LOCATION OF WELL (REPORT LOCATION CLEARLY, See space 17 below.)         AT SURFACE: 1650 ft./S; 480 ft./W lines         AT TOP PROD. INTERVAL: Same as above         AT TOTAL DEPTH: Same as above     </li> <li>CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA</li> </ol>	10. FIELD OR WILDCAT NAME  Verde Gallup  11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  Sec. 4, T-30N, R-15W, N.M.P.M.  12. COUNTY OR PARISH  San Juan  New Mexico  14. API NO.  15. ELEVATIONS (SHOW DF, KDB, AND WD)  5432 GR
REPAIR WELL  PULL OR ALTER CASING   MULTIPLE COMPLETE  CHANGE ZONES  U. S. GEI	CEIVED  (NOTE: Report results of multiple completion or zone

5. LEASE

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

We desire to drill 12-1/4" surface hole to approx. 300 ft. using natural mud as a circulating medium. Run new 8-5/8", 24.0#, J-55 casing to TD. Cement with approx. 240 cu. ft. Class "B" cement circulated to surface. Pressure test casing. Drill 7-7/8" hole to TD of approx. 4000 ft. using a permaloid non-dispersed mud as the circulating medium. Log the well. Run new 4-1/2", 11.6#, K-55 casing to TD. Cement with approx. 1000 cu. ft. of 65/35/6 followed by 100 cu. ft. 50/50 Poz mix. Circulate cement to the casing. Remaining procedure not to change.

JUN 15 1983

OIL CON. DIV. DIST. @

Subsurface Safety Valve: Manu. and Type

18. I hereby certify that the foregoing is true and correct

TITLE Field Oper. Mgr. \_ DATE \_ June 7. 1983\_ \_

(This space for Federal or State office use)

APPROVED BY CONDITIONS OF APPROVAL, IF ANY

F. SIMS DIŠTRICT ENGINEER

See Instructions on Reverse Side