

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN DUPLICATE*

(See other instructions on reverse side)

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☐ GAS WELL ☒ DRY ☐ Other Coal Seam

b. TYPE OF COMPLETION:

NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESER. ☐ Other _____

2. NAME OF OPERATOR

Amoco Production Company Attn: John Hampton

3. ADDRESS OF OPERATOR

P.O. Box 800, Denver, Colorado 80201

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface 1550' FSL, 1120' FWL, NW/SW

At top prod. interval reported below

At total depth

14. PERMIT NO.

DATE ISSUED

30 045 27891

5/29/90

12. COUNTY OR PARISH

13. STATE

San Juan

New Mexico

15. DATE SETTING

16. DATE T.D. REACHED

17. DATE COMPL. (Ready to prod.)

18. ELEVATIONS (OF, BHD, RT, GR, ETC.)*

19. ELEV. CASINGHEAD

7/23/90

7/26/90

11/22/90

5878' GR

20. TOTAL DEPTH, MD & TVD

21. PLUG, BACK T.D., MD & TVD

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

ROTARY TOOLS

CABLE TOOLS

2800'

2754'

yes

yes

no

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

25. WAS DIRECTIONAL SURVEY MADE
NO

2341' - 2589' Fruitland Coal

26. TYPE ELECTRIC AND OTHER LOGS RUN

Caliper, porosity density, gamma ray, micro log

27. WAS WELL CORED

no

28. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
8 5/8"	24#	278'	12 1/4"	200 sx Cl G w2% CACL2	0
5 1/2"	17#	2789'	7 7/8"	(1st stg) 25sx Cl G dowell	0
		35/65	poz, tail w/	200 sx Cl G ashcroft dowell, (2nd stg)	
DV tool set @ 1733'		409sx	Cl G dowell	65/35poz, tail w/60sx Cl G ashcroft dowell	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8"	2317'	

31. PERFORATION RECORD (Interval, size and number)

See Attached

32. ACID, SHOT, FR. OR OTHER CEMENT SQUEEZES, ETC.

DEPTH INTERVAL (MD)

See Attached

RECEIVED

JAN 22 1991

OIL CON. DIV.

DIST. 3

33.* PRODUCTION

DATE FIRST PRODUCTION

11/3/90

PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)

Flowing

WELL STATUS (Producing or shut-in)

SI/WO/Pipeline

DATE OF TEST

HOURS TESTED

CHOKE SIZE

PROD'N. FOR TEST PERIOD

OIL—BBL.

GAS—MCF.

WATER—BBL.

GAS-OIL RATIO

11/20/90

24

2"

0

5

0

FLOW, TUBING PRESS.

CASING PRESSURE

CALCULATED 24-HOUR RATE

OIL—BBL.

GAS—MCF.

WATER—BBL.

OIL GRVITY-API (CORR.)

50

340

0

5

ACCEPTED FOR RECORD

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

To Be Sold

TEST WITNESSED BY

JAN 16 1991

35. LIST OF ATTACHMENTS

FARMINGTON RESOURCE AREA

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

J. Hampton/CUB

TITLE

Sr. Staff Admin. Supv

DATE

12/13/90

*(See Instructions and Spaces for Additional Data on Reverse Side)

NMOCD

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
				Fruitland Pictured Cliffs	2340' 2600'	

Perf: 11/1/90

2341'-2343', W/4 JSPF, .5" diam., 8 shots open.
2355'-2357', W/4 JSPF, .5" diam., 8 shots open.
2366'-2368', W/4 JSPF, .5" diam., 8 shots open.
2377'-2379', W/4 JSPF, .5" diam., 8 shots open.
2401'-2403', W/4 JSPF, .5" diam., 8 shots open.
2417'-2419', W/4 JSPF, .5" diam., 8 shots open.
2478'-2499', W/4 JSPF, .5" diam., 84 shots open.
2524'-2530', W/4 JSPF, .5" diam., 24 shots open.
2532'-2536', W/4 JSPF, .5" diam., 16 shots open.
2547'-2550', W/4 JSPF, .5" diam., 12 shots open.
2557'-2570', W/4 JSPF, .5" diam., 52 shots open.

Frac: 11/2/90 2341'-2570'

Frac down casing with 180600 gal fresh water, 18200# 40/70 sn,
60800# 20/40 sn, AIR 90BPM, AIP 2650psi. (screened out on 2PPG 20/40 sn.)

Perf: 11/3/90 2581'-2584', W/4 JSPF, .5" diam., 12 shots open.
2587'-2589', W/4 JSPF, .5" diam., 8 shots open.