STATE OF NEW MEXICO ENERGY AND MINERALS DEPARTMENT

DO. DO 100110 011	1740		
DISTRIBUTI	966	\mathbf{L}	
SARTA FE			[
FILE			
V.B.4.6.			
LAME OFFICE			
**********	OIL	\mathbf{L}_{-}	
	940		
OPERATOR			
PROBATION OF	188		

OIL CONSERVATION DIVISION P. O. BOX 2088 SANTA FE, NEW MEXICO 87501

Form C-104 Revised 10-01-78 Format 08-01-83 Page 1

Separate Forms C-104 must be filed for each pool in multiply completed wells.

REQUEST FOR ALLOWABLE ANO

T AUTHORIZATION TO	TRANSPORT OIL AND NATURAL GAS
Course Meridian Oil Inc.	
P. O. Box 4289, Farmington, NM 87499	
Nessen(s) for filing (Check proper box)	Other (Please explain)
New Well Change is Transporter of	
Accordance OII	for El Paso Production Company
X Change in Change in Change in Control of C	Candensete
If change of ownership give name El Paso Natural Gas	Company, P. O. Box 4289, Farmington, NM 87499
the sections of biographs owner	
II. DESCRIPTION OF WELL AND LEASE	
Locae Name Well No. Pool Name, Inc	lusting Formation Kind of Lease No.
Turner A 1 Blanco M	esa Verde Stete Federal of Fee Fee
Location	
Unit Letter K : 1850 Feet From The Sout	1 Line and 1650 Foot From The West
Onte Certar	
Line of Service 34 Township 31N Ro	nge 11W , NMPM, San Juan County
III. DESIGNATION OF TRANSPORTER OF OIL AND NA	TURAL GAS
Name of Authorized Transporter of Cil	Aza: eas (Give address to which approved copy of this form is to be sent)
Meridian Oil Inc.	P O Roy 4289 Farmington VM 87499
Name of Authorized Transporter of Casingheed Gas or Dry Gas	P. O. Box 4289, Farmington, NM 87499 Address (Give address to which approved copy of this form is to be sent)
El Paso Natural Gas Company	P. O. Box 4289, Farmington, NM 87499
tinut Sec. Two.	Age Is any actually connected? . When
If well produces oil or liquids.	11W
If this production is commingled with that from any other lesse	er pool, give commingling order number:
NOTE: Complete Parts IV and V on reverse side if necessa	٧.
· · · · · · · · · · · · · · · · · · ·	u
VI. CERTIFICATE OF COMPLIANCE	OIL CONSERVATION DIVISION
I hereby certify that the rules and regulations of the Oil Conservation Divis been complied with and that the information given is true and complete to the	on have APPROVED, 19
my knowledge and belief.	est of
my showledge and delice.	
	TITLE
$\mathcal{D}(\mathcal{D})$	This form is to be filed in compliance with RULE 1104.
Jacan hale	If this is a request for allowable for a newly drilled or deepens.
(Signalure)	well, this form must be accompanied by a labulation of the deviation
Drilling Clerk	tests taken on the well is accordance with RULE 111.
(Tule) 11-1-86	All sections of this form must be filled out completely for allow able on new and recompleted wells.
(Date)	Fill out only Sections I. II. III. and VI for changes of owner, well name or number, or transporten or other such change of condition.

STATE OF NEW MEXICO ENERGY and MINERALS DEPARTMENT OIL CONSERVATION DIVISION

Page 1 Revised 10/01/78

This form is not to be used for reporting packer leakage tests in Southeast New Mexico

NORTHWEST NEW MEXICO PACKER-LEAKAGE TEST

perator MER	IDIAN OIL		Lease	TURNER A		₩ell No.	1	
ocation Well: UnitK	Sec. 34	Twp31	Rge	11	Coun	tvSAN	JUAN	
wen. Unit	NAME OF RESERV		TYPE OF PI	.00.	METHOD OF PROD. (Flow or Art. Lift)		PROD. MEDIUM (Tbg. or Cag.)	
Upper Completion PICTURED CLIFFS		GAS		FLOW		TUBING		
Lower moletion MESAVERDE		GAS	FLOW			TUBING		
HES	·	PRE-FLOV	V SHUT-IN P	RESSURE DATA				
Upper Hour, date		Length of time shut-in		St press. psig		Stabilized? (Yes o	r Noi	
Hour, date	-31-87 snut-in -31-87	3 DAYS Langth of time shut-in 3 DAYS	<u> </u>			Stabilized? (Yes o	abilized? (Yes or No)	
			FLOW TEST	NO 1				
ommenced at (hour, da	10)* 06-03-		riow imi	Zone producing (U	pper or Lower):		LOWER	
TIME	LAPSED TIME	PRESSUI	RE Lower Completion	PROD. ZONE TEMP.	REMARKS			
(hour, date) 06-01	1 DAY	415	590		BOTH ZONES SHUT-IN			
06-02	2 DAYS	415	590		BOTH ZONES SHUT-IN			
06-03	3 DAYS	415	590		BOTH ZONES SHUT-IN MY FROZE OFF 11 HRS.			
06-04	1 DAY	416	591		LOWER ZONE FLOWING			
06-05	2 DAYS	415	384		LOWER ZONE FLOWING		G	
						<u> </u>		
roduction rate (•						COR	
il:	ВО	PD based on				r[av	_ 60%	
Fas:	10	MCFPI	D: Tested thru	. (Orifice or Met	er): METEK			
		MID-TES	T SHUT-IN P	RESSURE DATA	1			
Upper Hour, date	snutan	Langth of time shut-	n	Si press. psig		Stabilized? Yes	er Noi	
Dompletion Hour, date	snut-in	Length of time shul-	n	SI press. paig		Stabilized? (Yes)	or Not	
Singration				JU/				
				\mathbf{C}_{i}	74 1937			



FLOW TEST NO. 2

TIME : LAS	I APRED TIME	LAPSED TIME = PRESSUI		Zone producing (U	
(hour, date)	CAP CED TIME	Upper Completion Lower Completi		PROD. ZONE	REMARKS
				TEMP.	
 					
duction rate	1:				
arks.		MCFF	PD: Tested thru	(Orifice or Meter	r):
	,				
eby certify t	hat the informatio	on herein containe	ed is true and cor	nplete to the bes	st of my knowledge.
roved	JUN	11 1987			
ew Mexico O	il Conservation D	ivision	_ 19 O	perator	PICKIDIAN VIL
			В	,	W. D. WELCH
U1!(ginal Signed by Call	RLES CHOLSON	٠.		W. D. WELCH PRODUCTION ENGINEER
			Ti	tle	
eDEP	UTY OIL A DAS INS	PECTOR, DIST. #3	_		V 10 1981

NORTHWEST NEW MEXICO PACKER LEAKAGE TEST INSTRUCTIONS

- 1. A packer leakage test shall be commenced on each multiply completed well within seven days after actual completion of the well, and annually thereafter as prescribed by the order authorizing the multiple completion. Such tests shall also be commenced on all multiple completions within seven days following recompletion and/or chemical or fracture treatment, and whenever remedial work has been done on a well during which the packer of the tubing have been disturbed. Tests shall also be taken at any time that communication is suspected or when requested by the Division.
- 2. At least 12 hours prior to the commencement of any packer leakage test, the operator snail notify the Division in writing of the exact time the test is to be commenced. Offset operators snail also be so notified.
- 3. The packer leakage test shall commence when both zones of the dual completion are shut-in for pressure stabilization. Both zones shall remain shut-in until the well-head pressure in each has stabilized, provided however, that they need not remain shut-in more than seven days.
- 4. For Flow Test No. 1, one zone of the dual completion shall be produced at the normal rate of production while the other zone remains shut-in. Such test shall be continued for seven days in the case of a gas well and for 24 hours in the case of an oil well. Note: if, on an initial packer leakage test, a gas well is being flowed to the atmosphere due to the lack of a pipeline connection the flow period shall be three hours.
- 5. Following completion of Flow Test No. 1, the well shall again be shut-in, in accordance with Paragraph 5 above.
- 6. Flow Test: No. 2 shall be conducted even though no leak was indicated during Flow Test No. 1. Procedure for Flow Test No. 2 is to be the same as for Flow Test No. 1 except

- that the previously produced zone shall remain shut-in while the zone which was previously shut-in is produced.
- Pressures for gas-zone tests must be measured on each zone with a deadweight pressure gauge at time intervals as follows: 3 hours tests: unmediately prior to the beginning of each flow-period, at fifteen-minute intervals during the first nour thereof, and at hourly intervals thereafter, including one pressure measurement immediately prior to the conclusion of each flow period. 7-day tests: immediately prior to the beginning of each flow period, at least one time during each flow period (at approximately the midway point) and immediately prior to the conclusion of each flow period. Other pressures may be taken as desired, or may be requested on wells which have previously snown questionable test data.

24-hour oil zone tests: all pressures, throughout the entire test, shall be continuously measured and recorded with recording pressure gauges the accuracy of which must be checked at least twice, once at the beginning and once at the end of each test, with a deadweight pressure gauge. If a well is a gas-oil or an oil-gas dual completion, the recording gauge shall be required on the oil zone only, with deadweight pressures as required above being taken on the gas zone.

8. The results of the above-described tests shall be filed in triplicate within 15 days after completion of the test. Tests shall be filed with the Aztec District Office of the New Mexico Oil Conservation Division on Northwest New Mexico Packer Leakage Test Form Revised 10-01-78 with all deadweight pressures indicated thereon as well as the flowing temperatures (gas zones only) and gravity and GOR (oil zones only).