Form 9-831a (Feb. 1951)						

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office						
Loaso	No	N 0606				
Timte	11/2	Sec. 27				

	X s	UBSEQUENT REPORT O	E WATER SHITT-OFF		
IOTICE OF INTENTION TO DRILL		UBSEQUENT REPORT O			
IOTICE OF INTENTION TO CHANGE PLAN	J	UBSEQUENT REPORT O			
IOTICE OF INTENTION TO TEST WATER					
OTICE OF INTENTION TO RE-DRILL OR		SUBSEQUENT REPORT OF RE-DRILLING OR REPART SUBSEQUENT REPORT OF ABANDONMENT			
OTICE OF INTENTION TO SHOOT OR AC		SUPPLEMENTARY WELL		TALKET C	
OTICE OF INTENTION TO PULL OR ALT		UPPLEMENTARY HELL	ij.		
IOTICE OF INTENTION TO ABANDON WE	LL		EΔ	ngladitai 1	
(INDICATE	ABOVE BY CHECK MARK NATUR	E OF REPORT, NOTICE,	OR OTHER DATA)		
(111212		•		10 ***	
		Ang	net 27	, 19_ \$;	
627 umbila			()		
II No. half is located	1 ft. from {S	line and	\bullet ft. from $\left\{ \begin{array}{c} \bullet \\ \mathbf{W} \end{array} \right\}$	ine of sec27	
ell No is located	[2])	(**)		
25/A 200, 27	(Range	OM	eridian)		
(1/4 Sec. and Sec. No.)	(Twp.) (Range) (1920			
W13don's	(County or Subd	(vision)	(State or T	arricory)	
(Field)	•				
ne elevation of the derrick f	loor above sea level is	ft. (**	till be fromi	shed later;	
ne elevation of the defrick is					
	DETAILS	OF WORK			
			roposed casings; indic	ate mudding jobs, cemen	
of and expected depths to o	bjective sands; show sizes, we	ights, and lengths of p	orle)		
tate names of and expected depths to o	bjective sands; show sizes, we ing points, and all other is				
tate names of and expected depths to o	ing points, and all other is			nd set 7 5/8	
tate names of and expected depths to o	bjective sands; show sizes, we ing points, and all other it		ees. 3200' s	nd and 7 5/8	
tate names of and expected depths to o	ing points, and all other is rotary tools unit		ees. 3200' s		
propose to drill w	ing points, and all other is spherry been units		ees. 3200' s	nd and 7 5/8	
propose to drill w	ing points, and all other is sphery books until put to apprece to		ees. 3200' s	nd and 7 5/8	
propose to drill w	ing points, and all other ing points, and all other ing points, and all other ing points to appreciate the appreciate to appreciate the appreciate to appreciate the appreciate to appreciate the appreci	ng and to app 20° testing f	rem. 3100° a ter emplekte	nd and 7 5/8	
propose to drill w	ing points, and all other is rotary tools usian to approx. (c)	ng and to app 20° testing f	ees. 3200' s	nd and 7 5/8	
propose to drill w	ing points, and all other is return to approach the second the sec	ng and to app 20° testing f	rem. 3100° a ter emplekte	nd and 7 5/8	
propose to drill w	ing points, and all other is suchery tools units put to appress. (c) [74 1-55 25 Cook 1-55 38	ng and to app 20° testing f	rem. 3100° a ter emplekte	nd and 7 5/8	
propose to drill w	ing points, and all other ing points, and all other ing points, and all other ingresses while the approach of the control of t	ng and to app 20° testing f	rem. 3100° a ter emplekte	nd and 7 5/8	
propose to drill w	pas to appress. (2) Proposed Costs 155 38 Costs 1-55 38 Costs 1-55 38 Costs	ng and to app 20° testing f	rem. 3100° a ter emplekte	nd and 7 5/8	
propose to drill w	points, and all other is replaced to approximate the approxima	ng and to app 20° testing f	rem. 3100° a ter emplekte	nd and 7 5/8	
e propose to drill w/ sesing, then drill w/ s 200' - 20 3/4' 32. 200' - 5 1/2' 13' 200' - 2' EUE 4.	retary tools with put to approx. 69 Proposed Copt. 154 4-55 85 Cook. 1-55 85 Cook. 707 4-55 83 Take.	ng and to app 10° testing f ng Program ng — Computed ng — Computed ng	rem. 3100° a for completion to Surface tw/ 300 am.	at an 15/P	
propose to drill w/ mains, then drill w/ 200' - 10 3/4' 32. 200' - 5 1/2' 12' 200' - 2' EUE 4.	retary tools with put to approx. 69 Proposed Copt. 154 4-55 85 Cook. 1-55 85 Cook. 707 4-55 83 Take.	ng and to app 10° testing f ng Program ng — Computed ng — Computed ng	rem. 3100° a for completion to Surface tw/ 300 am.	at an 15/P	
propose to drill w	retary tools with put to approx. 69 Proposed Copt. 154 4-55 85 Cook. 1-55 85 Cook. 707 4-55 83 Take.	ng and to app 10° testing f ng Program ng — Computed ng — Computed ng	rem. 3100° a for completion to Surface tw/ 300 am.	a in Galley for	
species to drill w/ naing, then drill w/ 200° - 20 3/4° 32. 200° - 5 1/2° 15 200° - 2° EEE 4.	Proposed Cond. Proposed Cond. 1-55 25 Cond. 1-55 28 Cond. 1-55 28 Cond. 1-55 28 Cond. The state of the	ng and to app 10° testing f ng Program ng — Computed ng — Computed ng	rem. 3100° a for completion to Surface tw/ 300 am.	a in Galley for	
to propose to drill w/ sessing, then drill w/ sessing, the sessing the se	Proposed Cond. Proposed Cond. 1-55 25 Cond. 1-55 28 Cond. 1-55 28 Cond. 1-55 28 Cond. The state of the	ng and to app 10° testing f ng Program ng — Computed ng — Computed ng	rem. 3100° a for completion to Surface tw/ 300 am.	at an 15/P	
esing, then drill w/ 200° - 10 1/2° 12' 200° - 5 1/2° 12' 200° - 2° EEE 4. I understand that this plan of work Company Dalki-Caylor	Proposed Cond. Proposed Cond. 1-55 25 Cond. 1-55 28 Cond. 1-55 28 Cond. 1-55 28 Cond. The state of the	ng and to app 10° testing f ng Program ng — Computed ng — Computed ng	rem. 3100° a for completion to Surface tw/ 300 am.	at an 15/P	
esing, then drill w/ 200° - 10 3/4° 32. 200° - 5 1/2° 15 200° - 2° EEE 4.	Proposed Cond. Proposed Cond. 1-55 25 Cond. 1-55 28 Cond. 1-55 28 Cond. 1-55 28 Cond. The state of the	10° teeting in the appropriate ing a Communication ing by the Geological S	to Surface before operation	a in Gallap for	
species to drill w/ naing, thus drill w/ 200° - 10 3Å* 32 200° - 5 1/2° 12 200° - 2° EEE 4 I understand that this plan of work Company Dalhi-Taylor	Proposed Cond. Proposed Cond. 1-55 25 Cond. 1-55 28 Cond. 1-55 28 Cond. 1-55 28 Cond. The state of the	10° teeting in the appropriate ing a Communication ing by the Geological S	rem. 3100° a for completion to Surface tw/ 300 am.	a in Gallap for	
species to drill w/ asing, thus drill w/ 200° - 20 3Å* 32 200° - 5 1/2° 12 200° - 2° EEE 4 I understand that this plan of work Company Ballis Caylor	Proposed Cond. Proposed Cond. 1-55 25 Cond. 1-55 28 Cond. 1-55 28 Cond. 1-55 28 Cond. The state of the	By	to Surface before operation	a in Gallap for	

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.			Date August 27, 1957
Well No. L-AX Un Located 790 County SAN JUAN Name of Producing 1. Is the Operato Yes X. No 2. If the answer consolidated b "yes," Type of	to question one is "no," by communitization agreement f Consolidation Operation to question two is "no,"	Township The proof of the proo	the WEST Line d Acreage y 160 Acres wildcat thined on the plat below? of all the owners been es If answer is and their respective interests
<u>Ov</u>	vner	Land Desc	ription
Section. B			Edininia San Milan
1/40' -Q 00' -Q	27	CON CON SOO	This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief. Delhi-Taylor Oil Corporation (Operator) Representative) P. O. Box 1175, Farmington, Address N. Mex. This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief. Date Surveyed 26 AUGUST 1957 Registered Professional Engineer and/or Land Surveyor. James P. Leese

(See instructions for completing this form on the reverse side)

INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the platter the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)