

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

INDRY NOTICES AND REPORTS ON WELLS

This form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. 14-20-604-83
2. NAME OF OPERATOR Benson-Montin-Greer Drilling Corp.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Ute Mountain Tribal
3. ADDRESS OF OPERATOR 221 Petroleum Center Building, Farmington, NM 87401		7. UNIT AGREEMENT NAME -
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 660' FSL, 660' FWL, Sec. 22, T-31N, R-14W		8. FARM OR LEASE NAME Ute Mountain Tribal
14. PERMIT NO.		9. WELL NO. #9
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5603' GR		10. FIELD AND POOL, OR WILDCAT Verde Gallup
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 22, T-31N, R-14W
		12. COUNTY OR PARISH 13. STATE

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	<input type="checkbox"/>	WATER SHUT-OFF	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	FRACTURE TREATMENT	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	SHOOTING OR ACIDIZING	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	(Other) _____	(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
(Other) _____			
PULL OR ALTER CASING	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
ABANDON*	<input checked="" type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
CHANGE PLANS	<input type="checkbox"/>		

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Operator requests approval to plug and abandon.

See attachment for plugging and abandoning procedure.

RECEIVED
NOV 29 1983
DIV.

RECEIVED
Bureau of Land Management

NOV 14 1983


Durango, Colorado

18. I hereby certify that the foregoing is true and correct

SIGNED <u>David J. Miller</u>	TITLE <u>Vice-President</u>	DATE <u>November 10, 1983</u>
(This space for Federal or State office use)		
APPROVED BY <u>David J. Miller</u>	TITLE <u>Area Manager</u>	DATE <u>NOV 21 1983</u>
CONDITIONS OF APPROVAL, IF ANY:		

*See Instructions on Reverse Side

14-20-604-83
Well No. 9 SWSW 22-31N-14W



9.5 #/gal or heavier fresh gel mud between plugs

1. Spot a 200' cement plug from 3075' TD to 2875'
2. Spot a 100' cement plug from 1790' to 1690' inside 5 1/2" casing across top of Mancos.
3. Cut and pull 5 1/2" casing. Calculated top of cement is approximately 1500'-1650'
4. Spot a 100' cement plug, 50' inside the casing and 50' on top of the cut-off.

5. Spot a 165' cement plug from 165' to surface
6. Cut-off 8 5/8" casing below ground level. Weld a 1/4" steel plate across 8 5/8" casing. Erect P & A Marker. Clean and restore surface. Restoration and seeding requirements will be forthcoming.

If 5 1/2" casing cannot be cut and pulled

3. Perforate 5 1/2" casing at 150'. Establish circulation to surface through 5 1/2" by 8 5/8" annulus. Circulate cement to surface.
4. Spot a 50' cement plug from 50' to surface inside 5 1/2" casing
5. Cut off casings below ground level. Weld a 1/4" steel plate across 8 5/8" casing. Erect P & A Marker. Clean and restore surface. Restoration and seeding requirements will be forthcoming.