submitted in lieu of Form 3160-5	
UNITED STATES DEPARTMENT OF THE INTERIOR RECEIVED	
Sundry Notices and Reports on Wells All:4	
O70 FARMINGTON, NN	5. Lease Number SF-077651 6. If Indian, All. or Tribe Name
. Name of Operator	7. Unit Agreement Name
MERIDIAN OIL	
PO Box 4289, Farmington, NM 87499 (505) 326-9700 Location of Well, Footage, Sec., T, R, M 1650'FSL, 990'FEL, Sec.22, T-31-N, R-12-W, NMPM	8. Well Name & Number Richardson SRC #6 9. API Well No. 30-045-10497 10. Field and Pool Blanco MV/Basin DK 11. County and State
Subsequent Report Report Plugging Back Non-Rou Casing Repair Water S Final Abandonment Altering Casing Convers X Other - Commingle	tine Fracturing hut off
3. Describe Proposed or Completed Operations	
It is intended to commingle the subject well in the follows	ing manner:
MIRU. Pull Mesaverde tubing. Pull Dakota tubing. Mi scraper to PBTD. Land 1 1/2" production tubing. Ret This work will be done in 1996 when a rig is in the commingling order will be obtained from the New Mex	.ll up packer. Run casing curn the well to production.
	GEIVED 16 - 5 1996
	COM. DIV. Dist. 3
igned lagy Mulhuld (JAS4) Title Regulatory Administ	
This space for Federal or State Office use) PPROVED BY	Å PPROVED

JUL 2 9 1996

DISTRICT MANAGER

Pertinent Data Sheet RICHARDSON SRC #6

Dual Mesaverde/Dakota Well

Location: Unit I NE/4 SE/4, Section 22, T31N, R12W, 990' FEL, 1650' FSL,

Lat. 36.881882 Long. -108.079468 by TDG

San Juan County, NM

Field: Blanco Mesaverde Basin Dakota

Elevation: 6157 GL

KB: N/A

<u>TD:</u> 7295' <u>PBTD:</u> 7242'

Spud Date: 04-16-60 **Completed:** 05-14-60

DP No: MV: 66586

DK: 66587

Prop. No: 0020262

Casing/Liner Record:

Hole Size	Csq. Size	Wt. & Grade	Depth Set	<u>Cement</u>	Top/Cement
13 3/8"	10 3/4"	32.75# H-40	309'	200 sxs	surface
8 1/4"	7"	20# N-80 and 23# J-55	7293'	600 sxs	3350' (TS)

Tubing Record: 2 3/8" 4.7 J-55 set @ 4880'

2 3/8" 4.7 J-55 set @ 7141; Baker Model "D" (prod. #415-D) packer set @ 7010'

Formation Tops:

Pictured Cliffs: 2632 Cliffhouse: 4160 Point Lookout: 4930 Graneros: 7063 Base Greenhorn: 6950 Dakota: 7135

Logging Record: TS

4932'-5000' (136 holes @ 2 SPF)

Perf/Stim History:

Mesaverde Dakota

7228-7236' (32 holes @ 4SPF) 7190'-7217' (108 holes @ 4 SPF) 7136'-7152' (64 holes @ 4 SPF) 7064'-7074' (40 holes @ 4 SPF)

Fracture stimulated with 1090 bbls. water,

and 60,000# of sand.

Fracture stimulated 1800 bbls, water

and 80,000# of sand.

7/26/96 T. Fine

Richardson SRC #6

CURRENT - 7/25/96

DPNO: MV:66586; DK:66587 Basin Dakota / Blanco Mesaverde

1650' FSL, 900' FEL Section 22, T-31-N, R-12-W, San Juan County, NM

Spud: 4-16-60

► Completed : 5-14-60

