(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Age	ncy	Consolidated	UŁ
Allottee 1	4-30.	-604-03	
Lease No	Uto	Mountain	

NOTICE OF INTENTION TO DRILL			l n n −	_
NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPO	RT OF WATER SHUTLING G	
NOTICE OF INTENTION TO CHANGE PLA			RT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER	SHUT-OFF	· ·	RT OF ALTERING CASING 1114	<u> </u>
NOTICE OF INTENTION TO REDRILL OR	REPAIR WELL	CURCEOUTHE BERG	JUN 2	<u>'U 1960 </u>
NOTICE OF INTENTION TO SHOOT OR A	CIDIZE	SUBSEQUENT REPO	RT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALT	TER CASING	SUPPLEMENTARY W	RT OF ABANDONMENT. S. GEOLOGI ELL HISTORY.	CAL SURVEY
NOTICE OF INTENTION TO ABANDON WI	ELL.		DURANGO	COLO
(INDICATE	ABOVE BY CHECK MARK	NATURE OF REPORT, NOTI	CE, OR OTHER DATA)	
		June 1	ď	19 🚳
Vell No is locat	ted 1080 ft. fro		ft. from $\{W\}$ line of s	sec. 22
(14 Sec. and Sec. No.)	(Twp.)		H. H. P.M.	
erde Gallup ext	San Juan	(Range)	(Meridian)	
(Field) ground 1	(County	or Subdivision)	(State or Territory)	
		ILS OF WORK		
ropese to drill the absorped to test the lower to be desing Programs 150* 2670* 180*	bjective sands; show sizing points, and all operations well to a size Gallup form productive of 6-5/6° cap cap of 56° cap cap of 46° performance.	tes, weights, and lengths of their important proposed a total depth of sation at appropriate oil or cas. Total w/50 sx. atd w/290 sx. atd w/290 sx. atd liner.	e approximately 2820 winetely 2670' and a RECELLARY SUN22 :	of a line
repose to drill the absorbed to test the lowerest to test the lowerest to be asing Programs 150* 2670* 180* I understand that this plan of work meaning Figure 150*	of 8-5/8" cag of 4g" performant receive approval in	tes, weights, and lengths of their important proposed a total depth of sation at appropriate of the color of the color of their color of thei	el approximately 2820 and a simutely 2670' and a si	960
I mecessary, we propose I understand that this plan of work m Company Mocal	of 8-3/8" cap of 4g" performance to oil fractions approved in the cap of 30° cap of 4g" performance to oil fractions approved in Oil Company.	tes, weights, and lengths of their important proposed a total depth of sation at appropriate of the color of their case. Total depth of sation at appropriate of their case. Total w/50 sation w/50 sation w/50 sation w/50 sation w/50 sation w/50,000 gals.	RECEIVE Survey before operations may be constructed by 2670° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and a second survey before operations may be constructed by 2820° and 2820° a	960
repose to drill the absorped to test the lowerest to test the lowerest to be desired that appear to be desired Programs 150* 2670* 180* I mecessary, we propose the drill the plan of work meaning the same desired that this plan of work meaning the same desired that the plan of work meaning the same desired that the plan of work meaning the same desired that the plan of work meaning the same desired that the plan of work meaning the same desired that the plan of work meaning the same desired that the plan of work meaning the same desired that th	bjective sands; show sizing points, and all of some well to a productive of sellup form productive of sellup form of sellup fo	tes, weights, and lengths of their important proposed a total depth of sation at appropriate of the color of their case. Total depth of sation at appropriate of their case. Total w/50 sation w/50 sation w/50 sation w/50 sation w/50 sation w/50,000 gals.	el approximately 2820 and a simutely 2670' and a si	960

U. S. GOVERNMENT PRINTING OFFICE 16-8437b-8

FORM C=128 Revised 5/1/57

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

	SEF I	NSTRUCTIONS FOR	COMBI ET	NG THE BODE	W FUE YE	The second secon
	J& 6. f			TION A	N INE NE	VERSE SIDE: WAS
Operator			Leas			Well No.
	OBIL OIL CO	MPANY, INC.		Ute Mounta	in	well No.
Unit Letter	Section	Township	11	lange	County	
E	22	31N		14W	, -	Juan as Alexandria
Actual Footage Le	ecation of Well:				1	
1980	feet from the	North line	and	660 fe	et from the	West line
Ground Level Elev	v. Producing	Formation	Pool		***************************************	Dedicated Acreage:
5613 ft.	Lower	Gallup 🛷	Ver	de Gallup		40 Acres
mother. (65- 2. If the mower to thee? YES	7ht to drill into a: -329 (e) NMSA I o question one is NO	nd to produce from an 935 Comp.)	y pool and t ests of all t Type of Cos	the owners been consolidation	production consolidated erests beloy	NO ("Ouner" means the person either for himself or for himself and by communitization agreement or other—
Contra				Land Descrip	tion	1181 C O 40CO
		- 教 - A - A - A - A - A - A - A - A - A	9			JUN 20 1960
and the second						U. S. GEOLOGICAL SURVEY
- 4 mm -	<u></u>	SECTION B				DURANGO, COLO. CERTIFICATION
660 We	7	ed Road			N	I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief. Name IM Barry by S. C. TIMOS P. M. Barry Position Dist. Prod. Supt. Company Socony Mobil Oil Co., Inc. Date June 17, 1960
Tenson.						I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed 6/8/60 Registered Professional Engineer and/or Land Surveyor
0 \$30 460 91	0 1320 1660 M	980 2310 2640	2000 1	500 1000 5	500 0	Genificate No. See Section 19A

STATE OF MEN MEXICO				
OIL CONSTRVATION COMMISSIO				
ACILC DISTRICT	OFFICE.			
NUMBER OF COPIES PECEIVED)		
rassa a may birthing is	1			
5.487A 73	1			
PR: 8				
U.S. S.	ļ.,			
TO 10 (-10)				
TRANSPORTER OIL				
Premarket of flue				
Grekaruk	1			

•