

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT - " for such proposals

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
Amoco Production Company

Attention:
Dallas Kalahar

3. Address and Telephone No.
P.O. Box 800, Denver, Colorado 80201

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

1740FNL 1800FEL Sec. 21 T 31N R 11W

5. Lease Designation and Serial No.

SF-078096

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

8. Well Name and No.

Mudge B #17

9. API Well No.

3004510577

10. Field and Pool, or Exploratory Area

Basin Dakota/Mesaverde

11. County or Parish, State

San Juan New Mexico

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input checked="" type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Amoco Production Company intends to recomplete the subject well into the Mesaverde formation and dually produce the well with the existing Dakota formation, per the attached procedures.

Amoco also requests approval to construct a temporary 15'X15'X5' (maximum size) blow pit for return fluids. This pit will be reclaimed upon completion of this operation.

If there are any questions, please contact Dallas Kalahar at (303) 830-5129.

RECEIVED
APR 26 1994
OIL CON. DIV.
DIST. 3

RECEIVED
BLM
APR 11 09 1:28

14. I hereby certify that the foregoing is true and correct

Signed

Dallas Kalahar

Title

Staff Business Analyst

Date

4/8/94

(This space for Federal or State office use)

APPROVED

Approved by

Title

Conditions of approval, if any:

APR 19 1994

[Signature]
DISTRICT MANAGER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious, or fraudulent representations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning

the use of this form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

SPECIFIC INSTRUCTIONS

Item 4 - If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones,

or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and data well site conditioned for final inspection looking to approval of the abandonment.

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et. seq., 351 et. seq., 25 U.S.C. et. seq.; 43 CFR 3160.

PRINCIPAL PURPOSE - The information is to be used to evaluate, when appropriate, approve applications, and report completion of secondary well operations, on a Federal or Indian lease.

ROUTINE USES:

- (1) Evaluate the equipment and procedures used during the proposed or completed subsequent well operations.
- (2) Request and grant approval to perform those actions covered by 43 CFR 3162.3-2(2)
- (3) Analyze future applications to drill or modify operations in light of data obtained and methods used.
- (4)(5) Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal, or regulatory investigations or prosecutions.

EFFECT OF NOT PROVIDING INFORMATION - Filing of this notice and report and disclosure of the information is mandatory once an oil or gas well is drilled.

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that:

This information is being collected in order to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

This information will be used to report subsequent operations once work is completed and when requested, to obtain approval for subsequent operations not previously authorized.

Response to this request is mandatory for the specific types of activities specified in 43 CFR Part 3160.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management, (Alternate) Bureau Clearance Officer, (WO-771), 18 and C Streets, N.W., Washington, D.C. 20240, and the Office of Management and Budget, Paperwork Reduction Project (1004-0135), Washington, D.C. 20503.

**RECOMPLETION PROCEDURE
MUDGE B 17**

March 30, 1994 (1st version)

1. Record TP, SICP, SIICP, and SIBHP.
2. MIRUSU.
3. Blow down well.
4. TOH with 2 3/8" tubing.
5. TIH with RBP and set at 5200', cap with sand.
6. Pressure test casing to 4250 psi.
7. Run a GR/CCL/CBL from 5200' to 2650', and determine TOC for the 5 1/2" casing. Relay CBL info to Paul Edwards in Denver and verify whether squeeze work will be necessary prior to any fracture treatment.
8. Correlate the GR/CCL/CBL with Welex's Radioactivity Log dated 60/08/04. TIH with 4" casing gun and perforate the following Point Lookout intervals with 2 JSPF, 120 deg. phasing and 23 g charges.

PERFORATE

4720' - 28'	4744' - 93'	4813' - 16'	4832' - 39'
4857' - 63'	4909' - 11'	4964' - 66'	5015' - 18'

9. Fracture stimulate according to the attached frac schedule for the Point Lookout.
10. TIH with RBP and set at 4700'. Cap with 5 sacks of sand.
11. TIH with 4" casing gun and perforate the following Cliffhouse & Meneffee intervals with 2 JSPF, 120 deg. phasing, and 23 g charges.

PERFORATE

3999' - 4001'	4019' - 21'	4039' - 41'	4080' - 4150'
4160' - 65'	4189' - 91'	4210' - 12'	4222' - 26'
4235' - 37'	4245' - 89'	4314' - 23'	
4407' - 12'	4450' - 52'	4484' - 90'	
4528' - 30'	4587' - 89'	4610' - 20'	4628' - 36'

12. Fracture stimulate according to the attached frac schedule for the Cliffhouse & Meneffee. Tail in with resin coated sand.
13. SI overnight.
14. Clean out with N2 to RBPs at 4700' and 5200', TOH with same.
15. Clean out to PBTB (7258') with N2.
16. Once sand production has ceased, set permanent packer at 5150'.
17. TIH with 2 1/16" tubing and seal assembly. Land tubing at 7000' with a seating nipple one joint off bottom
18. TIH with 1 1/4" short string, with a seating nipple one joint off bottom and land at 4700'.
19. Rig up coiled tubing unit and run 1" coiled tubing inside the long string and land at 6950'.
20. Continue to flow back load until well is capable of producing against 350 psi.
21. Tie well back into surface equipment and turn over to production.