0

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R359.4. Approval expires 12-31-60.

Indian Agency Conselidated Ute Agency, Ignacio, Colorado Allottee Mountain Ute Tribe

Loase No. 14-20-604-119

# OV NOTICES AND REPORTS ON WELLS

		1.8	SURSEQUEN	T REPORT OF WATE	7/ 01/01-011-		1
TICE OF INTENTION	TO DRILL		SUBSECULIA	T REPORT OF SHOO	TING OR ACIDI	ZING	
TICE OF INTENTION	TO CHANGE PLANS		SUBSEQUEN	T REPORT OF ALTE	RING CASING		
OTICE OF INTENTION TO TEST WATER SHUT-OFFOTICE OF INTENTION TO REDRILL OR REPAIR WELL			SUBSEQUENT REPORT OF ALTERING CASING				
TICE OF INTENTION	TO SHOOT OR ACIDI	ZE		TARY WELL HISTOR			
OTICE OF INTENTION	TO PULL OR ALTER	CASING	SUPPLEMEN	TIRK! WELL INSIG.			
OTICE OF INTENTION	TO ABANDON WELL					100 June 1 402 A	
				DET NOTICE OR OTH	ER DATA)	Same Same	POTE N
	(INDICATE ABO	VE BY CHECK MARK	NATURE OF REPO	MI, NOTICE COLUMN		W.T.	24 19
			Octo	ober 23,		م ۱۳۶۵ فالمدید م	19_2
1					U.	5. 10	
Duban	Mountain		ON D		XXXX.		19
Puped	19-3 is located	1 660 ft. fro	om line	and 1980 ft.	from W	line of sec	
ell No. WW.	15 10 acc	4	404-				
	•	31.W	1.W	M.M.P.			
Sec. 1	3. No.)	(Twp.)	(Range)	(Meridi		rico	
Verde-Gall		San J					
(Field)	ground !	(County	y or Subdivision)		(Btate or	Territory)	
tate names of and en	the decisions  spected depths to objected to dri	DETA  cective sands; show a ing points, and all  ll with rot surface v/	izes, weights, and other important tools  100+ sax.	ORK  I lengths of propose t proposed work)  to a depth Thereafte	of 100+ r to dril me run 5-	reet, m 1 with :	roter sing
It is proj 8" easing at a to the to coment w/50- ugh easing a tool rig	rpected depths to obj	DETA  cetive sands; show a ing points, and all  ll with rote surface w/ ducing some cafter to d lone of cru rete of pro-	izes, weights, and other important ary tools 100+ sex. , run electrial in wide and 20	ork.  Ilengths of proposes a proposed work)  to a depth Thereaftes stric log as ith cable t ,000f sand;	of 100+ r to dril nd run 5- cols, ru sumb and	reet, si il with : -1/2" can a CRI lo i test w	rotar sing s, fr
It is project of and or it is project of the top comment w/50 against the top comment with the top comment with the top comment of the top comment of the top comment of the top comment of top comments of the top comments of th	posed to dri ad cement to p of the pro + sax. Ther 1/20,000 gal until daily 19, contains depth: 3,0	DETA  cetive sands; show a ing points, and all  11 with rote surface v/ ducing some eafter to d lone of cru rete of pro- ing 40 acres 100 feet.	izes, weights, and other important ary teels 100+ sax.  , run electric in wide and 20 idention in the core or	ork  ilengths of propose i proposed work)  to a depth Thereafter etric log as ith cable t ,000f sand; establish less, is d	of 100+ r to drill nd rum 5- cols, rum sumb and col, and coldinated	CT 25 13	rotar ping sill, well so
It is project of and or it is project of the top comment w/50 against the top comment with the top comment with the top comment of the top comment of the top comment of the top comment of top comments of the top comments of th	posed to dri ad cement to p of the pro + sax. Ther p/20,000 gal until daily	DETA  cetive sands; show a ing points, and all  11 with rote surface v/ ducing some eafter to d lone of cru rete of pro- ing 40 acres 100 feet.	izes, weights, and other important ary teels 100+ sax.  , run electric in wide and 20 idention in the core or	ork  ilengths of propose i proposed work)  to a depth Thereafter etric log as ith cable t ,000f sand; establish less, is d	of 100+ r to drill nd rum 5- cols, rum sumb and col, and coldinated	CEI lo	rotar ping sill, well so
It is project is to the to coment w/50 agh casing to the toll right spection mated total.	posed to dri ad cement to p of the pro p sax. Ther p/20,000 gal until daily 19, contains depth: 3,0	DETA  cetive sands; show a ing points, and all  11 with rote surface v/ ducing some eafter to d lone of cru rete of pro- ing 40 acres 100 feet.	izes, weights, and other important ary tools 100+ sax.  , run electrial in wide and 20 idention in the core or	ork  ilengths of propose i proposed work)  to a depth Thereafter etric log as ith cable t ,000f sand; establish less, is d	of 100+ r to drill nd rum 5- cols, rum sumb and col, and coldinated	CT 25 13	rotar ping sill, well so
It is project of and or it is project of the top comment w/50 against the top comment with the top comment with the top comment of the top comment of the top comment of the top comment of top comments of the top comments of th	posed to dri ad cement to p of the pro + sax. Ther 1/20,000 gal until daily 19, contains depth: 3,0	DETA  cective sands; show a ing points, and all  11 with rote surface w/ ducing some eafter to d lone of cru rete of pro- ing 40 acres 100 feet.	ails OF Weizes, weights, and other important ary tools 100+ sex.  Fin electric in winds and 20 destion in writing by the ATION	ork  llengths of propose i proposed work)  to a depth Thereafte etric log a ith cable t ,000f sand; establish less, is d	of 100+ r to drill nd rum 5- cols, rum sumb and col, and coldinated	CT 25 13	rotar ping sill, well so
It is project in the project is project in the top of the project in the project i	posed to dri ad cement to p of the pro + sax. Ther 1/20,000 gal until daily 19, contains depth: 3,0	DETA  cective sands; show a ing points, and all  ll with retained w/ ducing some cafter to ducing some cafter	ails OF Weizes, weights, and other important ary tools 100+ sex.  Fin electric in winds and 20 destion in writing by the ATION	ork  llengths of propose i proposed work)  to a depth Thereafte etric log a ith cable t ,000f sand; establish less, is d	of 100+ r to drill nd rum 5- cols, rum sumb and col, and coldinated	CT 25 13	rotar ping sill, well so
It is project is to the to coment w/50 agh casing to the toll right spection mated total.	posed to dri ad cement to p of the pro p sax. Ther p/20,000 gal until daily 19, contains depth: 3,0	DETA  cective sands; show a ing points, and all  ll with retained w/ ducing some cafter to ducing some cafter	ails OF Weizes, weights, and other important ary tools 100+ sex.  Fin electric in winds and 20 destion in writing by the ATION	ork  ilengths of propose i proposed work)  to a depth Thereafter etric log as ith cable t ,000f sand; establish less, is d	of 100+ r to drill nd rum 5- cols, rum sumb and col, and coldinated	CT 25 13	rotar ping sill, well so
It is project in the project is project in the top of the project in the project i	posed to dri ad cement to p of the pro + sax. Ther 1/20,000 gal until daily 19, contains depth: 3,0	DETA  cective sands; show a ing points, and all  ll with retained w/ ducing some cafter to ducing some cafter	izes, weights, and other important ary tools 100+ sax.  , run election in wide and 20 descript in writing by the ATTON	ork  llengths of propose i proposed work)  to a depth Thereafte etric log a ith cable t ,000f sand; establish less, is d	of 100+ r to drill ad rum 5- cols, rum sumb and od, and indicated	CT 25 19	rotar ping sill, well so
It is project in the project is project in the top of the project in the project i	posed to dri ad cement to p of the pro + sax. Ther 1/20,000 gal until daily 19, contains depth: 3,0	DETA  cective sands; show a ing points, and all  11 with rote surface w/ ducing some eafter to d lone of cru rete of pro- long to acres  100 feet.	izes, weights, and other important ary tools 100+ sax.  , run election in wide and 20 descript in writing by the ATTON	to a depth Thereafter the cable to coof sand; establish less, is depth to a depth thereafter the cable to coof sand; establish less, is described the cable to coof sand; establish less, is described the cable to coof sand; establish less, is described to coof sand; establish less, i	of 100+ r to drill ad rum 5- cols, rum sumb and od, and indicated	CT 25 13	rotar ping sill, well so

1970 on 1976 water Historiaanse bevoorg

 $\mathcal{F}_{i}$  and  $\mathcal{F}_{i}$  . The second of t

1 - 48,

### NEW MEXICO OIL CONSERVATION COMMISSION

#### Well Location and Acreage Dedication Plat

Section A.	Date October 23, 1957
perator PUBCO PETROLEUM CO.	Lease MOUNTAIN UTE
Cell No. 19-3 Unit Letter Section	n <u>19</u> Township 31 N Range 14 W
ocated 660 Feet From north	Line, 1980 Feet From west
Sume of Producing Formation Gallup	on 5623 Dedicated Acreage No. 140 ec.) A
Is the Operator the only owner* in 1	the dedicated acreage outlined on the plat below?
Yes_ <b>X</b> No	
	o," have the interests of all the owners been
"yes," Type of Consolidation	eement or otherwise? YesNo If answer i
If the answer to question two is "no	o," list all the owners and their respective intere
below:	•
Cwnon	Land Description
Owner	Land Description
	e en
ection B	
09	This is to certify that t
9	information in Section A
/980	above is true and complet
Pubco Petroleum Corporation	to the best of my knowled
il I	and belief.
	Drilling Desired with deprenant
U.S.D.I.	(Operator)
	100
	( July tur
Contract #14- 20-604-119	(Representative)
1	Frank D. Gorham, Jr., Vice Post Office Rox 1419
SECTION 19	Address
55011 <b>08</b> 19	Albuquerque, New Mexico
i	RILIVIN L
' !	This is to certify that t well location shown on th
1	φοτ 25 1957 well location shown on the
	OIL CON. COM from field notes of actua
	surveys made by me or und
	my supervision and that t
	same is true and correct
i	the best of my knowledge
	belief.
	Date Surveyed Oct 17 105
1	STEPHEN H. KINNEY
,	
	Registered Professional Engineer and for Land Structure
	Principle of the second of the
330 660 990 1320 1000 1900 2310 2640 200	000 1500 1000 500 C
	Certificate No. 1000 soo o Certificate No. 1000