NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned following approval. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regularity of the Conservation of the Conservation of the Conservation of the Conservation and approval obtained before drilling or recompletion begins.

Conservation commission Santa FE, New Mexico Gentlemen: You are hereby notified that it is our intention to commence the Drilling KE PASO Natural Gas Company Mesa Verde Strat Test (Company or Operator) Mesa Verde Strat Test (Company or Operator) Mesa Verde Strat Test (Company or Operator) (Company or Operator) Mesa Verde Strat Test (Company or Operator) (Company or Operator) Mesa Verde Strat Test (Company or Operator) 1	ions of the C	Jominissie			Land submit 6 Copies Att Iew Mexico		T	ecombon 10	_
SANTA FE, NEW MEXICO Gentlemen: You are hereby notified that it is our intention to commence the Drilling of a well to be known as El Paso Matural Gas Company Mesa Verde Strat Test (Company or operator) Lease: Lea				,			***************************************		***************************************
Nessa Verde Strat Test Company of paratrix Gas Company									
Mess Verde Strat Test (Company or Operator) (Less) (Company or Operator) (Less) (Company or Operator)	Gentlemen:					:			
Mesa Verde Strat Test (Company or Operator) (Lasse) (Conted 1500 feet from the South Inc. (Unit) (Conted 1500 feet from the South Inc. and 1500 Inc.	You are	hereby	notified	that it is or	ur intention to commence th	e Drilling	CAMBANS		
South Sout	Me sa	Verde	Strat	Test	(Company	or Operator Well No			
State Location From Section Line Rienco Pool, San Juan		1500		(Lease)	South			. 150	(Unit) OOfeet from th
If State Land the Oil and Gas Lease is No. If patented land the owner is. Address. We propose to drill well with drilling equipment as follows: Rotary tools circulation from Lewis formation through the Mess Verde circulation from Lewis formation through the Mess Verde formation at an approximate depth of 5063 Drilling Contractor. We intend to complete this well in the Mess Verde formation at an approximate depth of 5063 Size of Hole Size of Casing Weight per Feet New or Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mess Ver perference and pressure tests will be taken. The Mess Verde will then be fract pressure tests again taken. Upon completions give full details of proposed plan of work.) The Mess Ver perference and pressure tests will be taken. The Mess Verde will the plunged each in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/h; SF 078051 (NNSE/h); SF 078050 (S/2 SE/h); Tes-Irvin Randlemon, et ux (NE Approved. 12 14 19 5-7 Except as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well with drilling equipment as follows: We propose to drill well wit	East		те	et from the	line of Section	14	т 31.W	ine and	W NMPM
If State Land the Oil and Gas Lease is No If patented land the owner is Address. We propose to drill well with drilling equipment as follows. Rotary tools circulation from Lewis formation through the Mess Ver The status of plugging bond is. Statewise The status of plugging bond is. Statewise Propose to use the following strings of Casing and to complete this well in the Mess Verde of Statewise Size of Hole Size of Casing Weight per Feet New or Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mess Ver perfected and pressure tests again taken. Upon completion of tests, well will then be fract pressure tests again taken. Upon completion of tests, well will be plugged combined in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/h; SF 078051 (NNSE/h); SF 070006 (8/2 SE/h). Per Ivvin Randlemon, et ux (NE Approved									
If patented land the owner is. Address. We propose to drill well with drilling equipment as follows. Rotary tools circulation from Lewis formation through the Mess Ver The status of plugging bond is. L K J I Drilling Contractor. M N O P We intend to complete this well in the Mess Verde formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Feet New or Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mess Verde preferated and pressure tests vill be taken. The Mess Verde vill then be fract pressure tests again taken. Upon completion of tests, well will be plugged assign in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/h; SF 078051 (NMSR/h); SF 070096 (8/2 SE/h) Sincrety your, Except as follows: R1 Paso Natural Gas Compan well not to be produced free than Original Signed D. C. Johnson	.0172 200	2111011	11011	02011011	•	-	•		
Address. We propose to drill well with drilling equipment as follows. Rotary tools circulation from Levis formation through the Messa Ver The status of plugging bond is. L K J I Drilling Contractor. M N O P We intend to complete this well in the Messa Verde formation at an approximate depth of CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 13 3/4 10 3/4 32.75 Hew 170 8 3/4 7 5/8 26.40 Hew 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Messa Verger perferated and pressure tests will be taken. The Messa Verde will then be fract pressure tests again taken. Upon completions of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/h; SF 078051 (HMSE/h); SF 070096 (\$/2 SE/h); The Irvin Randlemon, et ux (HE Approved. L Person Natural Gas Company of Operator) Well not to be produced from Messaverde formation for other than Original Signed D. C. Johnston			. ,						
The status of plugging bond is. Statewide L K J I Drilling Contractor M N O P We intend to complete this well in the Messa Verde CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Feet New of Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Messa Verperferrated and pressure tests will be taken. The Messa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this since of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this since of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this sincered formation for other than Original Signed D. C., Johns'on (Company or Operator) Messaverde formation for other than Original Signed D. C., Johns'on	D	С	В	A	Address				
The status of plugging bond is. Statewide L K J I Drilling Contractor M N O P We intend to complete this well in the Messa Verde CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Feet New of Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Messa Verperferrated and pressure tests will be taken. The Messa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this since of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this since of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this sincered formation for other than Original Signed D. C., Johns'on (Company or Operator) Messaverde formation for other than Original Signed D. C., Johns'on					We propose to drill we	ll with dril	ing equipment as	follows Rotary	tools, using gas
The status of plugging bond is. I. K. J. I. Drilling Contractor M. N. O. P. We intend to complete this well in the Messa Verde 1.5063 5911' Gr., 5921' D. F. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Feet New of Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Messa Verperferated and pressure tests will be taken. The Messa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged assin in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this size/4: SF 078051 (NMSE/4); SF 070096 (8/2 SE/4) Sincerely yours, Approved		_	•		CALCALMULUM ALVER A	Service T.		andre arm ran	
Drilling Contractor M N O P We intend to complete this well in the Mesa Verde formation at an approximate depth of 5063 Size of Hole Size of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Feet New or Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mesa Ver perforated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 070096 (8/2 Siz/4); Tes-Irvin Randlemon, et ux (NE Siz/4: SP 078051 (NWSE/4); SP 078051 (NW	E	F	G	H	The status of plugging	bond is	Statevide	•••••	
M N O P We intend to complete this well in the Mesa Verde formation at an approximate depth of 5063 Size of Hole Size of Casing Weight per Feet New or Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 12 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mesa Verde perferated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/4: SF 078051 (NWSE/4); SF 070096 (8/2 SE/4); Sel-1 rvin Randlemon, et ux (NE Approved. Approved. Except as follows: Well not to be produced from Nessaverde formation for other than Original Signed D. C. Johns'on									
We intend to complete this well in the Mesa Verde formation at an approximate depth of 5063 We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 13 3/4 10 3/4 32.75 Hew 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mesa Verperferated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/4: SF 078051 (NMSE/4); SF 070096 (S/2 SE/4) Sincerely yours, Approved	L	K	<u>j</u>	I	Drilling Contractor		•••••		(RHITA)
We intend to complete this well in the 5063 5911' Gr., 5921' D. F. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 13 3/4 10 3/4 32.75 Hew 170 8 3/4 7 5/8 26.40 Hew 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Messa Ver perferated and pressure tests will be taken. The Messa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/h: SF 078051 (NUSE/h); SF 070096 (8/2 SE/h); Fee-Irvin Randlemon, et ux (NE Approved. Approved. Proposed Company or Operatory Except as follows: El Paso Natural Ges Company (Company or Operatory) Company or Operatory By Orig.fial Signed D. C. Johns'on			X		***************************************			.	
We intend to complete this well in the 5063 5911' Gr., 5921' D. F. CASING PROGRAM We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 13 3/4 10 3/4 32.75 Hew 170 8 3/4 7 5/8 26.40 Hew 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mesa Ver perferated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/4: SF 078051 (NNSE/4); SF 070096 (8/2 SE/4); Fee-Irvin Randlemon, et ux (NE Approved. Approved. Except as follows: El Paso Natural Ges Compan (Company or Operator) Company or Operator) Except as follows: El Paso Natural Ges Compan (Company or Operator) Company or Operator) Company or Operator)			•		***************************************				, EC , CA
We propose to use the following strings of Casing and to cement them as indicated: Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) Perferated and pressure tests vill be taken. The Mess Verde vill then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/h: SF 078051 (NWSE/h); SF 070096 (S/2 SE/h). Fee-Irvin Randlemon, et ux (NE Approved	M	N	O	P	We intend to complete	e this well	n the M	esa Verde	1967
We propose to use the following strings of Casing and to cement them as indicated: Size of Hole	5011 0	n 50	21 ' D	<u>' </u>				2003 <u>(</u>	Coke
Size of Hole Size of Casing Weight per Foot New or Second Hand Depth 13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) Perferated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/h: SF 078051 (NWSE/h); SF 070096 (S/2 SE/h) Tee-Irvin Randlemon, et ux (NE Approved. Approved. Approved. Approved. Pexcept as follows: Well not to be produced from Mesaverde formation for other than Original Signed D. C. Johns'on		•						```	
13 3/4 10 3/4 32.75 New 170 8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mesa Ver perferated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this SE/4: SP 078051 (MMSE/4); SP 070096 (s/2 SE/4). Fee-Irvin Randlemon, et ux (NE Approved. 12 14 19 5 7 Except as follows: Well not to be produced from Mesaverde formation for other than Original Signed D. C. Johns'on			ise the fo		1	1	<u> </u>	Depth	Sacks Cement
8 3/4 7 5/8 26.40 New 2830 6 3/4 5 1/2 15.50 New 5063 If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mesa Ver perferated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/h: SF 078051 (NWSE/h); SF 070096 (S/2 SE/h); Fee-Irvin Randlemon, et ux (NE Approved						+			150
If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) Perferated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/4: SF 078051 (NWSE/4); SF 070096 (S/2 SE/4). Fee-Irvin Randlemon, et ux (NE Approved	<u>_</u>								250
If changes in the above plans become advisable we will notify you immediately. ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mesa Very perferated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/4: SF 078051 (MWSE/4); SF 070096 (S/2 SE/4); Fee-Irvin Randlemon, et ux (NE Approved						-			390
ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.) The Mesa Verperforated and pressure tests will be taken. The Mesa Verde will then be fract pressure tests again taken. Upon completion of tests, well will be plugged and in a manner satisfactory to state and federal regulatory bodies. It is not intended to dedicate any acreage to this well. SE/4: SF 078051 (NWSE/4); SF 070096 (S/2 SE/4): Fee-Irvin Randlemon, et ux (NE Approved. Except as follows: Well not to be produced from Mesaverde formation for other than Original Signed D. C., Johns'on				14			ETO VI	,,,,,	390
OIL CONSERVATION COMMISSION Position Send Communications regarding w	ADDI' perfer press in a r It 1s SE/4; Approved Except as 6 Well no	rated in the terminary not in SF O' collows: ot to refer for puri	informat present a satisfactories of the property of the prope	MATION OSSUPE 1 AIR take Inctory d to ded (MWSE/4) roduced ion for	(If recompletion give full dests vill be taken, in. Upon completion to state and federalicate any acreage (s); SF 070096 (S/2 SI 12 19 5 7 7 19 5 7 1 from rother than	to this By	oposed plan of wise Verde wits, well wits well. We	ill then be ill be plugge dlemon, et u atural Gas ((Company or Opera ned D. C. Jol eum Engineer	ed and abandened Ex (NESE/4). Company tor: INS.OR
E. S. Cherly					- //	Name	E. S.	Oberly	
Cennery C. Claured Name Box 997, Farmington, New		en	erej	CU	int		Box 997	, Farmington	, New Mexico

Section 1980 Commence of Section

• •

Commence of the property of the commence of

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.

Date DECEMBER 10, 1957

Operator	EL PASO MATURA	L GAS COMPANY	Lease	MESA VERDE STRA	T TEST	SF 078051
Well No.	Unit Let		14	Township 3.	₩ Range	11-W NMPM
Located	_	From SOUTH Lie	7	00 Feet From	EAST	Line
County	San Juan	G. L. Elevation	5911	Ded.oated Acreag		Acres
Name of I	Producing Formation	mesa verde		$\mathbf{P}_{\mathbf{O}(\cdot)}$	BLANCO	
		The second secon				

- Is the Operator the only owner in the ** ** ** ** acreage outlined by the plat below!
 Yes ** No.
- 3. If the answer to question two is "no", list all the owners and their respective interests below:

 Owner

 Land Description

Section B.

This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

El Paso Natural Gas Company


Original Signed D. C. Johnston (Representative)

Box 997

Address

Farmington, New Mexico

Note: All listances must be from outer boundaries of section.



Scale 4 inches equal 1 mile

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

(Seal)

Farmington, New Mexico

the Surveyed DECEMBER 10, 195

Registered Professional Engineer and or Land Surveyo

OIL CONSERVATION COMMISSION AZTEC DISTRICT OFFICE No. Copies Received 5												
						DISTRIBUTION						
Operator	/											
Senta Fo	1 / /											
Proration 1995		; ;										
State ime Of m	يعطونون الراوال المهرانيدي	1										
U. S. G. S.	2											
Transporter												
File		1										