

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 978243
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
SANTA FE, NEW MEXICO

July 7, 1960, 19__

GOV'T. ARNSTEIN

Well No. 1-12 is located 1750 ft. from S₅ line and 1750 ft. from W line of sec. 12

12 (1/4 Sec. and Sec. No.) 31N 12E NM
(Twp.) (Range) (Meridian)
Undesignated Dakota San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5265 ft. KB


DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

2/14/60

Total Depth 6863'. Ran 3-1/2", 15.5# casing to 6864'. Cemented w/225 ex 5# gel cement. Bumped plugs at 3,000 psi. Cemented through stage collar at 4777' with 175 sacks (50-50 cement) with 4# gel and 12-1/2# Gilsenite per sack. Ran cement location log - found cement tops at 3690' and 4160'.

Pressure tested sleeve and shoe to 3000 psi - held OK.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company CONSOLIDATED OIL & GAS, INC.
2112 Tower Bldg.

Address 1700 Broadway
Denver 2, Colorado

By Sam S. Jones
Title Production Manager