(April 1952)				

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY Co.

Indian Agency	(.
Contract No. 14-20-604	-81
Allottee	
Lease No231346	

NOTICE OF INTENTION TO DRILL		SUBSEQUEN	T REPORT OF WAT	er shut-off							
NOTICE OF INTENTION TO CHANGE		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING									
NOTICE OF INTENTION TO TEST WA		SUBSEQUENT REPORT OF ALTERING CASING									
NOTICE OF INTENTION TO REDRILL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR									
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY									
						-4-6				101 0010	DIKE STORE
						(INDIC	ATE ABOVE BY CHECK MAR	K NATURE OF REPO	rt, notice, or oth //	S. G. W. N.	EM Way
		—	_ N H- -	HER DATE LOCALO	10						
INCLAN		Carmington	Ap PAN TEAL	234 W 30 Ag	·						
	960	All.	, 382 c	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	-f						
Vell No is !	located 382 ft. f	rom S line a	indft.	from W line	Of Sec.						
SW/L of SW/L	T-31-H	Hald-W									
(14 Sec. and Sec. No.)	(Twp.)	(Range)	(Meridi								
Gallup Verde	Sen Auen			Here Meanled							
(Field)	(Coun	ty or Subdivision)		(State or Territ	ory)						
State names of and expected depth	DETA	AILS OF WC sizes, weights, and il other important	RK lengths of proposed proposed work)								
State names of and expected depth	DETA	AILS OF WC	PRK lengths of proposed proposed work)	at 110° w/10	00 sacks						
State names of and expected depth 2: Spudded at 11:0 ealsium chlorid	DETA no to objective sands; show ing points, and a O A.M., 7/17/57	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A-3	PRK lengths of proposed work) 8 casing 6, 7/18/57	at 110' w/10'. Circ. 20	00 sacks						
State names of and expected depth Spudded at 11:0 ealsium chlorid	DETA no to objective sands; show ing points, and a O A.M., 7/17/57	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A-3	PRK lengths of proposed work) 8 casing 6, 7/18/57	at 110' w/10'. Circ. 20	00 sasks						
State names of and expected depth Spudded at 11:0 ealsium chlorid	DETA no to objective sands; show ing points, and a O A.M., 7/17/57	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A-3	PRK lengths of proposed work) 8 casing 6, 7/18/57	at 110' w/10'. Circ. 20	00 sasks						
ealsium chlorid	DETA no to objective sands; show ing points, and a O A.M., 7/17/57	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A-3	PRK lengths of proposed work) 8 casing 6, 7/18/57	at 110' w/10'. Circ. 20	00 sasks						
State names of and expected depth Spudded at 11:0 ealsium chlorid	DETA no to objective sands; show ing points, and a O A.M., 7/17/57	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A-3	PRK lengths of proposed work) 8 casing 6, 7/18/57	at 110' w/10'. Circ. 20	00 sasks						
State names of and expected depth Spudded at 11:0 ealsium chlorid	DETA no to objective sands; show ing points, and a O A.M., 7/17/57	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A-3	PRK lengths of proposed work) 8 casing 6, 7/18/57	at 110' w/10'. Circ. 20	oo enoke enoke. KLLLI						
State names of and expected depth Spudded at 1110 ealsium chlorid	DETA no to objective sands; show ing points, and a O A.M., 7/17/57	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A-3	PRK lengths of proposed work) 8 casing 6, 7/18/57	at 110' w/10'. Circ. 20	00 sasks						
State names of and expected depth Spudded at 11:0 ealsium chlorid Tested Gasing W	DETA se to objective sands; show ing points, and a O A.M., 7/17/57 o comment. POP	AILS OF WO sizes, weights, and ill other important . Set 8-5/at 1:00 A-3	engths of proposed work) 8 casing 7/18/57 Drilled pl	at 110' w/16 . Circ. 20	COM CON CO						
State names of and expected depth Spudded at 11:0 ealsium chlorid Tested caning w	DETA se to objective sands; show ing points, and a O A.M., 7/17/57 o comment. POP	AILS OF WO sizes, weights, and ill other important . Set 8-5/at 1:00 A-3	engths of proposed work) 8 casing 7/18/57 Drilled pl	at 110' w/16 . Circ. 20	COM CON CO						
State names of and expected depth Spudded at 11:0 ealcium chlorid Tested casing w	DETA se to objective sands; show ing points, and a O A.M., 7/17/57 o comment. POP /700# for 30 mix work must receive approve	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A.	engths of proposed work) 8 casing 7/18/57 Drilled pl	at 110' w/16 . Circ. 20	COM O						
State names of and expected depth Spudded at 11:0 ealsium chlorid Tested casing w I understand that this plan of	DETA se to objective sands; show ing points, and a O A.M., 7/17/57 o comment. POP	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A.	engths of proposed work) 8 casing 7/18/57 Drilled pl	at 110' w/16 . Circ. 20	COM O						
State names of and expected depth Spudded at 11:0 ealsium chlorid Tested casing w Tunderstand that this plan of Company Box 1268	DETA se to objective sands; show ing points, and a O A.M., 7/17/57 o comment. POP /700# for 30 mix work must receive approve	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A.	RK lengths of proposed proposed work) 8	at 110° w/16° circ. 20°	COM COMMON						
State names of and expected depth Spudded at 2110 ealsium chlorid Tested casing w Tunderstand that this plan of Company Box 1268	DETA se to objective sands; show ing points, and a O A.M., 7/17/57 COMMENT. POR /700# for 30 mil	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A.	RK lengths of proposed proposed work) 8	at 110' w/16 . Circ. 20	CO encks encks.						
State names of and expected depth Spudded at 2110 ealsium chlorid Tested casing w Tunderstand that this plan of Company Box 1268	DETA se to objective sands; show ing points, and a O A.M., 7/17/57 o comment. POP /700# for 30 mix work must receive approve	AILS OF WO sizes, weights, and ill other important Set 8-5/ at 1:00 A.	RK lengths of proposed proposed work) 8	at 110° w/16° circ. 20°	M. LILL						

the file graduate that the second

and the second s

in the state of the second sec

the state of the s

ರಿಕಾರಿಕೊಡಿಸಿಕೆ

$oldsymbol{ u}$	Budget Bureau No. 42-R-359.3. Approval expires 12-31-55.
Form 9-331 b (April 1952) (SUBMIT IN	TRIPLICATE) Indian Agency
	Contract No. 14-20-608-61
1 :	STATES
DEPARTMENT O	F THE INTERIOR Allotton
	AL SURVEY CO. Loss No. 231346
	Q2.
	- WEL
SUNDRY NOTICES AN	SUBSEQUENT REPORT OF WATER SHUT-OFF CASING CT SUBSEQUENT REPORT OF ALTERING CASING CT SUBSEQUENT REPORT OF REDRILLARISM REPAIR. SUBSEQUENT REPORT OF ABANDONMENT.
	MIC CAL MAR
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OF
NOTICE OF INTENTION TO CHANGE PLANS.	SUBSEQUENT REPORT OF SHOOTING OR ACTORING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASINGLE
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUPPLEMENTARY WELL HISTORY.
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY HELL INC.
NOTICE OF INTENTION TO ABANDON WELL.	
(INDICATE AROVE BY CHECK MARK NAT	TURE OF REPORT, NOTICE, OR OTHER DATA)
UTE INDIAN	armington, New Hesties August 5, , 19.57
	(T')
Trus 1 in leasted 300 ft from	S ime and ft. from ine of sec.
Well Nois locatedit. Iron	(W)
54/L of 54/L 1-51-4	Realized (Meridian)
(14 Sec. and Sec. No.) (Twp.)	Range) (Meridian)
Gallup Yords Sam 2	Subdivision) (State of Topitory)
(Blood)	Co. 37
The elevation of the derrick floor above sea leve	l is
DETAIL	S OF WORK
(State names of and expected depths to objective sands; show sizes ing points, and all oth	, weights, and lengths of proposed casings; indicate mudding jobs, comments or important proposed work)
ing points, and an out	to an most assent. Ten of conent at 1900's
7/31/57: Set 5-1/2" eag. at 2184' w/1	N) WE MADE COMMITTED TO AN AN AND AND AND AND AND AND AND AND A
an an Arthur armination and an entire	
Hered in completion rig.	
A / 1 /mm . March and many to /1 5000 from 10 1	tine & Call. Displaced water w/cil. Spotted
500 gal. Hall. HGA soid.	
And But sware see angula	
2/5/57: Perf. 5-1/2" eng. from 2276	- 23701 w/A shote/ft. Send-cil freed
hopped pulls after the Abri	00 gals. Breakdown 900#, Hex F = 1300#,
Man. P. 750f.	

Title Dist. Supt.

U. S. GOVERNMENT PRINTING OFFICE 16-84576-7

w

in the second of 17.75 XXX the second of the second