

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	testa Pa
	78243
Lease No	
Unit	

CLINDDN NC					<u>.</u>
SUNDRY NO	OTICES AN	ID REPOR	TS ON	WELLS	🛊 e
OTICE OF INTENTION TO DRILL	X				
OTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPO			
OTICE OF INTENTION TO TEST WATER SH		SUBSEQUENT REPO			
TICE OF INTENTION TO RE-DRILL OR RE		SUBSEQUENT REPO			
TICE OF INTENTION TO SHOOT OR ACID		SUBSEQUENT REPO			
TICE OF INTENTION TO PULL OR ALTER		SUPPLEMENTARY	WELL HISTORY		- -
TICE OF INTENTION TO ABANDON WELL					
(INDICATE AB	OVE BY CHECK MARK N	ATURE OF REPORT, NO	TICE, OR OTHER D	ATA)	
		A	ogset 19,		, 19 .57
		(3 7)			•
ll No. 1-7 is located	990 ft. from	S line and	990 ft. from	$\mathbf{w} \in \mathbb{W}$ line of	sec
	91st 120	(-)	ren		
(1/4 Sec. and Sec. No.)	(Twp.) (I	Range)	(Meridian)		
LANCO	County or	Subdivision)	(state or Territory)	3
(Field)	(44				
e elevation of the derrick flo	or above sea leve	el isft.			
le elevation of the defined in		LS OF WORK			
	DETAIL	OF WORK			
			of proposed casi	os: indicate mud	ding jobs, cemer
ate names of and expected depths to obje	ective sands; show size ing points, and all ot	waights and length	s of proposed casi ed work)	ngs; indicate mud	ding jobs, cemer
Will drill with Set casing them Vill at liner through casing Hase Yeads and dual completion 54" liner @ 679 4500' -4000', Da	ing points, and	s, weights, and length her important propos	tee and th I with gas		Yazda.
Will drill with Set casing three Will set liner through casing Hear Verde and the completion 54" liner @ 679 4500'-4000', De	rotary tools ugh Hees Verd through Behet perforations Behete. If b will be offs 6'. Producti hete 6600'-67	s, weights, and length her important proposed and water be a figure of the control of the contro	toe and the vith gas two indicates a continuative a g: 10-3/4° acted: He	to test il tione.Gang stion of in approved @ 175', i on Verde (Verde. whote. lete oth type © 5,000 Pt. Leeks
	rotary tools ugh Hees Verd through Behet perforations Behete. If b will be offs 6'. Producti hete 6600'-67	s, weights, and length her important proposed and water be a figure of the control of the contro	toe and the vith gas two indicates a continuative a g: 10-3/4° acted: He	to test il tione.Gang stion of in approved @ 175', i on Verde (Verde. whote. lete oth type © 5,000 Pt. Leeks
Will drill with Set casing them Will set liner ! through casing ! Here Youde and ! deal completion 54" liner @ 679 4569' -4609', Be	rotary tools ugh Hees Verd through Behet perforations Behete. If b will be offs 6'. Producti hete 6600'-67	s, weights, and length her important proposed and water be a figure of the control of the contro	toe and the vith gas two indicates a continuative a g: 10-3/4° acted: He	to test il tione.Gang stion of in approved @ 175', i on Verde (Verde. whote. lete oth type © 5,000 Pt. Leeks
Will drill with Set casing them Will set liner through casing Hear Verde and deal completion 54" liner @ 679 4560'-4660', Be	rotary tools ugh Hees Verd through Dehot perforations Dehota. If b will be effe 0'. Producti insta 6600'-61	s, weights, and length her important proposed and water be a figure of the control of the contro	toe and the vith gas two indicates a continuative a g: 10-3/4° acted: He	to test il tione.Gang stion of in approved @ 175', i on Verde (Verde. whote. lete oth type © 5,000 Pt. Lesks
Will drill with Set casing them Vill set liner through casing Hear Verde and the completion 54" liner @ 679 4569" -4600", De	rotary tools ugh Hees Verd through Dehot perforations Dehota. If b will be effe 0'. Producti insta 6600'-61	s, weights, and length her important proposed and water be a figure of the control of the contro	toe and the vith gas two indicates a continuative a g: 10-3/4° acted: He	to test il tione.Gang stion of in approved @ 175', i on Verde (Verde. whote. lete oth type © 5,000 Pt. Lesks
Will drill with Set casing them Vill set liner through casing Hear Verde and deal completion 54" liner @ 679 4500' -4000', Be	rotary tools ugh Hees Verd through Dehot perforations Dehota. If b will be effe 0'. Producti insta 6600'-61	s, weights, and length her important proposed and water be a figure of the control of the contro	toe and the vith gas two indicates a continuative a g: 10-3/4° acted: He	to test il tione.Gang stion of in approved @ 175', i on Verde (Verde. whote. lete oth type © 5,000 Pt. Lesks
Will drill with Set casing them Vill set liner through casing Hear Verde and deal completion 54" liner @ 679 4500' -4000', Be	rotary tools ugh Hees Verd through Dehot perforations Dehota. If b will be effe 0'. Producti insta 6600'-61	s, weights, and length her important proposed and water be a figure of the control of the contro	toe and the vith gas two indicates a continuative a g: 10-3/4° acted: He	to test il tione.Gang stion of in approved @ 175', i on Verde (Verde. whote. lete oth type © 5,000 Pt. Lesks

en de la companya de

· Comment of the comm

NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.				Date August 19, 1957
County SAN JUAN Name of Producing 1. Is the Operat Yes N 2. If the answer consolidated "yes," Type o	Feet From the Go Lo Formation or the only ow to question oby communitizate Gonsolidation	Section7 ne_SOUTH_Line,_ Elevation5 ner* in the decome is "no," have tion agreement n	Township 990 Fe 884.0 Dedicat Pool dicated acreage of the interests or otherwise? Y	31 NORTH Range 12 WEST NMPM et From the WEST Line ed Acreage 156.21 Acres acre
<u>O</u>	wner		Land Des	All
Section. B				
		7		This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief. COLOMORISM (Operator) (Representative) Address
38.96 Ac.	40 Ac.			This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under
38.15 _{Ae} .	40 Ac.			my supervision and that the same is true and correct to the best of my knowledge and belief. Date Surveyed 29 JUNE 1957 Registered Professional Engineer and/or Land Surveyor.
330 660 990 1320	(See instruct	2000 1,500	ting this form o	James F. Leese Certificate No. 1463 n the reverse side)

INSTRUCTIONS FOR COMPLETION:

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the platthe location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3, Section A, please use space below

^{* &}quot;Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (65-3-29 (e) NMSA 1953 Comp.)