(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R359.4. Approval expires 12-31-60.
Indian Agency
Allottee
L No. 14-50-655-5504 Co. 160- 254671

OTICE OF INTENTION TO DRILL	X.	SIIBSEUIIEM.	REPORT OF WAT	ER SHUT-OFF		
OTICE OF INTENTION TO CHANGE PLANS.			REPORT OF SHO		ZING	
OTICE OF INTENTION TO TEST WATER SH	IIT-OFF	11	REPORT OF ALT			
	E OF INTENTION TO REDRILL OR REPAIR WELL			PORT OF ABANDONMENT.		
OTICE OF INTENTION TO PULL OR ALTER	,	SUPPLEMEN	TARY WELL HISTO	RY		
OTICE OF INTENTION TO ABANDON WELL.		-				
(INDICATE ABO	WE BY CHECK MARK NAT	URE OF REPO	IT, NOTICE, OR OT	HER DATA)	a DD	c 1050
rajo Eribo of Indiana "	700				APR	6 1959
			April 8,		-:0 L0 G	10/12 00
	_			منشد	1. 701	TEND IN
ll No is located	ft. from	s line a	nd 980 ft.	from W li	ine of se	c,
la campla no an	99	(~) • 411 41	W.M. S.M			
(34 Sec. and Sec. No.)	(Twp.) (E	lange)	(Meridi	an)	-	
	See Jeen			Nov Haute	•	
(Field)	(County or 8	ubdivision)		(State or T	erritory)	
		_				
te names of and expected depths to obje		OF WO		l casings; indicat	e mudding	jobs, cement-
te names of and expected depths to obje				i casings; indicat	o mudding	jobs, cement-
ite names of and expected depths to obje				l casings; indicat	o mudding	jobs, cement-
to names of and expected depths to object the control of the contr				i casings; indicat	o mudding	jobe, cement- DØ JUCCH Damb
te names of and expected depths to object the names of an expected depth to ob				l casings; indicat	conting	jobe, cement- DS JURCON
to names of and expected depths to object the parties of the control of the contr	ctive sands; show sizes, ing points, and all other programs realists to au	weights, and le r important p	ngths of proposed reposed work) Fficient V	casings; indicat	const	jobe, cement- DØ SVICCIA
ASING PROUNTS CR 174, Repth 227 35' Ct 147 1200' cu	ctive sands; show sizes, ing points, and all other programs realists to au		ngths of proposed reposed work) Fficient V	casings; indicat	CORRE	jobe, cement- DS JUNCON Penno
ALINO PROCESSION CANADA STATE TO SERVICE STATE OF SERVICE STATE SERVICE SERVIC	ctive sands; show sizes, ing points, and all other programs realists to au	weights, and le r important p	ngths of proposed reposed work) Fficient V	casings; indicat	omudding COSE	jobe, cement-
to names of and expected depths to object the parties of and expected depths to object the parties of the parti	ctive sands; show sizes, ing points, and all other programs realists to au	weights, and le r important p	ngths of proposed reposed work) Fficient V	RIL	TYPT	No Process
to names of and expected depths to object the names of and expected depths to object the names of and expected depths to object the name of the name o	ctive sands; show sizes, ing points, and all other programs realists to au	weights, and le r important p	ngths of proposed reposed work) Fficient V	RIL	TYPT	No Process
te names of and expected depths to obje (ACTING FROGRAM The Repth SUP 38' Ch Lef 1700' on Naction Hothed: Sund on 10001 total depth 1700'	ctive sands; show sizes, ing points, and all other programs realists to au	weights, and le r important p	ngths of proposed reposed work) Fficient V	RIL	TYPT	No Process
te names of and expected depths to obje (ACTING PROCESSE) (14) (25) (25) (26)	ctive sands; show sizes, ing points, and all other programs realists to au	weights, and le r important p	ngths of proposed reposed work) Fficient V	RIL	TYPT	No Process
Marine Fredrik CH St. Repth Sty 35' Ct. 14' 1700' on Motion Hothel: Seed of pood total depth 1700'	ctive sands; show sizes, ing points, and all other programs registe to see the sand sizes at least to the sand stands. L. Specture w. to test falls	weights, and le r important p rises st 560° sb Lth 80,0	reposed work) Fficient V VVO year so	RELLAPROIL	CON. DIST.	39 m
Marine Modelle CH Th. Repth 200 25' Ch 140 1300' cm Modele Hothel: Seed of pased total depth 1300'	ctive sands; show sizes, ing points, and all other programs registe to see the sand sizes at least to the sand stands. L. Specture w. to test falls	weights, and le r important p rises st 560° sb Lth 80,0	reposed work) Fficient V VVO year so	RELLAPROIL	CON. DIST.	No Process
Tunderstand that this plan of work must smpany	ctive sands; show sizes, ing points, and all other programs registe to see the sand sizes at least to the sand stands. L. Specture w. to test falls	weights, and le r important p rises st 560° sb Lth 80,0	reposed work) Fficient V VVO year so	RELLAPROIL	CON. DIST.	39 m
The Rocket CR 200 38' Ch 140' 1300' on Naction Hothest Sund of 1300' on Sund to the Lagran 1300' in the La	ctive sands; show sizes, ing points, and all other programs registe to see the sand sizes at least to the sand stands. L. Specture w. to test falls	weights, and le r important p rises st 560° sb Lth 80,0	reposed work) Fficient V VVO year so	RELLAPROIL	CON. DIST.	39 m
Ti. Repth 227 38' Ct. 147 1300' on Motion Hothel: Sund of pood total depth 1300'	ctive sands; show sizes, ing points, and all other programs registe to see the sand sizes at least to the sand stands. L. Specture w. to test falls	weights, and le r important p rises se 560° so Lth 80,0	reposed work) Fficient V VVO year so	RELLAPROIL	CON. DIST.	39 m



NEW MEXICO OIL CONSERVATION COMMISSION

Well Location and Acreage Dedication Plat

Section A.		Date <u>4-3-59</u>
Yes No No Consolidated by communitization of Consolidated by Communitization of Consolidation	Section 10 Tow South Line, 660' Elevation De 6allup Sand Po ner* in the dedicated acre ne is "no," have the intertion agreement or otherwisn	Feet From West Line dicated Acreage 40 Acres ol Chimney Rock age outlined on the plat below?
Owner	Lan	d Description
	OCE IVED	
	Vbbs 1833	APR 6 1959
Section B	APR 7 1953 OIL CON. 3	
		This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.
		HUMBLE OIL & REFG. CO (Operator) (Representative) Assistant Division Supt. Box 1600 Midland, Texas Address
		This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.
0 330 460 990 1320 1450 1980 2510 2	640 2000 (500 (000 s	Registered Professional Engineer and/or Land Surveyor