

(SUBMIT IN TRIPLICATE)

Indian Agency Santa Fe

New Mexico

Allottee Tidewater Oil Co.

Lease No. 14-30-400-3530  
Navajo-We Man.

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY


SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	<b>X</b>
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 28, 19 63

Navajo "B"

Well No. 1 is located 1650 ft. from SW line and 1650 ft. from W line of sec. 8

SW/4 Section 8

(1/4 Sec. and Sec. No.)

Mary Rocks Gallup

(Field)

T-21-N

(Twp.)

San Juan

(County or Subdivision)

R-16-W

(Range)

MPM

(Meridian)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is 5502 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

**10-26-63** Perforated  $\frac{1}{2}$ " casing 1490-96' with 4 jet shots per foot. Could not frac with 4000# pump pressure. Re-perforated same section with 4 jet shots per foot. Spotted 300 gallon acid over perforations. Frac with 30,240 gallons lease crude and 90,000# sand. Maximum pressure 2400#, minimum 1870#, Injection rate 35.2 BPM. Now swabbing and flowing lead.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Tidewater Oil Company

Address P. O. Box 1231

Midland, Texas

By H. G. Newberry

Title Asst. Dist. Prod. Mgr.