

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4.  
Approval expires 12-31-60.

Land Office Santa Fe  
Lease No. ST 070640  
Unit E/2 Sec. 10

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 5, 1960


Well No. 1 is located 210 ft. from N line and 1050 ft. from E line of sec. 10  
Delhi-Hodge  
N.E. 1/4 Sec. 10 31N 11W NMPH  
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Under. Dakota San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5967 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

After setting 7-5/8" casing, 6-3/4" hole was drilled with gas to T.D. of 7580', 5-1/2" 17# J-55 was set at 7580' w/200 sacks 50/50 Peamix, 4% Gel. & 12-1/2# Gilsenite per sack, followed w/50 sacks. Latex cement. Casing was pressured to 2000# for 1 hour with no drop in pressure. Temperature survey indicated top at 4950'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Delhi-Taylor Oil Corporation

Address P. O. Drawer 1190  
Farmington, New Mexico

By J. E. Howell  
Title Dist. Supt.