

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

(Form C-104)
Revised 7/1/57

REQUEST FOR (OIL) - (GAS) ALLOWABLE

New Well
Recompletion

This form shall be submitted by the operator before an initial allowable will be assigned to any completed Oil or Gas well. Form C-104 is to be submitted in QUADRUPLICATE to the same District Office to which Form C-101 was sent. The allowable will be assigned effective 7:00 A.M. on date of completion or recompletion, provided this form is filed during calendar month of completion or recompletion. The completion date shall be that date in the case of an oil well when new oil is delivered into the stock tanks. Gas must be reported on 15.025 psia at 60° Fahrenheit.

Farmington, New Mexico

June 2, 1959

(Place)

(Date)

WE ARE HEREBY REQUESTING AN ALLOWABLE FOR A WELL KNOWN AS:

Humble Oil & Refining Company Navajo Tribe "F", Well No. 22, in SE/4 NE/4 SW/4 SE/4

(Company or Operator)

(Lease)

H

9

T

31-W

17-W

NMPM

Chimney Rock Gallup

Pool

Unit Letter

San Juan

County. Date Spudded May 14, 1959

Date Drilling Completed

May 21, 1959

Elevation 5217 Gr.

Total Depth 995'

PBTD

989'

Please indicate location:

| | | | |
|---|---|---|---|
| D | C | B | A |
| E | F | G | H |
| L | K | J | I |
| M | N | O | P |

Top Oil/Gas Pay 931'

Name of Prod. Form.

Gallup

PRODUCING INTERVAL -

Perforations 931' to 964'

Open Hole

Depth

Depth

Casing Shoe

Tubing

OIL WELL TEST -

Natural Prod. Test: - bbls. oil, - bbls water in - hrs, - min. Size -

Test After Acid or Fracture Treatment (after recovery of volume of oil equal to volume of

load oil used): 120 bbls. oil, 0 bbls water in 24 hrs, 0 min. Size Pumping

GAS WELL TEST -

Corr. Gr. 39.2.

18-30" SPN

Natural Prod. Test: -

MCF/Day; Hours flowed

Choke Size

Tubing, Casing and Cementing Record

| Size | Feet | Sax |
|---------------|-------------|---------------|
| <u>7-5/8"</u> | <u>48'</u> | <u>10</u> |
| <u>5"</u> | <u>994'</u> | <u>70</u> |
| <u>2"</u> | <u>947'</u> | <u>Tubing</u> |
| | | |

Method of Testing (pitot, back pressure, etc.):

Test After Acid or Fracture Treatment: - MCF/Day; Hours flowed -

Choke Size - Method of Testing: -

Acid or Fracture Treatment (Give amounts of materials used, such as acid, water, oil, and sand): Sand/Oil frac w/20,000 gals. lss. crude & 30,000' sand.

Casing Not used Tubing - Date first new June 1, 1959
Press. - oil run to tanks

Oil Transporter El Paso Natural Gas Products Company

Gas Transporter -

Remarks:

I hereby certify that the information given above is true and complete to the best of my knowledge.

Approved JUN 1 1959, 19

Humble Oil & Refining Company

(Company or Operator)

OIL CONSERVATION COMMISSION

Signed By

By: R. M. LILLY

Title PETROLEUM ENGINEER DIST. NO. 3


By: R. M. LILLY
Russell M. Lilly (Signature)

Title District Superintendent

Send Communications regarding well to:

Name Humble Oil & Refining Company

Address Box 1268, Farmington, New Mexico



| | |
|-----|---|
| 1 | 1 |
| 2 | 1 |
| 3 | 1 |
| 4 | 1 |
| 5 | 1 |
| 6 | 1 |
| 7 | 1 |
| 8 | 1 |
| 9 | 1 |
| 10 | 1 |
| 11 | 1 |
| 12 | 1 |
| 13 | 1 |
| 14 | 1 |
| 15 | 1 |
| 16 | 1 |
| 17 | 1 |
| 18 | 1 |
| 19 | 1 |
| 20 | 1 |
| 21 | 1 |
| 22 | 1 |
| 23 | 1 |
| 24 | 1 |
| 25 | 1 |
| 26 | 1 |
| 27 | 1 |
| 28 | 1 |
| 29 | 1 |
| 30 | 1 |
| 31 | 1 |
| 32 | 1 |
| 33 | 1 |
| 34 | 1 |
| 35 | 1 |
| 36 | 1 |
| 37 | 1 |
| 38 | 1 |
| 39 | 1 |
| 40 | 1 |
| 41 | 1 |
| 42 | 1 |
| 43 | 1 |
| 44 | 1 |
| 45 | 1 |
| 46 | 1 |
| 47 | 1 |
| 48 | 1 |
| 49 | 1 |
| 50 | 1 |
| 51 | 1 |
| 52 | 1 |
| 53 | 1 |
| 54 | 1 |
| 55 | 1 |
| 56 | 1 |
| 57 | 1 |
| 58 | 1 |
| 59 | 1 |
| 60 | 1 |
| 61 | 1 |
| 62 | 1 |
| 63 | 1 |
| 64 | 1 |
| 65 | 1 |
| 66 | 1 |
| 67 | 1 |
| 68 | 1 |
| 69 | 1 |
| 70 | 1 |
| 71 | 1 |
| 72 | 1 |
| 73 | 1 |
| 74 | 1 |
| 75 | 1 |
| 76 | 1 |
| 77 | 1 |
| 78 | 1 |
| 79 | 1 |
| 80 | 1 |
| 81 | 1 |
| 82 | 1 |
| 83 | 1 |
| 84 | 1 |
| 85 | 1 |
| 86 | 1 |
| 87 | 1 |
| 88 | 1 |
| 89 | 1 |
| 90 | 1 |
| 91 | 1 |
| 92 | 1 |
| 93 | 1 |
| 94 | 1 |
| 95 | 1 |
| 96 | 1 |
| 97 | 1 |
| 98 | 1 |
| 99 | 1 |
| 100 | 1 |