

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Co. 120. No. 23472

Budget Bureau No. 42-R359.4.
Approval expires 12-31-60.

Indian Agency

Allottee

Lease No.

11-22-402-0004

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	Subsequent Report of Production	


MAY 27 1959

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico

May 24, 1959

Well No. 29 is located 440 ft. from NE line and 1900 ft. from W line of sec. 9
N 1/4 of N 1/4 Sec. 9 T-21-N R-27-W Zone
 (34 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Ordinary North Building San Juan New Mexico
 (Field) (County or Subdivision) (State or Territory)



The elevation of the derrick floor above sea level is 5241 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Spudded 7" hole 1/1/59. Set 7-5/8" casing at 47' w/ 20' casing seg. cement. Drilled to 1000' w/ air and cement up. Drilled to 20' of 1000'. Run elec. log. Set 5" casing at 1000' w/ 20' casing 15' casing cement. Pumped plug down w/ 200 gals. H₂O and oil. San Juan Bay & Gilling logs. Perforated from 1000' to 1004' w/ 2' jet shots per Sect. Sand/oil flow w/ 20,000 gals. loss. credit a 30,000 gals. sec. inj. rate 21.5 bbl./min. Closed sand from 1000' to 1004'. Set 2" tubing at 1004'. Run rods & pump and installed pumping unit. On final 24 hour test on 10-20-59 2000 gals. 100 bbl. per day. Curr. prod. 30-40. First run oil to tanks 1/12/59.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Shutle Oil & Refining Company
 Address Box 1266
Farmington, New Mexico
 By COPY ORIGINAL SIGNED: R. M. LILLY
Shutle Oil & Refining
 Title District Superintendent

