

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. NM 40649 (NM 0271)	
2. NAME OF OPERATOR Benson-Montin-Greer Drilling Corp.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME	
3. ADDRESS OF OPERATOR 221 Petroleum Center Building, Farmington, NM 87401		7. UNIT AGREEMENT NAME	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 1656' FSL 1642' FEL, Section 5, T31N, E13W		8. FARM OR LEASE NAME	
14. PERMIT NO.		9. WELL NO. La Plata #5 (J-5)	
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5881'		10. FIELD AND POOL, OR WILDCAT La Plata Gallup	
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 5, T31N R13W	
		12. COUNTY OR PARISH San Juan	
		13. STATE NM	

16 Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

(Other) ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

ABANDON* ☐

CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐

FRACTURE TREATMENT ☐

SHOOTING OR ACIDIZING ☐

(Other) ☐

REPAIRING WELL ☐

ALTERING CASING ☐

ABANDONMENT* ☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Cement plugs as follows:

05-11-88	Gallup/Plug #1	27 sacks (32.4 cubic feet) from 6104' to 5864'
05/13/88	Point Lookout/Plug #2	30 sacks (36.0 cubic feet)
05/16/88	" " " #2	8 sacks (9.6 cubic feet)
05/17/88	" " " #2	20 sacks (24.0 cubic feet) from 4478' to 4280'
05/25/88	Top Cliff/Plug #3	39 sacks (46.8 cubic feet) from 3370' to 3198'
06/01/88	Chacra/Plug #4	39 sacks (46.8 cubic feet) from 2765' to 2640'
06/03/88	Top Pictured Cliff/Plug #5	40 sacks (48.0 cubic feet) from 1752' to 1632'
06/08/88	Fruitland/Plug #6	70 sacks (84.0 cubic feet) from 1364' to 1167'
06/09/88	Surface Plug	66 sacks (79.2 cubic feet) from 165' to Surface

Plugging witnessed by: Ronald Snow, Petroleum Engineering Technician and
Mark Philliber, Petroleum Engineering Technician, Bureau
of Land Management, Farmington, New Mexico.

18. I hereby certify that the foregoing is true and correct.

SIGNED

Virgil L. Stoabs

TITLE Vice President

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL

Approved as to plugging of the well to
Liability under bond is retained until
surface restoration is completed.

DATE

JUN 23 1988

AREA MANAGER

FARMINGTON RESOURCE AREA