á	cm 9-881 a (Feb. 1951)						
							

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

		40	a fe	
Lease !	No.	! •	7809	<u></u>
Unit	8/2	*	Sec.	5

					SURS	OUENT DE	PODT OF	WATER CHI	л-off		
	ITENTION TO D					-			OR ACIDIZING		
	TENTION TO C									UEI	-WE F
NOTICE OF INTENTION TO TEST WATER SHUT-OFF				111.5							
				QUENT RE			o		<u></u>		
			7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					دند			
			SUFFEENING WILL INVESTIGATION								
NOTICE OF I	NIENTION TO A	BANDON WEL					<u></u>			:01-06464	<u> 64 37 55</u>
		(INDICATE A	BOVE	BY CHECK MAR	K NATURE OF	REPORT, N	OTICE, OR	OTHER DA	प्रदेश कर्ना (AT .	oton, Re	37 1 7 1 3
									Jeogus	19 , 1	9.60
De.	lhi-budge	ŧ			(NI)				(E),.		l
Vell No		is located	10	30 ft. fror	n XS li	ne and	1333	ft. from	E line of	sec	
NE/4	Sec.	<u> </u>		1 1	(Range)		(Merid				
(⅓ Se	c. and Sec. No.)			rwp.)	(Range)		(MICH IC	M M	3 M		
Undes.	(Field)				or Subdivisio	n)			tate or Territory)		•
				DETA	ILS OF	WORK	he of prop	osed casin	gs; indicate mud	iding jobs, (:ement-
State names o	of and expected	depths to ob	ojective ing FOLM	DETA sands; show a points, and all ary tools	ILS OF izes, weights other impor	WORK and length tant proposed to the tank	hs of propsed work)	of ?id	gs; indicate muc etured Cl production	iffs, :	et
State names of the property of	of and expected	depths to ob rill v/: ring an- recture Program	ojective ing	DETA sands; show a points, and all ary tools till w/ga	ILS OF izes, weights other impor	WORK and lengthant propo	hs of proposed work)	of ?ic set ;	etured Ci production	iffs, (n etri	is.
State names of the property of	of and expected one to di diste sti	depths to obtain a fing an acture Program 250°	rota dr for	DETA sands; show s points; and all ary tools till w/ga san tools 16-3/4"	ILS OF izes, weights other impor using s to ba pletion 32.756	WORK and lengthant propo	ha of proposed work) bass Baketa Baketa	of ?ic set :	ctured Cl production	iffs, (n stri	et 18. ourface
State names of the property of	of and expected one to diste still to end fi d Casing Approx.	depths to ob rill e/: ring an- recture Progres 250' 3000'	rota dr for	DETA sands; show a points, and all axy tools (111 w/gs gas tool 19-3/4" 7-5/8"	ILS OF izes, weights other impor using s to ba plation 32.756 26.469	WORK and lengthant propo	ha of proposed work) base Baketa Baketa Baketa Baketa	of ?id set : ota. sing -	ctured Cl production cemented cemented	iffe, to a to	et ig. surface sxs.
State names of the property of	of and expected ones to di diste sti to end fi d Casing Approx.	rill v/: ring an- recture Progra: 250' 3000' 7500'	rota dr for	DETA sands; show a points, and all axy tools (111 w/gs 16-3/4" 7-5/8" 5-1/2"	izes, weights other important sering see bas places on 32.756 26.466	WORK and lengthant propo	ha of proposed work) base Baketa Baketa Baketa Baketa	of ?id set : ota. sing -	ctured Cl production	iffe, to a to	et ig. surface sxs.
State names of the property of	of and expected one to diste still to end fi d Casing Approx.	depths to ob rill e/: ring an- recture Progres 250' 3000'	rota dr for	DETA sands; show a points, and all axy tools (111 w/gs 16-3/4" 7-5/8" 5-1/2"	ILS OF izes, weights other impor using s to ba plation 32.756 26.469	WORK and lengthant propo	ha of proposed work) base Baketa Baketa Baketa Baketa	of ?id set : ota. sing -	ctured Cl production cemented cemented	iffe, to a to	et ig. surface sxs.
State names of the property of	of and expected ones to di diste sti to end fi d Casing Approx.	rill v/: ring an- recture Progra: 250' 3000' 7500'	rota dr for	DETA sands; show a points, and all axy tools (111 w/gs 16-3/4" 7-5/8" 5-1/2"	izes, weights other important sering see bas places on 32.756 26.466	WORK and lengthant propo	ha of proposed work) base Baketa Baketa Baketa Baketa	of ?id set : ota. sing -	ctured Cl production cemented cemented	iffe, to a to	et ig. surface sxs.
State names of the property of	of and expected ones to di diste sti to end fi d Casing Approx.	rill v/: ring an- recture Progra: 250' 3000' 7500'	rota dr for	DETA sands; show a points, and all axy tools (111 w/gs 16-3/4" 7-5/8" 5-1/2"	izes, weights other important sering see bas places on 32.756 26.466	WORK and lengthant propo	ha of proposed work) base Baketa Baketa Baketa Baketa	of ?id set : ota. sing -	ctured Cl production cemented cemented	iffe, to a to	et ig. surface sxs.
State names of the property of	of and expected some to distement to sad fi ed Caning Approxi-	rill e/: ring an- racture Progres 250' 3000' 7500'	pjective ing	DETA sands; show a points, and all axy tools fill w/gs san tool 19-3/4" 7-5/4" 5-1/2" 2" EUE	izes, weights other important serious	WORK and length tant propo wid to se of in th R-40 J-35 J-33	ha of proped work) bass Base Bake Bake SS car	of ?ica. Sing - Sing -	etured Cl production dewented cesanted cesanted	iffe, in etric To to w/200 w/250	et ig. ourface exs. exs.
State names of the property of	of and expected some to distement to sad fi ed Caning Approxi-	rill e/: ring an- racture Progres 250' 3000' 7500'	pjective ing	DETA sands; show a points, and all axy tools fill w/gs san tool 19-3/4" 7-5/4" 5-1/2" 2" EUE	izes, weights other important serious	WORK and length tant propo wid to se of in th R-40 J-35 J-33	ha of proped work) bass Base Bake Bake SS car	of ?ica. Sing - Sing -	etured Cl production dewented cesanted cesanted	iffe, in etric To to w/200 w/250	et ig. ourface exs. exs.
State names of the property of	of and expected some to distent at the sud find Cauling Approximates 11 15 15	rill v/: ring an- recture Progres 250' 3000' 7500'	pjective ing	DETA sands; show a points, and all axy tools '111 w/ga '24 40% '25/8" 5-1/2" 2" 506	its OF izes, weights other impor using s to ba placion 32.756 26.406 176 tub ing.	WORK and length tant propo wid to se of in th R-40 J-35 J-33	ha of proped work) bass Base Bake Bake SS car	of ?ica. Sing - Sing -	ctured Cl production cemented cemented	iffe, in etric To to w/200 w/250	et ig. ourface exs. exs.
State names of the propose Propose	of and expected some to distance at the said for the sai	rill v/: ring an- recture Progres 250' 3000' 7500'	pjective ing	DETA sands; show a points, and all axy tools fill w/gs san tool 19-3/4" 7-5/4" 5-1/2" 2" EUE	its OF izes, weights other impor using s to ba placion 32.756 26.406 176 tub ing.	WORK and length tant propo wid to se of in th R-40 J-35 J-33	ha of proped work) bass Base Bake Bake SS car	of ?ica. Sing - Sing -	etured Cl production dewented cesanted cesanted	iffe, in etric To to w/200 w/250	et ig. ourface exs. exs.
State names of property of the	of and expected some to distance at the said for the sai	rill v/ring an- recture Progres 250' 3000' 7500' 7500'	pjective ing	DETA sands; show a points, and all axy tools '111 w/ga '24 40% '25/8" 5-1/2" 2" 506	izes, weights other important in writing by	WORK and length tant propo well to the Goole the Goole	ha of propadd work) Da sa Da sa Da sa Sa Sa Sa Sa Sa Sa Sa Sa Sa	of 71.	etured Ciproduction cemented cemented cemented cemented	iffs, in acris TO to w/200 w/250	et ig. surface sxs. sxs.
State names of the property of	of and expected some to distance at the said for the sai	rill v/ring and recture Program 250' 3000' 7500' 7500' an of work no aylor Career 11	political in the second	DETA sands; show a points, and all axy tools '111 w/ga '24 40% '25/8" 5-1/2" 2" 506	izes, weights other important in writing by	WORK and length tant propo well to the Goole the Goole	ha of propadd work) Da sa Da sa Da sa Sa Sa Sa Sa Sa Sa Sa Sa Sa	of 71.	etured Cl production dewented cesanted cesanted	iffs, in acris TO to w/200 w/250	et ig. surface sxs. sxs.

A OF COPI	SRECEIV	ED				
011	TRIBUTIO	N .				
NTA FE	-					
FILE						
U.S.G.S.						
LAND OFFICE						
TRANSPORTER	OIL					
TRANSPORTER	GA3					
PROP TION OFFI	CE	7				

NEW MEXICO OIL CONSERVATION COMMISSION

FILE U.S.G.S.		WELL LOCATION	N AND ACREA	GE DEDICAT	ION PLAT
TRANSPORTER GAS		SEE INSTRUCTIONS FO	OR COMPLETING THI	S FORM ON THE I	REVERSE SIDE
PROF TION OFFICE					
			CTION A		
Operator DELHI	TAYLOR OIL		Delhi-M	ludge	Well No.
Unit Letter B	Section 5	Township 31 NORTH	Range 11 WEST	County SAN	JUAN
Actual Footage Lo	feet from the	NORTH line and	1555 fee	t from the EAST	line
Ground Level Elever 6210,		rmation F	ool Und esign	ated	Dedicated Acreage: E/2 Sec. Sacres
who has the rig another. (65— 2. If the answer to wise? YES	the only owner in ght to drill into and 3-29 (e) NMSA 19 o question one is	the dedicated acreage outli to produce from any pool a 35 Comp.)	and to appropriate the all the owners been c Consolidation	? YES NO _ production either for onsolidated by com	. ("Owner" means the person or himself or for himself and
Owner	o question two is	no, list all the owners an	Land Descrip		
		· •••			
		SECTION B			CERTIFICATION
			0 155.	in S plet beli Nam	
			Delhi-Mudge SF - 78095	Com	Dist. Supt. pany Delhi-Taylor Gil Corp
				shov plote surv supe and	reby certify that the well location wn on the plat in SECTION B was ted from field notes of actual eys made by me or under my ervision, and that the same is true correct to the best of my knowledge belief.
0 330 660	090 <i>1320 1650</i> 15	180 2310 2640 2000	1500 1000	Regi and/	Surveyed 18 August 1960 istered Professional Engineer for Land Surveyor James P. Leese ificate No.

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.