



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. 078483-A  
Unit Allison

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	<b>X</b>
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 25, 1957

Well No. 11-X is located 917 ft. from N line and 1086 ft. from E line of sec. 23

NE Sec. 23 32N 7W N.M.P.M.  
(¼ Sec. and Sec. No.) (Twp.) (Range) (Meridian)

N. Los Pinos Oak Ext., Blanco M.V. San Juan New Mexico  
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6819 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

On 6-18-57, Total Depth 3870'.  
Ran 92 joints 9-5/8", J 55, 36.00#, Casing (3856") set at 3868'.  
within First stage, 450 sacks (50% Pozmix, 50% Neat) 4% gal, 1/4#/sk. Floccle.  
Sms followed with 50 sacks Neat cement.  
Second stage, with 500 sacks (50% Pozmix, 50% Neat).  
Held 1000# for 30 minutes.  
Top of cement by temperature survey at 390'.



I understand that this plan of work must receive approval in writing by the Geological Survey before operation may be commenced.

Company El Paso Natural Gas Co.

Address Box 997  
Farmington, New Mexico

By Original Signed D. C. Johnson  
Title Petroleum Engineer