

STATE OF NEW MEXICO
OIL CONSERVATION
COMMISSION

DISTRICT NO. 3
Phone 99 P. O. Box 697
AZTEC, NEW MEXICO

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Santa Fe

Land Office 078215-A

Locality Sec. 19, T-32-N.,

R-10-W., N.M.P.M.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....
NOTICE OF INTENTION TO ABANDON WELL.....	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 31,

51

19

Well No. 1 / B. B. Vanderslice 1600 ft. from N line and 930 ft. from E line of sec. 19
SW 1/4 (Lot 2) Sec. 19 T-32-N., R-10-W., N.M.P.M.

La Plata Field

Santa Fe County

New Mexico

(Field)

(County or Subdivision)

(State or Territory)

to be furnished.

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Well to be drilled with rotary tools to top of Cliff House Sand, which is expected at about 4750'. 7" casing will be set and cemented with 200 sacks at this point. Well will be completed with cable tools to a total depth of about 5700'. 10-3/4" O.D. surface pipe cemented to surface and about 5600' of 2" tubing will be used.

Well to be shot with approximately 800 quarts of nitroglycerine, and a perforated liner installed.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

SOUTHERN UNION GAS COMPANY

Company

1104 BURT BUILDING

Address

DALLAS, TEXAS


By

Chief Engineer

Title

Land Office _____
License No. _____
Unit _____

(SUBMIT IN TRIPlicate)
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO ABANDON WELL	
NOTICE OF INTENTION TO PULL OR ALTER CASING	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	
SUBSEQUENT REPORT OF WATER SHUT-OFF	
SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
SUBSEQUENT REPORT OF ALTERING CASING	
SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
SUBSEQUENT REPORT OF ABANDONMENT	
SUPPLEMENTARY WELL HISTORY	

(INDICATE ABOVE BY CHECKING IN THE NATURE OF REPORT, NOTICE, OR OTHER DATA)

_____ is located _____ ft from _____ line and _____ ft from _____ line of sec. _____
(Township) (Range) (Section) (Mileage)
(State or Territory) (County or Subdivision) (Mileage)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(Give names of and expected depths to objective sands, and lengths of proposed casing; include casing joint, cement, cement, etc.)

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.
By _____ Title _____
Address _____
Company _____

Gas

Company Southern Union Production Company


Lease B. R. Vanderslice Well No. 1

Sec. 19 T. 32 N., R. 10 W., N.M.P.M.

Location 1400' from the North line and 930' from the West line.

San Juan County

New Mexico



Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Charles J. Finkles

Registered Professional
Engineer and Land Surveyor.

Charles J. Finkles
N. Mex. Reg. No. 1502

Surveyed May 26, 1951

