_									
NO. OF COPIES RECEIVED	ک						30 - 04.	5-22190	
DISTRIBUTION			NEW	MEXICO OIL CONSEI	RVATION COMMISSION	l F	Form C-101		
SANTA FE	1			APPROV	AL VALID	~	Revised 1-1-6		
FILE	1	4			AYS UNLESS			Type of Lease	
U.S.G.S.	2				OMMENCED.		STATE	FEE X	
LAND OFFICE				Dividianas C	NUMBRICKCED,	F	5. State Oil	& Gas Lease No.	
OPERATOR	1			EXPIRES	14-76				
		,		EAFIRES					
APPLIC	ATION	FOR PE	RMIT TO	DRILL, DEEPEN,	OR PLUG BACK	E E			
1a. Type of Work							7. Unit Agre	ement Name	
DBII	LX			DEEPEN	PLUG P				
b. Type of Well						_	8. Farm or L		
OIL GAS	. 🕎	отне	R		SINGLE MUL	ZONE	Leeper	Gas Com "B"	
2. Name of Operator							9. Well No.		
AMOCO PRODUCTION COMPANY 1									
3. Address of Operator								10. Field and Pool, or Wildcat	
501 Airpor	t Dr:	lwe, Far	mington	n, New Mexico	87401	ļ	Blanc	o Pictured Cliff	
4. Location of Well		С		ATED 1110 F	EET FROM THE NOTTH	LINE			
UNIT	LEITER					h	///////		
AND 1450 FEET	FROM T	HE West	LIN	IE OF SEC. 34 T	WP. 32 RGE.	10 NMPM			
	IIÙ	ШШ	IIIII				12. County		
ΛΙΙΙΙΙΙΙΙΙΙΙ	////					///////	San Ju	uan ()///////	
	m	<u>illilli</u>	<u>IIIII</u>						
((((((((((((((((((((((((((((((((((((/////						<u>1111111</u>		
	\overline{IIII}	IIIIII	<u>IIIII</u>	((((((((((((((((((((((((((((((((((((9. Proposed Depth 1	9A. Formation		20. Rotary or C.T.	
	1111		IIIII		2950*	Picture	e: cliffe	Rotary	
21. Elevations (Show whet	her DF, I	RT, etc.)	21A. Kind	& Status Plug. Bond 2	1B. Drilling Contractor		22. Approx	. Date Work will start	
5882 GL			Statewide		Unknown		October 1976		
23.				PROPOSED CASING AND	CEMENT PROGRAM				
SIZE OF HOLE		SIZE OF	CASING	WEIGHT PER FOOT	SETTING DEPTH	SACKS OF	CEMENT	EST. TOP	
12-1/4"		8-9	5/8"	24#	2501	17	5	Circulate	
7-7/8"		4-1/2"		10.5#	29501	60	0	Circulate	

Amoco proposes to drill the above well to develop the Pictured Cliffs formation. The well will be drilled using rotary tools to a total depth of 2950'. Production casing will be set through the Pictured Cliffs formation upon completion.

Perforations and stimulations will be based on analysis of open hole logs. A copy of all logs will be filed upon completion. Amoco's standard blowout preventer will be employed (see attached drawing for blowout preventer design). Upon completion, the well location will be cleaned and the reserve pit filled and leveled.

The gas has not been dedicated to a purchaser.	RELEI
IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: IF PROPOSAL IS TO DEEPEN OR PLUG BACK, GIVE TIVE ZONE. GIVE BLOWOUT PREVENTER PROGRAM, IF ANY. I hereby certify that the information above is true and complete to the best of my knowledge and believed.	ef. DIST. 3
Signed _ fl // Wille milly Title Area Engineer	Dat September 13, 1976
(This space for State Uses APPROVED BY ARTICLE SUPERVISOR DIST. # CONDITIONS OF APPROVAL, IF ANY:	BATE SEP 1 0 1976