

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.	30-045-22192
5. Indicate Type of Lease	STATE ☐ FEE ☒
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Usselman Gas Com "B"
8. Well No.	#1
9. Pool name or Wildcat	Blanco Pictured Cliffs

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL ☐ GAS WELL ☒ OTHER	
2. Name of Operator Amoco Production Company Attn: John Hampton	
3. Address of Operator P.O. Box 800, Denver, Colorado 80201	
4. Well Location Unit Letter <u>G</u> : <u>1670'</u> Feet From The <u>North</u> Line and <u>1485'</u> Feet From The <u>East</u> Line Section <u>4</u> Township <u>31N</u> Range <u>10W</u> NMIM San Juan County 10. Elevation (Show whether OF, RKB, RT, CR, etc.) <u>5831'</u> GL <u>5842'</u> KB	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ TEMPORARILY ABANDON ☐ PULL OR ALTER CASING ☐ OTHER: <u>Abandon cathodic protection well</u> ☒	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ COMMENCE DRILLING OPNS. ☐ CASING TEST AND CEMENT JOB ☐ OTHER: ☐ PLUG AND ABANDON ☐ CHANGE PLANS ☐ ALTERING CASING ☐ PLUG AND ABANDONMENT ☐
12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.	

The cathodic protection well associated with the above well will be plugged and abandoned per the attached procedure.

RECEIVED
JUN 11 1990
OIL CON. DIV.
DIST. 3

Please contact Cindy Burton (303)830-5119 if you have any questions.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.	
SIGNATURE <u>John Hampton</u>	TITLE <u>Sr. Staff Admin. Supr.</u> DATE <u>6/7/90</u>
TYPE OR PRINT NAME <u>John Hampton</u>	TELEPHONE NO. <u>303-830-5025</u>
(This space for State Use)	
APPROVED BY <u>Original Signed by FRANK T. CHAVEZ</u>	TITLE <u>SUPERVISOR DISTRICT # 3</u> DATE <u>JUN 12 1990</u>
CONDITIONS OF APPROVAL, IF ANY:	

GROUND BED ABANDONMENT

WELL NAME: USSELMAN G.C. B#1

LOCATION: SW/NE 4-31N-10W

- 1) Weld 6" dia. spool with diverter line to pit
- 2) MIRU
- 3) Wash in hole with 1 1/4" work string. Circulate out coke breeze. Pull anodes as they come free. Wash hole to 240 ft.
- 4) Pump 60 sx of neat cement w/ 1/4 lb. sk. Flocele. Pull out work string.
- 5) Top off hole with cement, set flexible pipeline marker as PxA marker.
- 6) RDMO

Ground Bed Specifications

TD 240 ft.

Hole Dia. 6 inches.

Casing Dia. 7 inches

Casing Length 40 ft.

JAB.GRA

CORROSION CONTROL CO.

P. O. BOX 179 — PHONE 334-6361
AZTEC, NEW MEXICO 87410

Drilling Log (Attach Hereto). ☐

Completion Date JANUARY 10, 1983

Well Name <u>Hesselman Gas Com B#1</u>		Location <u>Amoco Protection</u>		Work Order No.	
Type & Size Bit Used <u>6 1/2"</u>		Total Drilling Rig Time <u>1.2 hrs</u>		Total Lbs. Coke Used <u>2000 #</u>	
Anode Hole Depth <u>240'</u>		Lost Circulation Mat'l Used		No. Sacks Mud Used	
Anode Depth	#1 <u>200</u>	#2 <u>190</u>	#3 <u>175</u>	#4 <u>150</u>	#5 <u>135</u>
Anode Output (Amps)	#1 <u>5.0</u>	#2 <u>4.5</u>	#3 <u>4.2</u>	#4 <u>4.4</u>	#5 <u>4.6</u>
Anode Depth	#6 <u>120</u>	#7	#8	#9	#10
Anode Output (Amps)	#6 <u>4.7</u>	#7	#8	#9	#10
#11	#12	#13	#14	#15	#16
#17	#18	#19	#20		
Total Circuit Resistance	No. 8 C.P. Cable Used		No. 2 C.P. Cable Used		
Volts <u>14.2</u>	Amps <u>20.9</u>	Ohms <u>6.68</u>	<u>1250'</u>		

Remarks: Used 40' of 7" steel casing due to boulders.
Water at 80'. Used 200' of 1" vent pipe with 100' of
perforations.

All Construction Completed

Cody Munkres
(Signature)

GROUND BED LAYOUT SKETCH



