Form (May	

UNITED STATES UNITED STATES SUBMIT IN TRIPLICATE DEPARTMENT OF THE INTERIOR (Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1424 5. LEASE DESIGNATION AND SERIAL NO. E 3089

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

GEOLOGICAL	SURVEY
------------	--------

SHNDRY	NOTICES	AND	REPORTS	ON	WFIIS
. 10.11.41.215.1	14();(CL)	-		V 21 V	** I . I . 1

	sals to drill or to deepen or plug back to a different reservoir. ATION FOR PERMIT—" for such proposals.)			
1.		7. UNIT AGREEMENT NAME		
WELL GAS XX OTHER		Cox Canyon		
2. NAME OF OPERATOR		8. FARM OR LEASE NAME		
Northwest Pipeline	Corporation	Cox Canyon		
3. ADDRESS OF OPERATOR		9. WELL NO.	~~~~	
P.O. Box 90 - Farm	ington, New Mexico 87401	21		
	clearly and in accordance with any State requirements.*	10. FIELD AND POOL, OR WILDCA	T	
See also space 17 below.) At surface 106	Blanco Pictured Cliffs			
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA		
		Sec. 16, R32N, T1	.1W	
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STA	TE	
	6632 GR	San Juan N M	A	

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOT	ICE OF INT	ENTION TO:		- 1	SUB.	SEQUE	NT REPORT OF:	
				ŀ				_
TEST WATER SHUT-OFF		PULL OR ALTER CASING			WATER SHUT-OFF		REPAIRING WELL	_
FRACTURE TREAT		MULTIPLE COMPLETE			FRACTURE TREATMENT		ALTERING CASING	_
SHOOT OR ACIDIZE		ABANDON*			SHOOTING OR ACIDIZING		ABANDONMENT*	
REPAIR WELL		CHANGE PLANS			(Other) 'Summ	ary'	x x	-
(Other)					(Note: Report res	ults o	f multiple completion on Well	

- 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *
- 6-18-77 Spud 12 1/4" surface hole. Drilled to 120' KB. Ran 8 5/8" csg. set at 119' KB. Cemented with 85 sks. with 1/4# of flocele/sk.
- Drilled 6 3/4" hole to 3437. 6-25-77 to 6-28-77
- 2-29-77 Ran I-ES & GR-Density Logs. Ran 2 7/8" csg. set at 3432'. PBTD-3424. Cemented with 160 sks. Class "B" 65/35 poz with 12% gel and $12 \ 1/2 \ 1bs.$ of fine Gilsonite per sk. followed by $50 \ sacks$ Class "B" cement.

RECEIVE

	and the same of th	JUL 5 1977
		U. S. GEOLOGICAL SURVEY
	0.1077	
18. I hereby certiff that, the foregoing is true \$44/correct	VOII. CO. CO.	
signed D.H. Marphcelli	TITLE Sr. Drilling Engineer	DATE
(This space for Federal or State office use)		
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE