SUBMIT IN TRIPLICATE*

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES DEPARTMENT OF THE INTERIOR

	30	-04	· <u>S</u>	22	799
5.	T.R.A.SE	DESIGNAT	PION AN	IN GEDIAL	NO.

	GEOLO	GICAL SURV	ΕY			NM_013688		
APPLICATION	FOR PERMIT	O DRILL,	DEEPE	N, OR PLUG E	3ACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
TYPE OF WORK DRI	LL 😡	DEEPEN		PLUG BA		7. UNIT AGREEMENT NAME		
TYPE OF WELL IL GA VELL W	S OTHER		811 20	NGLE MULTIE	LE	S. FARM OR LEASE NAME		
AME OF OPERATOR						Atlantic		
El Paso Na	atural Gas Co	ompany				g. wann No.		
DDRESS OF OPERATOR						10. FIELD AND POOL, OR WILDCAT		
PO BOX 990 OCATION OF WELL (Real tale)	0, Farmington eport location clearly and 870'N, 80	_	401 th any S	tate requirements.*)		Blanco Pictured Cl 11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA		
at proposed prod. zon	e					Sec.22,T-31-N,R-10		
DISTANCE IN MILES	AND DIRECTION FROM NEA	REST TOWN OR POS	ST OFFICE	j\$		12. COUNTY OR PARISH 13. STATE		
DISTANCE FROM PROPO LOCATION TO NEAREST	r		16. NO	. OF ACRES IN LEASE		San Juan NM DE ACRES ASSIGNED HIS WELL		
PROPERTY OR LEASE I (Also to nearest drl)	g. unit line, if any)		-	OPOSED DEPTH	90 nomi	157.02		
DISTANCE FROM PROP TO NEAREST WELL, D	RILLING, COMPLETED,		19. PE			ROTARY OR CABLE TOOLS		
OR APPLIED FOR, ON TH	IS LEASE, FT.		1	3305'	Rota	22. APPROX. DATE WORK WILL START*		
6311 GL	ether DF, RT, GR, etc.)							
		PROPOSED CAS	ING AND	CEMENTING PROGR	AM			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER	FOOT	SETTING DEPTH		QUANTITY OF CEMENT		
12 1/4"	8 5/8"	24.0#		120'		cu.ft. to circulate_		
6 3/4"	2 7/8"	6.4#		3305'	618 (cu.ft.to cover Ojo Al		
Selective	ly perforate	and sand	lwate	r fracture t	che Pi	ctured Cliffs formati		
A 3000 ps	i WP and 600	0 psi tes	st do	uble gate pr	revent	ctured Cliffs formati er equipped with ntion of this well.		
A 3000 ps blind and	i WP and 600	0 psi tes ill be us	st do	uble gate pr	revent	er equipped with ntion of this well.		
A 3000 ps blind and This gas	i WP and 600 pipe rams w is dedicated of Section 2	0 psi tes ill be us 2 is dedi	st do sed f	uble gate pror blow out	revent preve	er equipped with ntion on this well.		
A 3000 ps blind and This gas	i WP and 600 pipe rams w is dedicated of Section 2	0 psi tes ill be us . 2 is dedi	st do sed f	uble gate pror blow out	revent preve	er equipped with ntion of this well.		
A 3000 ps blind and This gas The NE/4 ABOVE SPACE DESCRIPTEDE. If proposal is to	i WP and 600 pipe rams w is dedicated of Section 2	O psi tes ill be us 2 is dedi proposal is to denally, give pertine	st do sed f	uble gate pror blow out	prevent	er equipped with ntion of this well. OLOSSO ductive zone and proposed new productive ed and true vertical depths. Give blowout		
A 3000 ps blind and This gas The NE/4 ABOVE SPACE DESCRIPTION. If a proposal is to eventer program, if a	i WP and 600 pipe rams w is dedicated of Section 2	O psi tes ill be us 2 is dedi proposal is to denally, give pertine	st do sed f icate	uble gate pror blow out d to this we plug back, give data on on subsurface locations	prevent	ductive zone and proposed new productive ed and true vertical depths. Give blowout		
A 3000 ps blind and This gas The NE/4 ABOVE SPACE DESCRIPTION. If a proposal is to eventer program, if a	i WP and 600 pipe rams wis dedicated of Section 2 drill or deepen direction by	O psi tes ill be us 2 is dedi proposal is to denally, give pertine	st do sed f icate	uble gate pror blow out d to this we plug back, give data on on subsurface locations	prevent	er equipped with ntion of this well. OLCOS. ductive zone and proposed new productive ed and true vertical depths. Give blowout		

NOV 1 8 1977

All distances must be from the outer boundaries of the Section

		All matances must		rei oomidaties oi	the Section.					
EL PASO NATURAL GAS COMPANY Lease ATLANTIC (NM 013688) Well No. 9										
Unit Letter A	Section 22	Township 31-N	Rand	10-W	County	SAN JUAN				
Actual Footage Loc 870	ation of Well: feet from the	NORTH line o	80 md	00 fee	t from the	EAST	line			
Ground Level Elev. 6311	Producing For PICTU	RED CLIFFS	Pool B	LANCO PICTU	RED CLIF	FS Dedict	ated Acreage: 57.02 / Acres			
1. Outline th	e acreage dedica	ted to the subject	well by co	lored pencil o	r hachure m	arks on the pla	t below.			
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).										
	3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling.etc?									
Yes	No If an	nswer is "yes," typ	e of consol	idation	· · · · · · · · · · · · · · · · · · ·	······································				
		owners and tract d	escriptions	which have ac	ctually been	consolidated.	(Use reverse side of			
•	f necessary.) ble will be assign	ed to the well until	all interest	s have been o	consolidate	d (by communit	ization, unitization,			
forced-poo sion.	ling, or otherwise)	or until a non-stan	dard unit, e	liminating suc	h interests,	, has been appro	oved by the Commis-			
5.0		XXXXX	XXXXX			CER	TIFICATION			
	 			, 02						
		×		20			that the information con- true and complete to the			
	1	8		0-	300'	best of my know Original Sign				
	i			1	,	D. G. Bri				
	+	8	NM Ol	<u> </u>	- - - 🕅	Drilling	Clerk			
	1] 	Ø	Position El Paso N	Jatural Gas Co.			
	ļ	×		1	× X	Company November				
	i	×		1		Date	17, 1977			
		SEXTION 22		1						
	!	*****	×××××	**************************************	XXXXX		at a at			
	; 			1			r that the well location lat was plotted from field			
	1		P				surveys made by me or ision, and that the same			
	!						rrect to the best of my			
	+			4		knowledge and b	e∷€ī.			
	1			1		Date Surveyed				
	1					JANUARY				
	 			The Contract of the Contract o		Registered Profes and/or Land Surve				
	1					Stail !	Olihan			
			PROPERTY AND A	•		Certificate No.	1760			
0 330 660	90 1320 1650 191	10 2310 2640	2000 1500	1000 (800 0					



P. O. BOX 990 FARMINGTON, NEW MEXICO 87401

PHONE: 505-325-2841

Multi-Point Surface Use Plan Atlantic #9

- Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map. All existing and new roads will be properly maintained during the duration of this project.
- Planned Access Roads Please refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- 3. Location of Existing Wells Please refer to Map No. 2
- 4. Location of Tank Batteries, Production Facilities, and Production
 Gathering and Service Lines Please refer to Maps No. 1 and No. 2.

 Map No. 2 shows the existing gas gathering
 lines. Map No. 1 shows the existing roads and
 new proposed access roads. All known production
 facilities are shown on these two maps.
- 5. Location and Type of Water Supply Water for the proposed project will be obtained from a water hole located in the Hart Canyon Water Well.
- 6. Source of Construction Materials No additional materials will be required to build either the access road or the proposed location.

Multi-Point Surface Use Plan

- Methods of Handling Waste Materials All garbage and trash materials will be put into a burn pit shown on the attached Location Plat No. 1. clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1 will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had The location clean-up adequate time to dry. will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.
- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed Mixture #2 will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted green (Federal Standard #595 34127)
- 11. Other Information The terrain is rollinghills with sage brush and cedar growing. Cattle graze the proposed project site.

- 12. Operator's Representative W. D. Dawson, Post Office Box 990, Farmington, New Mexico 87401
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

November 16, 1977

D. R. Read

Division Drilling Engineer

DRR:pb

Operations Plan - Atlantic #9

I. Location: 870'N, 800'E, Section 22, T-31-N, R-10-W, San Juan County, NM

Field: Blanco Pictured Cliffs

Elevation:

6311'GL

II. Geology:

A. Surface Formation: San Jose

Sub-surface	Formation Tops:		
Ojo Alamo	1275'	Pictured Cliffs	3075 '
Kirtland	1335'	Lewis	3265'
Fruitland	2670'	Total Depth	3305'

- B. Logging Program: Induction Electric and Gamma Ray Density at TD.
- C. Coring: none
- D. Testing: none

III. Drilling:

A. Anticipated Starting Date and Duration of the Project:

1978 Drilling Program - approximately 4 days to complete.

B. Circulating Medium: Treated water and a low solids gel base mud will be used from surface to TD.

IV. Materials:

A. Casing Program:	Hole Size	Depth	Csg.Size	Wt.&Grade
•	12 1/4"	120'	8 5/8"	24.0# J-55
	6 3/4"	3305'	2 7/8"	6.4# J-55

B. Float Equipment: 8 5/8" surface casing - cement guide shoe.

2 7/8" production casing - 10' shoe joint with notched collar for guide shoe and 2 7/8" latch down baffle on top. Two 3 1/16" balls and one 2 7/8" latch down plug.


- C. Tubing: none
- D. Wellhead Equipment: Larkin wellhead (fig. 75)

V. Cementing:

8 5/8" surface casing - 90 sks. of Class "B" cement with 1/4# gel-flake per sack and 3% calcium chloride (106 cu.ft. of slurry, 100% excess to circulate to surface). WOC 12 hrs. Test casing wellhead and BOP to 600#/30 minutes.


2 7/8" production - 345 sks. 65/35 Class "B" Poz with 6% gel, 2% Calcium chloride and 8.3 gallons water per sack followed by 50 sks.Class "B" neat cement (618cu.ft. slurry, 50% excess to cover Ojo Alamo). Run temperature survey after 12 hrs.

Scule: 12 " 272"




ON

Typical Mud Drilled B.O.P. Installation for Pictured Cliffs Well



800 Series 900 Double Gate BOP, rated at 3000 psi Working Pressure



MAP #1

Padimo On stamp-Ca- 723

CARTING	ROYOU .	
EXTURING		المراجع واستوسا
EXITEDA	aysan sijaj	11.11.14+1-4
PROFOGED	100000	
TROPCIÁN	APRINGE TO	+++
1		

EL PASO NATURAL GAS COMPANY ATLANTIC #9 NE 22-31-10

			NE 22-31-10			
			R / C	0 \x/	•	† 1
	Amoco Lor	Amoco - H	Amoco /	7 EFN2	EPNG.	EFNG
				' ' ⟨⟨⟩ '		
	M /) m *F	Z _M //	/ in	25	• •
	Sammon: fomA	Marcotteton	Usselms Com	2 3 Scott	M ²	
	Pubco		E NG	330011	2 / 1	
	\\$		Lat		43 11	26
٠	\ \ \ \ (\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	٥٥	~,\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	, Constant	M
	EPNG	McEwen FIPNG	Scott	Lucerne A	San Juan 32 9 Unit	
	1,500	// // // // // // // // // // // // //	"PO EPNE	EPNG.	EPNG	EPNG
	, , , , , , , , , , , , , , , , , , ,	1 . 4	** ***	M 435	44 ن	4
	Hutcoin	Mª L	0	MY	_ ^\?`M	• 1
	W.P. Carr	Amoco Bysecon Vnit	Scott Unitg	Lugerne A	Tr 11 \	12
			, Y.	Koch Ind	\iu_	
		× (M.	2 M O	, - 21 · - 21	45.
	Warcher	Boyd	Lucerne A	Walker	San (yan 32 9 Unit	700 Juan 32 0 C
	Amoco	EPNG	EPNG	EPNG	(EPNG)	Koch ind
		V/ 4. 164	at H-11	A-5		
•		7 3.241	M	, 0	86	
	10 Mc Coy Com A	17.500/	16	15 m	M	170/kor 13
		0 1 *	, ,		H-10	N. EPNG
/	1,3%	· s P S	1.	Sign Aug		1.3
31	M	0-M 50011	M	M Kelly PLOC	p o go	1/2
1	90. Union	Koch Ind.	Brooktyven Com Koch Ind	Re/John Plan	San Juan 32.9 Unit	Sandoan all fil.
N	"WAztec4 XX	12/	01010			1 1 ///
1 4	PM	M/	H-10 M	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	اروب الم	hk N
	19	Aztec 20 0	21	22	M. Tr	M.
	13	B1.1	21	22	23	34 8.6
:	د بالا ⁵ بالا ³		3 A M O	1.44.	0 8 . OCT 1 N	0
	TAMP TAMP	M M	1 7	М	M. A. IU. BUIL	M
	Aztec Sounion	Coin B Lante	M Lambe EPNG	Atlantic EPNG	EPNG	Attantic, C
	i	liv.	D-7 3	LPNG	S. C.	ZPNG
	1 3/4 3/46	11 7	LOI		710	
	1 30 to 1 30 to 1	" X 20 I'M	1	1/9/11		M
		29	28	Delhi 27	26	25
	P 3(t)	10 12		3. ///Alon	,	***
	D'a	1° 25 M	L. FREM	1 0 33	M	in
	Pacree	1 Aller tick	Atlantic A		Athentic A	Atlantio
÷	34 0 34 1	E.P.	FRNG	EPNG Tenneco 7	EPNG	EPNG
		1 1242	M. W.	19 13 13 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	4.7
	.376.3	Jan Jon V			M	A ?
	31 /M	1 79 6,	3/3//	34	35 Lat. B-8	R-18
	一、茶一人茶。	W. P. 10	3 20 ///	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		W-341 34
	*	113 M 1 P		, M	M 1934	
	M Atlantic C	EPAGGMA	Armatic B	Allantic 8	Allantic C	Mentice Co

MAP #2