Form 3160-5 (June 1990)

Conditions of approval, if any:

representations as to any matter within its jurisdiction.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1/004-0135 Expires: March 31, 1993

BONLAG OF I	AND MANAGEMENT		
SUNDRY NOTICES	5. Lease Designation and Serial No.		
	SF-078051		
	Irill or to deepen or reentry to a different reservoir. FOR PERMIT - " for such proposals	6. If Indian, Allottee or Tribe Name	
		7. If Unit or CA, Agreement Designation	
1. Type of Well Oil Well Other		8. Well Name and No.	
Well Other 2. Name of Operator	Attention:	NEIL LS #9A	
AMOCO PRODUCTION COMPANY	DALLAS KALAHAR	9. API Well No.	
3. Address and Telephone No. P.O. Box 800, Denver, Colorado 80201	(303) 830-5129	3004522817	
		BLANCO MESAVERDE/PC	
4. Location of Well Footage, Sec., T., R., M., or Survey Desi	cription)	11. County or Parish, State	
1820' FNL 1190FWL	Sec. 4 T 31N R 11W	SAN JUAN NEW MEXICO	
CHECK APPROPRIATE R	OX(s) TO INDICATE NATURE OF NOTICE, R	FPORT, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION	21 0111, 011 0111211 27117	
TTFE OF SUBMISSION	THE OF ACTION		
	Abendonment	Change of Plans	
Notice of Intent	Recompletion	New Construction	
C. S.	Plugging Back	Non-Routine Fracturing	
Subsequent Report	Casing Repair Altering Casing	Weter Shut-Off Conversion to Injection	
Final Abandonment Notice	Other BRADENHEAD REPAIR	Dispose Water	
		ert results of multiple completion on Well Completion or on Report and Log form, I	
12 Describe Proposed or Completed Operations (Clearly state	all pertinent details, and give pertinent dates, including estimated date of starting	a env proposed work . If well is directionally drilled, give	
subsurface locations and measured and true vertical dep		, any proposed trock in them to an editorion, armod, give	
SEE ATTACHED FOR PROCEDURES.			
		o w	
		RECE BL SU HIR -7 070 FARWIN	
		7	
	DEGETVE	HA PH	
	W HIST ANDA	PH 1: 25	
	; MAR1 41994	N 25	
	GIL CON. DIV.		
	DIS <u>T. 3.</u>		
IF YOU HAVE ANY QUESTIONS COI	NTACT DALLAS KALAHAR AT (303) 830-5129.		
# 100 1#\VL7\\\ 1 @22 1\\\			
14.1 hereby certify that the foregoing is true and correct			
Signed Walley Kala	har Title BUSINESS AN	ALYST Date 03-03-1994	
(This space for Federal or State office use)			
		APPROVED	
Approved by	Title	AFT JA OVER	

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make the proper section of the United States any faire, ficticious, or transcentrations as to any matter within its jurisdiction.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations, and reports of such operations when completed, as indicated, on Federal and Indian lands pursuant to applicable Federal law and regulations, and, if approved or accepted by any State, on all lands in such State, pursuant to applicable State law and regulations. Any necessary special instructions concerning

the use of this form and the number of copies to be submitted, particularly with regard to local area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office.

SPECIFIC INSTRUCTIONS

Item 4 - If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 13 - Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by local Federal and/or State offices. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones,

or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to top of any left in the hole; method of closing top of well; and date well site conditioned for final inspection looking to approval of the abandonment.

NOTICE

The Privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et. seq., 351 et. seq., 25 U.S.C. et. seq.; 43 CFR 3160.

PRINCIPAL PURPOSE - The information is to be used to evaluate, when appropriate, approve applications, and report completion of secondary well operations, on a Federal or Indian lease.

ROUTINE USES:

A CONTRACTOR STATE

- (1) Evaluate the equipment and procedures used during the proposed or completed subsequent well operations.
- (2) Request and grant approval to perform those actions covered by 43 CFR 3162.3-2(2)
- (3) Analyze future applications to drill or modify operations in light of data obtained and methods used.
- (4)(5) Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal, or regulatory investigations or prosecutions.

EFFECT OF NOT PROVIDING INFORMATION - Filing of this notice and report and disclosure of the information is mandatory once an oil or gas well is drilled.

The Paperwork Reduction Act of 1980 (44 U.S.C. 3501, et. seq.) requires us to inform you that:

This information is being collected in order to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

This information will be used to report subsequent operations once work is completed and when requested, to obtain approval for subsequent operations not previously authorized.

Response to this request is mandatory for the specific types of activities specified in 43 CFR Part 3160.

BURDEN HOURS STATEMENT

Public reporting burden for this form is estimated to average 25 minutes per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management, (Alternate) Bureau Clearance Officer, (WO-771), 18 and C Streets, N.W., Wasington, D.C. 20240, and the Office of Management and Budget, Paperwork Reduction Project (1004-0135), Washington, D.C. 20503.

*U.S. GPO. 1990-773-016/26019

BRADENIIEAD REPAIR PROCEDURE NEILA 9A

March 2, 1994 (1st version)

- Record TP, SICP, and SIBHP. 1.
- MIRUSU. 2.
- If possible, TOH hot with 1 1/4" tubing. 3.
- If possible, TOH hot with 2 3/8" tubing and seal assembly. 4.
- TIH with RBP and set at 2800'. Cap with sand. 5.
- Run a GR/CBL from 2800' to surface and determine top of cement for 7" casing. Verify that the PC, and FT are isolated. 6.
- Perf 2 squeeze holes within 100' of the TOC. 7.
- Establish circulation to surface, calculate annular volume with a dye, and pump 200% of annular volume of cement. Note returns to 8. surface.
- WOC. 9.
- Drill out cement to RBP. 10.
- Pressure test squeeze perfs to 500 psig. 11.
- Resqueeze until pressure test holds, and cement is to surface. 12.
- 13. TOH with RBP.
- Run a GR/CCL correlation log from 5299' to 4000'. 14.
- Using a lubricator, TIH with 3 1/8" casing gun and perforate the following intervals with 2 JSPF and 120 degree phasing. Perforation 15. depths are correlated from Schlumberger's Compensated Formation Density Log dated 78/02/27. All depths should be checked with the correlation log before perforating begins.

MV Perforations

4423' - 26'	4486' - 88'	4508' - 12'	4516' - 22'
4533' - 43'	4610' - 34'	4638' - 40'	4646' - 48'
4657' - 63'	4669' - 71'	4675' - 82'	4694' - 96'
4714' - 16'	4720' - 22'	4744' - 50'	5162' - 76'
5184' - 96'	5204' - 07'	5215' - 19'	5230' - 34'
5277'	- 79' 5312'	- 15' 5333'	- 35'

PC Perforations

4" casing gun, 2 JSPF, 120 deg. phasing, 23 g charges 2894' - 2910'

- Clean out to PBTD of? with N2. 16.
- TIH with open ended 2 3/8" tubing with a seating nipple one joint off bottom. Seal assembly should be set at 3133' and tubing 17. should be landed at 5200'.
- TIH with open ended 1 1/4" tubing with a seating nipple one joint off bottom and land at 2900'. 18.
- Tie well back into surface equipment and return to production. 19.