

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well ☐ gas ☒ well ☐ other

2. NAME OF OPERATOR  
El Paso Natural Gas Company

3. ADDRESS OF OPERATOR  
Box 289, Farmington, New Mexico 87401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)  
1520'N, 1120'W  
AT SURFACE:  
AT TOP PROD. INTERVAL:  
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:	SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF <input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	<input checked="" type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE <input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES <input type="checkbox"/>	<input type="checkbox"/>
ABANDON* <input type="checkbox"/>	<input type="checkbox"/>
(other) <input type="checkbox"/>	<input type="checkbox"/>

5. LEASE  
NM 0606

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

8. FARM OR LEASE NAME  
Atlantic A

9. WELL NO.  
6A

10. FIELD OR WILDCAT NAME  
Blanco PC, Blanco MV

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA  
Sec. 26, T-31-N, R-10-W  
N.M.P.M.

12. COUNTY OR PARISH San Juan 13. STATE New Mexico

14. API NO.


15. ELEVATIONS (SHOW  $\overline{DF}$ , KDB, AND WD)  
6276' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)\*

5-8-80: PBTD 5729'. Tested casing to 3500#, OK. Perfed 5272,5292,5297,5302,5210,5315, 5336,5355,5360,5365,5370,5382,5387,5396,5409,5414,5474,5493,5529,5544,5578,5632, 5661'W/1SPZ. Fraced w/66,000# 20/40 sand, 127,000 gal. wtr. Flushed w/7200 gal. wtr.

Perfed 4570,4671,4708,4726,4782,4798,4812,4820,4828,4836,4861,4869,4988,5028,5066, 5128,5160,5195,5206'. W/1 SPZ. Fraced w/66,300# 20/40 sand, 131,300 gal. wtr. Flushed w/ 6850 gal. wtr.



Subsurface Safety Valve: Manu. and Type \_\_\_\_\_ Set @ \_\_\_\_\_ ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Gregory Bradford TITLE Drilling Clerk DATE March 10, 1980

(This space for Federal or State office use)

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
CONDITIONS OF APPROVAL, IF ANY:

ACCEPTED FOR RECORD

NMOCC

MAR 13 1980

\*See Instructions on Reverse Side

FARMINGTON DISTRICT  
BY M.L. Kuchera