5. LEASE

SF-078039A

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas XX other	Primo Mudge
well well well well well well	9. WELL NO.
2. NAME OF OPERATOR	
Southland Royalty Company	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Blanco Pictured Cliffs
P.O. Drawer 570, Farmington, N.M.	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)	
AT SURFACE: 910' FSL & 1590' FEL	Section 24, T32N, R11W 12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL:	1
AT TOTAL DEPTH:	San Juan New Mexico
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE.	AT. AT NO.
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	6336' GR
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	A STATE OF THE STA
FRACTURE TREAT	
REPAIR WELL	(NOTE) Report results of multiple completion of zone
PULL OR ALTER CASING	change on Form 9-330.)
MULTIPLE COMPLETE	1
CHANGE ZONES	OIL ON THE
ABANDON* U U. S. GEOLDGIO (other <u>) Complete well</u> FARSHMOLOS	A SURVEY BIOT WILL
The state of the s	Name & Address of the Control of the
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is d measured and true vertical depths for all markers and zones pertinent.	irectionally drilled, give subsurface locations and
Southland Royalty Company proposes to c on the subject well:	omplete the following work
<ol> <li>Run base temperature log.</li> <li>Pump 30 bbls water down 2-7/8" casi</li> <li>Run temperature log to determine lo</li> </ol>	
This will be done to determine if we hat as split casing or if we have a non-come Future work will be determined from this will be made to complete this work with	mercial formation. s survey and every attempt
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED R. E. Fieldu TITLE Dist. Engi	neerDATE October 1, 1981
(This space for Federal or State off	
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE SEPTED 10. SOURCE
	UCT 15 150