

*Denny S. Frost*  
DEPUTY OIL & GAS INSPECTOR

DEC 22 1997

*Approved*

Meter Number: 90473 90474

Location Name: MADDOX MARK #1A

Location: TN-32 RG-11

SC-15 UL-J

4 - Fee

NMOCD Zone: OUTSIDE

Hazard Ranking Score: 00

RECEIVED  
APR 14 1997

OIL CON. DIV.  
DIST. 3

**RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS  
LOCATED OUTSIDE OF THE VULNERABLE ZONE  
IN THE SAN JUAN BASIN**

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone	$10^{-9}$ to $10^{-13}$ cm/sec
Shale	$10^{-12}$ to $10^{-16}$ cm/sec
Clay	$10^{-12}$ to $10^{-15}$ cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

# EPFS

## EL PASO FIELD SERVICES

### FIELD PIT SITE ASSESSMENT FORM

GENERAL

Meter: <sup>90-473 → PC</sup>  
<sup>90-474 → MV</sup> Location: Maddox Mark No. 1A  
 Operator #: 8367 Operator Name: Squithland Royalty Co. P/L District: Aztec  
 Coordinates: Letter: J Section 15 Township: 32 Range: 11  
 Or Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
 Pit Type: Dehydrator \_\_\_\_\_ Location Drip: X Line Drip: \_\_\_\_\_ Other: \_\_\_\_\_  
 Site Assessment Date: 8/4/94 Area: 04 Run: 62

SITE ASSESSMENT

#### NMOCD Zone:

(From NMOCD  
Maps)

Inside

Outside

#### Land Type:

BLM ☐ (1)

State ☐ (2)

Fee ☒ (3)

Indian \_\_\_\_\_

#### Depth to Groundwater

Less Than 50 Feet (20 points) ☐ (1)

50 Ft to 99 Ft (10 points) ☐ (2)

Greater Than 100 Ft (0 points) ☒ (3)

#### Wellhead Protection Area :

Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction? , or ; Is it less than 200 ft from a private domestic water source? ☐ (1) YES (20 points) ☒ (2) NO (0 points)

#### Horizontal Distance to Surface Water Body

Less Than 200 Ft (20 points) ☐ (1)

200 Ft to 1000 Ft (10 points) ☐ (2)

Greater Than 1000 Ft (0 points) ☒ (3)

Name of Surface Water Body Cox Canyon

(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)

Distance to Nearest Ephemeral Stream ☐ (1) < 100' (Navajo Pits Only)  
☐ (2) > 100'

TOTAL HAZARD RANKING SCORE: 0 POINTS

REMARKS


Remarks : Redline Book - Outside Vulnerable Zone Type - Outside  
Three pits on site, location drip pit is dry. Will close  
one pit.

PUSH IN

## ORIGINAL PIT LOCATION

## ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 230° Footage from Wellhead 99'  
b) Length : 29' Width : 31' Depth : 4'



## REMARKS

## Remarks :

Pictures @ 1327 (21-24, Roll 1)  
Dump Truck  
Dual completion site.

Completed By:

Sarah Kelly

Signature

8/4/94

Date

# FIELD PIT REMEDIATION/CLOSURE FORM

<b>GENERAL</b>	<p>Meter: <u>90473-PC</u> <u>90474-MV</u> Location: <u>Maddox Mark #1A</u></p> <p>Coordinates: Letter: <u>S</u> Section <u>15</u> Township: <u>32</u> Range: <u>11</u></p> <p>Or Latitude _____ Longitude _____</p> <p>Date Started : <u>10/4/94</u> Run: <u>04</u> <u>62</u></p>
<b>FIELD OBSERVATIONS</b>	<p>Sample Number(s): <u>KD 307</u> <u>KD 308</u> <u>KD 309</u></p> <p>Sample Depth: <u>4'</u> Feet</p> <p>Final PID Reading <u>770 ppm</u> PID Reading Depth <u>4</u> Feet</p> <p style="text-align: center;">Yes      No</p> <p>Groundwater Encountered <input type="checkbox"/> <input checked="" type="checkbox"/> Approximate Depth _____ Feet</p>
<b>CLOSURE</b>	<p>Remediation Method :</p> <p>Excavation <input type="checkbox"/> Approx. Cubic Yards _____</p> <p>Onsite Bioremediation <input type="checkbox"/></p> <p>Backfill Pit Without Excavation <input checked="" type="checkbox"/></p> <p>Soil Disposition:</p> <p>Envirotech <input type="checkbox"/> <input type="checkbox"/> Tierra</p> <p>Other Facility <input type="checkbox"/> Name: _____</p> <p>Pit Closure Date: <u>10/4/94</u> Pit Closed By: <u>BEI</u></p>
<b>REMARKS</b>	<p>Remarks : <u>Pit Floor was Sandstone. Scraped <del>what</del> what was possible for a sample. Bottom of test hole was 4'.</u></p>
<p>Signature of Specialist: <u><i>Henry Deenun</i></u></p>	



## FIELD SERVICES LABORATORY

### ANALYTICAL REPORT

#### PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

#### SAMPLE IDENTIFICATION

SAMPLE NUMBER:

Field ID

Lab ID

MTR CODE | SITE NAME:

SAMPLE DATE | TIME (Hrs):

SAMPLED BY:

DATE OF TPH EXT. | ANAL.:

DATE OF BTEX EXT. | ANAL.:

TYPE | DESCRIPTION:

KT2 307	946319
90473 / 90474	N/A
10-4-94	1230
N/A	N/A
10-6-94	
N/A	N/A
VG	Coarse brown/gray sand & clay

REMARKS:

#### RESULTS

PARAMETER	RESULT	UNITS	QUALIFIERS			
			DF	Q	M(g)	V(ml)
TPH (418.1)	8010	MG/KG			1.09	28
HEADSPACE PID	770	PPM				
PERCENT SOLIDS	90.3	%				

-- TPH is by EPA Method 418.1 --

narrative:

F = Dilution Factor Used

Approved By:

Date:

10/13/04

```

*****
Test Method for
Oil and Grease and Petroleum Hydrocarbons
in Water and Soil
Perkin-Elmer Model 1600 FT-IR
Analysis Report
*****

```

94/10/06 13:38

Sample identification  
946319

Initial mass of sample, g  
1.090

Volume of sample after extraction, ml  
28.000

Petroleum hydrocarbons, ppm  
9011.885

Net absorbance of hydrocarbons (2930  $\text{cm}^{-1}$ )  
0.543

