

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Aztec, NM 88410

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30 045 23140

5. Indicate Type of Lease STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Wallace Gas Com

8. Well No. 3

9. Pool name or Wildcat
Aztec, Pict. Cliffs

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
OIL WELL ☐ GAS WELL ☒ OTHER

2. Name of Operator
Anoco Production Company Attn: John Hampton

3. Address of Operator
P.O. Box 800, Denver, Colorado 80201

4. Well Location
Unit Letter H A: 1560 Feet From The North Line and 910 Feet From The South Line
Section 35 Township 31N Range 11W NMNM San Juan County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐
OTHER: Abandon cathodic protection well ☒

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐
OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

The cathodic protection well associated with the above well will be plugged and abandoned per the attached procedure.

Please contact Cindy Burton (303)830-5119 if you have any questions.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE John Hampton TITLE Sr. Staff Admin. Supr. DATE 6/20/90

TYPE OR PRINT NAME John Hampton

TELEPHONE NO. 303-830-502

(This space for State Use)

APPROVED BY Original Signed by FRANK T. CHAVEZ TITLE SUPERVISOR DISTRICT 3 DATE JUN 21 1990

CONDITIONS OF APPROVAL, IF ANY:

GROUND BED ABANDONMENT

WELL NAME: Wallace G.C. #3

LOCATION: SE/NE Sec 35-31N-10W

- 1) Weld 6" dia. spool with diverter line to pit
- 2) MIRU
- 3) Wash in hole with 1 1/4" work string. Circulate out coke breeze. Pull anodes as they come free. Wash hole to 280 ft.
- 4) Pump 70 sx of neat cement w/ 1/4 lb. sk. Flocele. Pull out work string.
- 5) Top off hole with cement, set flexible pipeline marker as PxA marker.
- 6) RDMO

Ground Bed Specifications

TD 280 ft.

Hole Dia. 6 inches.

Casing Dia. 7 inches

Casing Length 64 ft.

JAB.GRA

CORROSION CONTROL CO.

P. O. BOX 179 — PHONE 334-6361
AZTEC, NEW MEXICO 87410

Drilling Log (Attach Hereto). ☐

Completion Date MARCH 11, 1983

Well Name <u>Wallace Air Con #3</u>		Location <u>Amador Production</u>		Work Order No.	
Type & Size Bit Used <u>6 1/4"</u>		Anode Hole Depth <u>280'</u>		Total Drilling Rig Time <u>10 hrs</u>	
Total Lbs. Coke Used <u>1850#</u>		Lost Circulation Mat'l Used		No. Sacks Mud Used	
Anode Depth	#1 <u>275</u>	#2 <u>265</u>	#3 <u>255</u>	#4 <u>245</u>	#5 <u>235</u>
Anode Output (Amps)	#1 <u>3.1</u>	#2 <u>4.2</u>	#3 <u>4.0</u>	#4 <u>4.9</u>	#5 <u>4.7</u>
Anode Depth	#6 <u>190</u>	#7 <u>180</u>	#8 <u>170</u>	#9 <u>160</u>	#10 <u>155</u>
Anode Output (Amps)	#6 <u>3.8</u>	#7 <u>3.0</u>	#8 <u>3.5</u>	#9 <u>3.6</u>	#10 <u>4.5</u>
Total Circuit Resistance	#11	#12	#13	#14	#15
Volts <u>12.3</u>	Amps <u>20.4</u>	Ohms <u>60</u>	No. 8 C.P. Cable Used <u>2310</u>		No. 2 C.P. Cable Used

Remarks: Set 6 1/4" of 7" casing due to rocks. water at 100'.
used 280' of vent pipe
Insulations O.K.
Active P/S - 800V

All Construction Completed

Cody M. Anderson
(Signature)

GROUND BED LAYOUT SKETCH

