	_	TED STATES		(Other instru reverse s		Budget Bureau 30-045	-23177
	DEPARTMEN	T OF THE I	NTER	lor		5. LEASE DESIGNATION	
	GEOLO	GICAL SURV	EY			NM 013688	
APPLICATION	N FOR PERMIT	to drill, i	DEEPE	N, OR PLUG	BACK	6. IF INDIAN, ALLOTTER	E OR TRIBE NAME
A. TYPE OF WORK DRI D. TYPE OF WELL	ILL 🛛	DEEPEN [		PLUG BA	ск 🗌	7. UNIT AGREEMENT N	AME
OIL GA	AS OTHER			NGLE MULTH		8. FARM OR LEASE NAM	ME
El Paso N	atural Gas C	ompany				9. WELL NO.	
ADDRESS OF OPERATOR	0 Downingto		403			18 10. FIELD AND POOL, C	
	0, Farmingto		$\frac{401}{\text{th any S}}$	tate requirements *)		Blanco Pic	
At surface	1660'S, 1			are requirements. )		11. SEC., T., R., M., OR	
At proposed prod. zon	•	490 W			e*	Sec. 22, T-3 NMPM	EA. N,R-10-
	AND DIRECTION FROM NEA			•		12. COUNTY OR PARISH	13. STATE
8 miles N	ortheast of	Aztec, NM	[			San Juan	NM
5. DISTANCE FROM PROPO LOCATION TO NEAREST PROPERTY OR LEASE I (Also to nearest drig	T Line, ft.	980 <b>'</b>	16. NO	OF ACRES IN LEASE 979.89		OF ACRES ASSIGNED THIS WELL	159.80 -
8. DISTANCE FROM PROP TO NEAREST WELL, D OR APPLIED FOR, ON TH	POSED LOCATION* PRILLING, COMPLETED,	400'	19. PR	OPOSED DEPTH 3235	20. ROT. Rota	ARY OR CABLE TOOLS	
L ELEVATIONS (Show wh 6270 GR	ether DF, RT, GR, etc.)					22. APPROX. DATE WC	DRK WILL START*
3.	]	PROPOSED CASE	NG ANI	CEMENTING PROGR	AM		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	100T	SETTING DEPTH		QUANTITY OF CEME	
12 1/4"	8 5/8"	24.0#		120'	106	cu.ft.circul	<u>ated to s</u>
6 3/4"	2 7/8"	6.4#		3235'	545	cu.ft.to cov	$ram \cap ia \pi^{-1}$
						· . · ·	
A 3000 ps blind and This gas	y perforate WP and 600 pipe rams w is dedicated	0 psi tes ill be us	t do	r fracture t uble gate pr	che Pi	ctured Cliff er equipp <b>ed</b>	s formati
A 3000 ps blind and This gas	i WP and 600 pipe rams w is dedicated	0 psi tes ill be us	t do ed f	r fracture t uble gate pr or blow out	che Pi revent preve	ctured Cliff er equipp <b>ed</b>	s formati
A 3000 ps blind and This gas The SW/4 S ABOVE SPACE DESCRIB DDDE. If proposal is to	i WP and 600 pipe rams w is dedicated of Section 2 E PROPOSED PROGRAM: If drill or deepen direction	0 psi tes ill be us 2 is dedi	t do ed f	r fracture t uble gate pr or blow out d to this we	che Pi revent preve	ctured Cliff er equipped ention on thi	s formati with s well.
A 3000 ps blind and This gas The SW/4 ABOVE SPACE DESCRIB SDRE. If proposal is to reventer program, if at	i WP and 600 pipe rams w is dedicated of Section 2 E PROPOSED PROGRAM: If drill or deepen direction	0 psi tes ill be us 2 is dedi proposal is to dee eally, give pertinen	t do ed f .cate	r fracture t uble gate pr or blow out d to this we	che Pi revent preve	ctured Cliff er equipped ention on thi	ed new productive bs. Give blowout
A 3000 ps blind and This gas The SW/4 N ABOVE SPACE DESCRIB Some. If proposal is to reventer program, if ar 4.	i WP and 600 pipe rams w is dedicated of Section 2 E PROPOSED PROGRAM: If drill or deepen direction	0 psi tes ill be us 2 is dedi proposal is to dee eally, give pertinen	t do ed f .cate	r fracture t uble gate pr or blow out d to this we	che Pi revent preve	ctured Cliff er equipped ention on thi ductive zone and propose red and true vertical dept	ed new productive bs. Give blowout
A 3000 ps blind and This gas The SW/4 N ABOVE SPACE DESCRIB ODE. If proposal is to reventer program, if ar 4.	i WP and 600 pipe rams w is dedicated of Section 2 e prorosed program : If drill or deepen direction w. J. J. L.	0 psi tes ill be us 2 is dedi proposal is to dee ally, give pertinen	.cate	r fracture t uble gate pr or blow out d to this we blug back give dath on n subsurface learning f Drilling	che Pi revent preve	ctured Cliff er equipped ention on thi soluctive zone and propose red and true vertical dept	ed new productive bs. Give blowout
A 3000 ps blind and This gas The SW/4 N ABOVE SPACE DESCRIB ODE. If proposal is to reventer program, if an 4. SIGNED	i WP and 600 pipe rams w is dedicated of Section 2 E PROPOSED PROGRAM : If drill or deepen direction w. J. Junco eral or State office use)	0 psi tes ill be us 2 is dedi proposal is to der ally, give pertinen	.cate	r fracture t uble gate pr or blow out d to this we blug back give data on Drilling AFPROVAL DATE	che Pi revent preve ind menor g Cler	ctured Cliff cer equipped ention on thi aductive zone and propose red and true vertical dept	ed new productive bs. Give blowout
A 3000 ps blind and This gas The SW/4 N ABOVE SPACE DESCRIB Some. If proposal is to reventer program, if an 4. SIGNED (This space for Fede	i WP and 600 pipe rams w is dedicated of Section 2 E PROPOSED PROGRAM : If drill or deepen direction by bubble eral or State office use)	0 psi tes ill be us 2 is dedi proposal is to der ally, give pertinen	.cate	r fracture t uble gate pr or blow out d to this we blug back give dath on n subsurface learning f Drilling	che Pi revent preve ind menor g Cler	ctured Cliff cer equipped ention on thi aductive zone and propose red and true vertical dept	ed new productive bs. Give blowout

# NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

۲.

Porm C+102 Supersciles C+128 Effective 1-1-65

All distances must be Grenator			Lease		Well Ho.
	ATURAL GAS CO		Atlantic	(NM-01368	38) 18
Init Letter K	Section 22	Township	Honge	County	
	Course of Well:	31N	104	San	n Juan
1660	feet from the	South	line and 1490	feet from the	West line
Ground Level El		Formation	Pool		Dedicated Acreuge;
6270	Pictu	red Cliffs	Blanco F	ictured Clif	fs 159.80 - Art
2. If more					re marks on the plat below. c ownership thereof (both as to workin
dated by Yes If answe this forr No allow	r communitizatio No er is "no," list t n if necessary.). vable will be ass	n, unitization, for If answer is "yes; he owners and tra igned to the well	e-pooling, etc? ' type of consolidation et descriptions which until all interests hav	n have actually b c been consolid	e interests of all owners been consol been consolidated. (Use reverse side lated (by communitization, unitization ests, has been approved by the Commis
sion.	1 				
	     		       		I hereby certify that the information con- tained herein is true and complete to the best of my knowledge and belief.
					Drilling Clerk Position El Paso Natural Gas Co Company July 25, 1978 Date
· 			22		I hereby certify that the well location shown on this plut was plotted from field notes of actual surveys made by me of under my supervision, and that the same is true and correct to the best of me knowledge and belief.
•				·	



P. O. BOX 990 FARMINGTON, NEW MEXICO 87401 PHONE: 505-325-2841

### Multi-Point Surface Use Plan Atlantic #18

1. Existing Road - Please refer to Map No. 1 which shows the existing roads. New roads which will be required have been marked on this map. All existing and new roads will be properly maintained during the duration of this project.

- 2. Planned Access Roads Please refer to Map No. 1. The grade of the access roads will be consistent with that of the local terrain. The road surface will not exceed twenty feet (20') in width. Upon completion of the project, the access road will be adequately drained to control soil erosion. Drainage facilities may include ditches, water bars, culverts or any other measure deemed necessary by trained Company personnel to insure proper drainage. Gates and/or cattleguards will be installed if necessary.
- 3. Location of Existing Wells Please refer to Map No. 2.
- 4. Location of Tank Batteries, Production Facilities, and Production Gathering and Service Lines - Please refer to Maps No. 1 and No. 2. Map No. 2 shows the existing gas gathering lines. Map No. 1 shows the existing roads and new proposed access roads. All known production facilities are shown on these two maps.
- 5. Location and Type of Water Supply Water for the proposed project will be obtained from Hart Canyon Water Well.
- 6. Source of Construction Materials No additional materials will be required to build either the access road or the proposed location.
- 7. Methods of Handling Waste Materials All garbage and trash materials will be put into a burn pit shown on the attached Location Plat No. 1. When clean-up operations are begun on the proposed project, the burn pit with its refuse will be buried to a depth of at least three feet (3'). A latrine, the location of which is also shown on Plat No. 1,

7. cont'd. will be provided for human waste. If large amounts of liquids are left in the reserve pit after completion of the project, the pit will be fenced until the liquids have had adequate time to dry. The location clean-up will not take place until such time as the reserve pit can be properly covered over to prevent run-off from carrying any of these materials into the watershed. No earthen pit will be located on natural drainages; all earthen pits will be so constructed as to prevent leakage from occurring.

- 8. Ancillary Facilities No camps or airstrips will be associated with this project.
- 9. Wellsite Layout Please refer to the attached Plat No. 1.
- 10. Plans for Restoration of the Surface After completion of the proposed project, the location will be cleaned and leveled. The location will be left in such a condition that will enable reseeding operations to be carried out. Seed mixture as designated by the responsible government agency will be used. The reseeding operation will be performed during the time period set forth by the regulatory body. The location production equipment will be painted as designated by the responsible government agency.
- 11. Other Information The terrain is rolling hills and sagebrush flats with sagebrush growing. Cattle graze the proposed project site.
- 12. Operator's Representative W.D. Dawson, PO Box 990, Farmington, NM
- 13. Certification -

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drillsite and access route; that I am familiar with the conditions which presently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by El Paso Natural Gas Company and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

Wa Walker

Project Drilling Engineer

Operations Plan - Atlantic #18

I. Location: 1660'S, 1490'W, Section 22, T-31-N, R-10-W, San Juan County, NM Field: Blanco Pictured Cliffs Elevation: 6270'GR

II. Geology:

A. Surface Formation: Nacimiento

Sub-surface	Formation Tops:		
Ojo Alamo	1450'	Pictured Cliffs	3030'
Kirtland	1535'	Lewis	3195'
Fruitland	2625'	Total Depth	3235 <b>'</b>

- B. Logging Program: Induction Electric and Gamma Ray Density at TD.
- C. Coring: none
- D. Testing: none

### III. Drilling:

A. Anticipated Starting Date and Duration of the Project:

1979 Drilling Program - approximately 4 days to complete.

B. Circulating Medium: Treated water and a low solids gel base mud will be used from surface to TD.

#### IV. Materials:

Α.	Casing Program:	<u>Hole Size</u>	Depth	Csg.Size	Wt.&Grade
		12 1/4" 6 3/4"	120' 3235'	8 5/8" 2 7/8"	24.0# J-55 6.4# J-55

B. Float Equipment: 8 5/8" surface casing - cement guide shoe.

2 7/8" production casing - 10' shoe joint with notched collar for guide shoe and 2 7/8" latch down baffle on top. Two 3 1/16" balls and one 2 7/8" latch down plug.

- C. Tubing: none
- D. Wellhead Equipment: Larkin wellhead (fig. 75)
- V. Cementing:

8 5/8" surface casing - 90 sks. of Class "B" cement with 1/4# gel-flake per sack and 3% calcium chloride (106 cu.ft. of slurry, 100% excess to circulate to surface). WOC 12 hrs. Test casing wellhead and BOP to 600#/ 30 minutes.

2 7/8" production - 285 sks. 65/35 Class "B" Poz with 6% gel, 2% CaCl<sub>2</sub>, and 8.3 gallons water per sack followed by 70 sks.Class "B" neat cement (545 cu.ft. slurry, 50% excess to cover Ojo Alamo). Run temperature survey after 12 hrs.





8" Series 900 Double Gate BOP, rated at 3000 psi Working Pressure

£ t

## EL PASONATURAL GAS COMPANY Atlantic #18 SW 22-31-10



### MAP #1

LEGEND OF RIGHT-OF-WAYS

EXISTING	ROADS	******	
	PIPELINES	-+++-	
EXISTING	ROAD & PIPELIN	Ξ ━+++-	
PROPOSED	ROADS	·	
		+ + +	
PROPOSED	ROAD & PIPELIN	E +++	•

EL PASO NATURAL GAS COMPANY Atlantic #18 SW 22-31-10

 $\langle \mathbf{C} \rangle$ 

()



Proposed Location •