SUBMIT IN TRIPLICATE*

(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES

ک	\mathcal{O} -	-62	4	≃: -:	· E	メごっ	ろと
5.	LEASE	DESI	GNA	TION	AND	SERIAL	NO.
						-	

	DEPARTMENT			RIOR		5. LEASE DES	IGNATION AND SE	
A DDI ICATION	N FOR PERMIT TO	O DRILL		N OR PLUG	RACK		120-1717 ALLOTTEE OR TRII	BE NAME
1a. TYPE OF WORK DRI	LL X	DEEPEN [PLUG BA		Mountair 7. UNIT AGRE	Ute	
OIL WELL W	AS OTHER			NGLE MULTI	PLE [LEASE NAME	
2. NAME OF OPERATOR	BLU CITTER					Ute 11	<u> </u>	
Energetics 3. ADDRESS OF OPERATOR	, Inc.					9. WELL NO.		
	den Ave., Suite	1010, Engl	ewoo	d. Colorado 80	1110	10. FIELD AN	D POOL, OR WILD	CAT
At surface	' FSL & 630' FWL		in any s	tate requirements.		Verde Ga	R., M., OR BLK.	
At proposed prod. zon		•			: س		VEY OR AREA	~
	Same					1	, T31N, R15	
14. DISTANCE IN MILES	AND DIRECTION FROM NEAR	EST TOWN OR POS	T OFFICE	•	<u></u>	1 -	R PARISH 13. S	
15. DISTANCE FROM PROPO	OSED*		16. NO	. OF ACRES IN LEASE		San Juar	NED NE	ew_Mexico
LOCATION TO NEAREST PROPERTY OR LEASE I	r Line, pt.		-	640	TOT	HIS WELL		
(Also to nearest drlg 18. DISTANCE FROM PROP	OSED LOCATION*		19. PR	OPOSED DEPTH	20. ROTA	RY OR CABLE T	oors	
TO NEAREST WELL, DO OR APPLIED FOR, ON THE	RILLING, COMPLETED, IS LEASE, FT.			2700	Rot	ary & Cal		
21. ELEVATIONS (Show who	ether DF, RT, GR, etc.)		-		1 1		. DATE WORK WIL	
5725 gr						<u> 1 Octo</u>	ber 29, 19	3 78
23.	PI	ROPOSED CASI	NG ANI	CEMENTING PROGR	RAM =			
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	оот	SETTING DEPTH			OF CEMENT	<u> </u>
12 1/4	8 5/8	32		100		sk.	<u> </u>	<u> </u>
7 7/8	5 1/2	16.5		2500 2500-2700	330	sk.		
zone. If proposal is to	z PROPOSED PROGRAM: If p drill or deepen directional	roposal is to dee ly, give pertinen	pen or p	olug back, give data on	present pro	ductive zone an	nd proposed new tical depths. Gi	productive ve blowout
preventer program, if an 24.	y. Oork and	 Dar		Agent			10-6-78	}
8IGNED	John Alexander	TI'	TLE	795.10		DATE		
(This space for Fede	ral or State office use)				TES	B 4		

APPROVAL DATE

TITLE ...

APPROVED BY

U. S. GEOLOGICAL SURVEY DURANGO, COLO.

OCT 11 1978

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section Well Ho. Leuse ENERGETICS, INC. UTE 11 Unit Letter Section Township County L 11 31N 15W San Juan Actual Footage Location of Well: 1730 South feet from the Ground Level Elev. Producing Formation Dedicated Acreage: 5725 Acres Verde Gallup Gallup 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc? If answer is "yes," type of consolidation ._ Yes □ No If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.)_ No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission. CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief. Agent Position Energetics, Inc Company October 6, 1978 11 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same 6301 is true and correct to the best of my knowledge and belief. 1000 1800

ENERGETICS, INCORPORATED FORMATION INFORMATION AND DRILLING PRACTICES

WELL:

Ute 11 No. 13

LOCATION:

1730'FSL & 630' FWL Sec. 11, T31N, R15W San Juan County, N.M.

LEASE NO.:

M00-C-1420-1717

1. Surface formation.

Menefee

2. Estimated tops of important geologic markers.

Point Lookout	774
Mancos	1158
Gallup	2500

3. Hydro-carbon, water or mineral bearin formation.

2500' 0il

4. Proposed casing program.

0-100'	8 5/8", 32# new casing. Cement with 100 sk. Class B + 2% C_a Cl $_2$.
0-2500'	$5\frac{1}{2}$ ", 15.5# new casing. Cement with 230 sk. Halliburton Light with $6\frac{1}{4}$ lb. Gilsonite/sk. followed by 100 sk. Class B + 2% C_a Cl $_2$ with $6\frac{1}{4}$ lb. Gilsonite/sk.

2500-2700' Open hole (drill with Cable Tool)

5. Specifications for pressure control equipment.

The attached schematic shows the type of blow-out preventer to be used while drilling. The unit will be tested to 200 psi as soon as possible after it's installation on the surface pipe. Testing will be done with the rig pump. This is a manual type preventer, and it's operation will be manually checked when practical.

6. Drilling fluids.

Depth	<u>Type</u>	<u>Viscosity</u>	<u>Weight</u>	Fluid Loss
0-100 100-2500 2500-2700	Gel-Lime Gel-Chem Water	35-55 30-40	8.9-9.2 8.6-9.5	N/C 10

7. Auxiliary equipment.

- a. Bit float.
- b. Full opening valve for stabbing in drill pipe when the kelly is not in use.

8. <u>Logging - Coring - Drill Stem Testing</u>.

Logging: Induction Electric Log, Formation Compensated

Density, Gamma Ray, Caliper

Coring: None


Drill Stem Testing: None

9. Abnormal temperatures, pressures, or hazardous conditions.


None expected.

10. Starting date.

Anticipated starting date is October 29, 1978. Approximately fifteen days will be needed to build roads and location and drill the well to total depth. If commercial, completion will commence immediately and require approximately seven days to complete.



BLOWOUT PREVENTERS



ATTACHMENT TO POINT 5 API SERIES 6" 600

ENERGETICS, INCORPORATED SURFACE DEVELOPMENT PLAN

WELL:

Ute 11 No. 13

LOCATION:

1730' FSL & 630' FWL Sec. 11, T31N, R15W San Juan County, N.M.

LEASE NO.:

MOO-C-1420-1717

1. <u>Existing roads</u>. (Shown in green)

The attached topographic map shows all existing roads within one mile of the proposed location. Access will be made to an existing road 100' east of the location.

Some existing roads are in poor condition and will have to be upgraded to handle normal drilling activity traffic.

2. Planned access road. (Shown in red.)

The planned access road will be approximately 100' long and 20' wide. Maximum grade will be 5%. No turnouts or culverts will be required. Water bars will be used to aid drainage and prevent erosion. No surfacing material will be required. No gates, cattle guards, or fences will be crossed. No cuts or fills should be required.

Location of existing wells.

All wells, (water, abandoned, disposal, and drilling) are shown and so labeled on the attached section layout.

4. <u>Location of tank batteries, production facilities and production, gathering and service lines.</u>

All production facilities are to be contained within the proposed location. Energetics does not own or control any such facilities in the area.

5. <u>Location and type of water supply.</u>

Water for drilling will be trucked from the San Juan River located fifteen miles southeast of location. This water is not on federal land.

6. Source of construction material.

Any construction material required for road or location will be excess material accumulated during building of such sites.

Methods of handling waste disposal.

(Refer to attached well site layout.)
All burnable material will be burned in the trash pit when conditions permit. All nonburnable material (drilling fluids, cuttings, chemicals, etc.) will be held in the reserve pit and buried when dry. Any oil produced while drilling will be trucked from the location prior to leaving the pit to dry. Pits will be fenced during dryout time, then completely back-filled with dirt prior to preparing the location for production or abandonment.

8. Ancillary facilities.

No ancillary facilities are planned.

9. Well site layout.

The attached layout shows the drilling rig with all facilities. Cut and fill requred is also indicated.

10. Plans for restoration of surface.

Restoration of well site and access road will begin within ninety days of well completion, weather permitting.

Should the well be abandoned, the drilling site will be reshaped to it's approximate former contour. The access road will be plowed and leveled. Both site and road will have top soil replaced and will be reseeded when germination can occur.

Should the well be commercial, that portion of the location not needed for operation will be repaired as above. The portion needed for daily production operations, and the access road, will be maintained in good repair.

In either case, clean up of the site will include burning any safely burnable material, filling of all pits, carrying away of all nonburnable material and chemicals that cannot be buried. Any oil that has accumulated on the pits will be trucked away.

11. Other information.

General topography of the area may be seen on the attached map.

The drilling site is flat and is covered with sage brush and other native grasses. There are no creeks, rivers or ponds in the area. The soil is Sandy Loam. Small animals and sheep inhabit the area.

The surface is administered by The Bureau of Indian Affairs, and belongs to the Ute Mountain Tribe.

There are no occupied dwellings in the area.

There are no archaelogical or cultural sites visible on the location. The archaelogist's report is forthcoming.


12.

John Alexander
3E Company, Inc.
P. O. Box 190
Farmington, New Mexico 87401
Telephone: 505-327-4020

13. I hereby certify that I, or persons under my direct supervision, have inspected the proposed rill site and access route; that I am familiar with the conditions which presently exist; that the statements made in the plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Energetics, Incorporated and it's contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

October 6, 1978

John Alexander



ALL PITS-EARTHEN

location grade

WELL SITE LAYOUT ENERGETICS INC.

UTC 11#13

							d	12/8	
					72	(2)			
						0	Q)		
			#### #		₩ □	7	H U	< V =	
			9 -					194	
			3.		(<	Q	ব্ৰ		
	9								

			27		4	0	(1)	49	
			Ų			X	J. U		
					V III		4 4		
						 			
	- 2	R	. Itu					141	H
			Ų						
			1111111111		* * * * * * * * * * * * * * * * * * * *				
				6					
• • • 6		till tribbliot							
						 	 	▎▋∳┊┊ ▗▐ ▍ ▍ ┆ ┆	
		╂┼┼┼┼┟┼┯╌╏┼╌╌							
W C									
									

