## SUBMIT IN TRIPLICATE\*

Form approved. Budget Bureau No. 42-R1425.

UNITED STATES
DEPARTMENT OF THE INTERIOR

Other	instructions	on	
re	verse side)		

	DEFAITMENT			1010		S. LEASE DE	SIGNATION AND BE	BIAL NO.
		ICAL SURV					20-1720	
APPLICATION	I FOR PERMIT TO	O DRILL, I	DEEPE	N, OR PLUG I	BACK	6. IF INDIA	N, ALLOTTEE OR TRI	BR NAME
1a. TYPE OF WORK						Mountain	1 Ute	
DRI	LL 🛛	DEEPEN		PLUG BA	CK 📙 📗	1. UNIT AG	BEMENT NAME	
b. TYPE OF WELL			SI	NGLE [ MULTI	PLE [	S FARM OR	LEASE NAME	
WELL X W	ELL OTHER		zo			1 - 4 - 3		
2. NAME OF OPERATOR	_					Ute 14	7 <u>5 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 </u>	
Energetics, 3. ADDRESS OF OPERATOR	Inc.				<del></del>			_
	dan Arra Crista	1010	7	001 مام مام	10	10. FIELD A	ND POOL, OR WILD	CAT
333 W. Hamp 4. LOCATION OF WELL (Re	den Ave., Suite	n accordance wi	LEWOO thany S	d. LOIOTAGO 801 tate requirements.*)		Verde Ga	11un /	
At surface	0'FSL & 660' FWL					11. SEC., T.,	R., M., OR BLK. RVEY OR AREA	
At proposed prod. zon		-						
At proposed prod. zone	Same					Sec. 14	, T31N-R15W	
14. DISTANCE IN MILES A	AND DIRECTION FROM NEAR	EST TOWN OR POS	T OFFICE	•		12. COUNTY	OR PARISH 13. S	TATE
						San Juar	County Ne	w_Mexico
15. DISTANCE FROM PROPO LOCATION TO NEAREST	SED*		16. NO	OF ACRES IN LEASE		OF ACRES ASS HIS WELL	IGNED	
PROPERTY OR LEASE L	INE, FT.			640		40		
18. DISTANCE FROM PROP TO NEAREST WELL, DI	OSED LOCATION*	***	19. PR	OPOSED DEPTH	20. ROTA	RY OR CABLE	TOOLS	
OR APPLIED FOR, ON THE				2950	Rot		able Tools	
21. ELEVATIONS (Show whe	ether DF, RT, GR, etc.)					22. APPRO	X. DATE WORK WIL	L START*
5949 gr						De	cember 24,	1978—
23.	PI	ROPOSED CASI	NG AND	CEMENTING PROGE	AM	•		
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	тоот	SETTING DEPTH		QUANTI	TY OF CEMENT	
12 1/4	8.5/8	32		100	100 5	:k		
7 7/8	5 1/2	15.5		2750	330			
4 3/4	Open Hole			2750-2950				order of the order depth the order
, ,			1		i			***
						,		
(See Att ac	hments)							
					Trans			
					1		ត្រូវ គឺឡាខា	
				- The state of the	Con.			
					$\mathscr{C}_{\Gamma_{\sigma}}$			
					16,00			
					S. O.	j		
				1 00%	ੀ <b>ਨ</b> ੇ			
IN ABOVE SPACE DESCRIBE	PROPOSED PROGRAM: If p. drill or deepen directional	roposal is to dee	pen or p	lug back, vive data on	present pro-	dyctive zone a d and true ve	and proposed new ertical depths. Gi	producti <b>ve</b> ve blo <b>wout</b>
zone. If proposei is to preventer program, if an	g.	is, give pertines	it data o	" ansaniac froca Chan			<u> </u>	
24.	$\bigcirc$ $\wedge$ $\downarrow$				CORP OF THE PARTY.			
SIGNED Som	Ilehander	·	TLE	Agent		DATI	- October	6, 1978
	hn Aldxander							
(This space for Fede	ral or State office use)				· ·		n ne 🖘 ా	
PERMIT NO.				APPROVAL DATE		) 医圆毛	<u> </u>	
						)		
APPROVED BY		TI	TLE			DATI	1 1070	
CONDITIONS OF APPROV	AL, IF ANY:					UUT I	T 1210	
ok 5 ruh						A APPLICATI	OM CHOUSEV	

U. S. GEOLOGICAL SURVEY DUMANSO, COLO.

# NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

Form C-102 Supersedes C-128 Effective 1-1-65

All distances must be from the outer boundaries of the Section Well No. Orerator Legse ENERGETICS, INC. 14 UTE 14 Unit Letter Section Township Range County 15W 14 3**ln** San Juan Actual Footage Location of Well: 660 South feet from the feet from the Ground Level Elev. Producing Formation Pool Dedicated Acreage: 5949 Verde Gallup Gallup 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc? If answer is "yes," type of consolidation Yes No If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.)\_ No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-CERTIFICATION I hereby certify that the information contained herein is true and complete to the knowledge and belief. Agent Energetics, Inc. October 6, 1978 Sec 14 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. Date Surveyed 6601

1320 1660 1960 2310

# ENERGETICS, INCORPORATED FORMATION INFORMATION AND DRILLING PRACTICES

WELL:

Ute 14 No. 14

LOCATION:

660' FSL & 660' FWL Sec. 14, T31N, R15W San Juan County, N.M.

LEASE NO.:

M00-C-1420-1720

#### 1. Surface formation.

Menefee

#### 2. Estimated tops of important geologic markers.

Point Lookout	998
Mancos	1382
Gallup	2750

#### 3. Hydro-carbon, water or mineral bearing formation.

2750'0il

#### 4. Proposed casing program.

0-100'	8 5/8", 32#, new casing. Cement with 100 sk. Class B + 2% $\rm C_a Cl_2$ .
0-2750'	5½", 15.5#, new casing. Cement with 230 sk. Halliburton Light with $6\frac{1}{4}$ lb. Gilsonite/sk. followed by 100 sk. Class B + 2% $^{\rm C}_{\rm aCl_2}$ with $6\frac{1}{4}$ lb. Gilsonite/sk.
2750-2950'	Open hole (drill with Cable Tool)

### 5. Specifications for pressure control equipment.

The attached schematic shows the type of blow-out preventer to be used while drilling. The unit will be tested to 200 psi as soon as possible after it's installation on the surface pipe. Testing will be done with the rig pump. This is a manual type preventer, and it's operation will be manually checked when practical.

#### 6. Drilling fluids.

<u>Depth</u>	<u>Type</u>	<u>Viscosity</u>	<u>Weight</u>	Fluid Loss
0-100 100-2750 2750-2950	Gel-Lime Gel-Chem Water	35-55 30-40	8.9-9.2 8.6-9.5	N/C 10

# 7. <u>Auxiliary equipment</u>.

- a. Bit float
- b. Full opening valve for stabbing in drill pipe when the kelly is not in use.

8. Logging - Coring - Drill Stem Testing.

Logging:

Induction Electric Log, Formation Compensated

Density, Gamma Ray, Caliper

Coring:

None

Drill Stem Testing:


None


9. Abnormal temperatures, pressures, or hazardous conditions.

None expected.

10. Starting date.

Anticipated starting date is December 24, 1978. Approximately fifteen days will be needed to build roads and location and drill the well to total depth. If commercial, completion will commence immediately and require approximately seven days to complete.





ATTACHMENT TO POINT 5 API SERIES 6" 600

# ENERGETICS, INCORPORATED SURFACE DEVELOPMENT PLAN

WELL:

Ute 14 No. 14

LOCATION:

660' FSL & 660' FWL Sec. 14, T31N, R15W San Juan County, N.M.

LEASE NO.:

M00-C-1420-1720

### 1. Existing roads. (Shown in green.)

The attached topographic map shows all existing roads within one mile of the proposed location. Access will be made to an existing road one-half mile southeast of the location.

Some existing roads are in poor condition and will have to be upgraded to handle normal drilling activity traffic.

#### 2. Planned access road. (Shown in red.)

The planned access road will be approximately one-half mile long and 20' wide. Maximum grade will be 5%. No turnouts or culverts will be required. Water bars will be used to aid drainage and prevent erosion. No surfacing material will be required. No gates, cattle guards, or fences will be crossed. No cuts or fills should be required.

#### 3. Location of existing wells.

All wells (water, abandoned, disposal, and drilling) are shown and so labeled on the attached section layout.

# 4. <u>Location of tank batteries</u>, production facilities and production, gathering and service lines.

All production facilities are to be contained within the proposed location. Energetics does not own or control any such facilities in the area.

# Location and type of water supply.

Water for drilling will be trucked from the San Juan River located fifteen miles woutheast of location. This water is not on federal land.

#### 6. Source of construction material.

Any construction material required for road or location will be excess material accumulated during building of such sites.

#### 7. Methods of handling waste disposal.

(Refer to attached well site layout.)
All burnable material will be burned in the trash pit when conditions permit. All nonburnable material (drilling fluids, cuttings, chemicals, etc.) will be held in the reserve pit and buried when dry. Any oil produced while drilling will be trucked from the location prior to leaving the pit to dry. Pits will be fenced during dryout time, then completely back-filled with dirt prior to preparing the location for production or abandonment.

#### 8. Ancillary facilities.

No ancillary facilities are planned.

#### 9. Well site layout.

The attached layout shows the drilling rig with all facilities. Cut and fill required is also indicated.

#### 10. Plans for restoration of surface.

Restoration of well site and access road will begin within ninety days of well completion, weather permitting.

Should the well be abandoned, the drilling site will be reshaped to it's approximate former contour. The access road will be plowed and leveled. Both site and road will have top soil replaced and will be reseeded when germination can occur.

Should the well be commercial, that portion of the location not needed for operation will be repaired as above. The portion needed for daily production operations, and the access road, will be maintained in good repair.

#### 11. Other information.

General topography of the area may be seen on the attached map.

The drilling site is flat and is covered with sage brush and other native grasses. There are no creeks, rivers or ponds in the area. The soil is Sandy Loam. Small animals and sheep inhabit the area.

The surface is administered by The Bureau of Indian Affairs and belongs to the Ute Mountain Tribe.

There are no occupied dwellings in the area.

There are no archaelogical or cultural sites visible on the location. The archaelogist's report is forthcoming.


12.

John Alexander
3E Company, Inc.
P. O. Box 190
Farmington, New Mexico 87401
Telephone: 505-327-4020

13. I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in the plan are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Energetics, Incorporated and it's contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

October 6, 1978

John Alexander



					Ī		<u> </u>		<u> </u>					1==:									ħ.	U-		
																						Ŋ	ĥ	3		#
																1,11						<b>&gt;</b>	Ď	D		+;+
																諎							,	7		
																							7	<		
					1	P.				1111						Λ							>	7		
							 											****					,	0 6		
	薑															5										
																ii T										+++
																					臣		ξ.			
	f			ij	Ìį.			<b>5</b>			3	<b>&gt;</b>		^			n	>	C	<b>9</b>						
																##										$\sim$
					1		Ш				₹			7 (	>		77			ر ا	>		≥Û	¥⊞		$\overset{\smile}{\star}$
																									V	Y
																										ລ
				=4				77			0	>						<b>&gt;</b>	<b>.</b>	A I			9		O	M
																										¥
		H	>		4			D			Ü			11	<b>S</b>		¥			<b>P</b>	>		3	<b>S</b>		Z
							===								1	ш						::::				7
				::::														1111	<u> </u>					1		
					1:1:																					\ <u>\</u>
			<b>)</b>								0	;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;;					7)	<b>.</b>		<b>.</b>			<b>7</b>	<b>&gt;</b>		ナンシ
			) )		<b>*</b>			<b>5</b>			•	<b>3</b>								<b>,</b>				<b>A</b>		**************************************
		2	<b>X</b>		•			5			<b>3</b>	<b>5</b>								2			3	<b>A</b>		<b>=</b> 7//S
		P.	<b>X</b>																	<b>7</b>			<b>X</b>	<b>A</b>		<u> </u>
V		P N									**************************************	<u> </u>								7			3	Þ		
		r												6			4171			7777				Þ		**************************************
5, 2,													-+												V	
(N		P P	>		n						e				A					ס			8	<b>b</b>	V	
W			>		7				V		<b>e</b>									Ø.			<b>3</b>	<b>B</b>	<b>V V V</b>	
W					r				V		0												<b>S</b>	<b>B</b>	V E	
Ġ.					7				V		0									Ø.			9	<b>S</b>		
Ġ.		<b>1</b>			¢				V		0												9	<b>S</b>		
3		, ,			C A				Σ		0												9	<b>S</b>		
3	3	) }			C A						<b>O</b>	Δ											9	<b>S</b>		
<b>(3</b>	<b>3</b>	7 0 0			Ç	Δ					0												9	<b>S</b>		
<b>S</b>	7 2 2 2 2 3	)		2	¢	Δ					0	<u> </u>						M					0 075	× E	V	
<b>5</b>	7	)			Ç	Δ					0	Δ						N III					0 0 075 W #	\$ [1] [1]	*	
<b>5</b>	7	7 0 0		4	Ç	Δ					3	Δ						N III					0 0 07 07 6 70 # 149	S M F C.		
<b>(3</b>	7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	D P CA WA		4	Ç	Δ			<b>X</b>		3	Δ						N III					0 0 075 W #	WELL:		

