UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

IJ.	LEASE
	SF078459~B

SFU.	7845	9-B	

SHINDRY	NOTICES	AND	REPORTS	ON	WELLS
SUITUILI	HOHICES	שוות	ILLI OILIS	OIT	11 LLLJ

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.) $\frac{1}{2} \frac{1}{2} \frac{1}$

1.	oil well		gas vell	X	other	·
2.	NAME	OF OP	ERAT	OR		
	E1	Paso	Na	tura1	Gas	Company
2	ADDB	ESS OF	OPE	PATOR		

Box 289, Farmington, New Mexico 87401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 1465'S, 810'W AT TOP PROD. INTERVAL: AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,

SFU/8459-B
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
Allison Unit
8. FARM OR LEASE NAME
Allison Unit
9. WELL NO.
31
10. FIELD OR WILDCAT NAME
Basin Dakota
11. SEC., T., R., M., OR BLK. AND SURVEY OF AREA Sec. 14, T-32-N,R-7-W
N.M.P.M.
12. COUNTY OR PARISH 13. STATE
San Juan New Mexico
14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

REPORT, OR OTHER D	ATA
REQUEST FOR APPROVAL TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other)	TO: SUBSEQUENT REPORT OF

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

9-25-79: TD 4130'. Ran 100 joints 7", 20#, K-55 intermediate casing 4116' set at 4130'. Cemented w/ 345 cu. ft. cement. WOC 12 hours; held 1200#/30 min. Top of cement 2800'.

TD 8473'. Ran 14 joints 4½", 10.5 & 11.6#, N-80 & K-55 casing liner 8461' 9-30-79: set at 8473'. Float collar set at 8466'. Cemented w/ 674 cu. ft. cement. WOC 18 hours.

OCT 0 4 1979 U. S. GEOLOGICAL SURVEY FARMINGTON, N. M.

Subsurface Safety Valve: Manu. and Type _

18. I hereby certify that the foregoing is true and correct usco

Drilling Cherk DATE TITLE

October 2, 1979

Set @

(This space for Federal or State office use)

APPROVED BY CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

U. S. GEOLOGICAL SURVEY