T-32-N, R-9-W

New Mexico

DEP

Dec. 1973	Budget Bureau No. 42-R1424		
UNITED STATES DEPARTMENT OF THE INTERIOR	5. LEASE		
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different	7. UNIT AGREEMENT NAME S.J. 32-9 Unit		
reservoir. Use Form 9–331–C for such proposals.) 1. oil gas	8. FARM OR LEASE NAME S.J. 32-9 Unit Section 25 E.		
well well well other 2. NAME OF OPERATOR	9. WELL NO. 61 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3		
El Paso Natural Gas Company 3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME Blanco M.V.		
P.O. Box 289, Farmington, New Mexico 87401	11. SEC., T., R., M., OR BLK, AND SURVEY OR		

make the major of factories for some of a major

El Paso Natural Gas Company	10. FIELD OR WILDCAT NAME	
3. ADDRESS OF OPERATOR	Blanco M.V. = = 5.5	7.7
P.O. Box 289, Farmington, New Mexico 87401	11. SEC., T., R., M., OR BLK. AND SUF	ì۷
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA Sec. 31, T-32-N,	R-
below.)	N.M.P.M点音号	. =
AT SURFACE: 790'N, 800'W AT TOP PROD. INTERVAL:	12. COUNTY OR PARISH 13. STATE	ā
AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	San Juan New M	e;
AT TOTAL DEPTH:	14. API NO.	-5,
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,		-
REPORT, OR OTHER DATA	15 FLEVATIONS (SHOW DE KOR AL	

្ឋារស្វ ជាស្វ LEVATIONS (SHOW DF, KDB, AND WD) 6629'

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE **CHANGE ZONES** ABANDON* (other)

(NOTE: Report results of multiple completion or zone change on Form 9-330.) $\hat{\boldsymbol{z}}_{i} \in \mathcal{Z}_{i}$

e ∰ 4 **e** F

TOD &

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

6-30-79:

Perfed Pt. Lookout. 5810,5816,5822,5828,5834,5840,5846,5861, 5867,5873,5879,5910,5916,5922,5928,5934,5996,6024,6061,6073, 6108,6127,6163,6170' w/1 SPZ. Fraced w/77,800# 20/40 sand and 156,800 gal. water. Flushed w/7900 gal. water.Perfed C.H. & Men. 5408-5422',5433-5451',5461-5474',5538-5549',5581= 5590',5611-5619',5686-5706' w/16 SPZ. Fraced w/80,000# 20/40 sand and 92,000 gal. water. Dropped 3 sets of 16 balls each

Flushed w/7630 gal. water.

Subsurface Safety Valve: Manu. and Type _ Set @ 18. I hereby certify that the foregoing is true and correct DATE July 2 TITLE Drilling Clerk

(This space for Federal or State office use)

CONDITIONS OF APPROVAL, IF ANY:

		\$
	44.3	
:		