

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
well ☐ well ☒ other ☐

2. NAME OF OPERATOR
El Paso Natural Gas Company

3. ADDRESS OF OPERATOR
P.O. Box 289, Farmington, New Mexico 87401

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1880'S, 720'E
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐ ☐

FRACTURE TREAT ☐ ☒

SHOOT OR ACIDIZE ☐ ☐

REPAIR WELL ☐ ☐

PULL OR ALTER CASING ☐ ☐

MULTIPLE COMPLETE ☐ ☐

CHANGE ZONES ☐ ☐

ABANDON* ☐ ☐

(other) ☐ ☐

5. LEASE
SF 078507

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME
S.J. 32-9 Unit

8. FARM OR LEASE NAME
S.J. 32-9 Unit

9. WELL NO.
38A

10. FIELD OR WILDCAT NAME
Blanco M.V.

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec 35, T-32-N, R-10-W
N.M.P.M.

12. COUNTY OR PARISH
San Juan

13. STATE
New Mexico

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)
6657' G.E.

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

7-7-79: PBDT 6209'. Tested casing to 3500#, OK. Perfed P.L. 5720, 5741, 5762, 5789, 5796, 5802, 5813, 5835, 5850, 5876, 5887, 6010, 6016, 6032, 6076, 6088, 6094, 6106, 6112, 6176! w/1 SPZ. Fraced w/80,500# 20/40 sand, 161,000 gal. water. Flushed w/7953 gal. water. Perfed C.H. & Men. 5060, 5067, 5128, 5165, 5176, 5368, 5375, 5382, 5404, 5411, 5418, 5430, 5513, 5547, 5622, 5632, 5644, 5648, 5654, 5665! w/1 SPZ. Fraced w/78,500# 20/40 sand and 157,000 gal. water. Flushed w/7602 gal. water.

Subsurface Safety Valve: Manu. and Type _____

18. I hereby certify that the foregoing is true and correct

SIGNED D. G. Guisco TITLE Drilling Clerk DATE July 10, 1979

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Nymoc

