(Other instructions on reverse side)

Form approved. Budget Bureau No. 42-R142

(May 1963)	HNIT	ED STATES		(Oti	er instruct reverse sid		7. 5.
	DEPARTMENT	OF THE I	NTER	RIOR		· .	5. LEASE DESIGNATION AND SERIAL NO.
		SICAL SURVE					M 00-C-1420-1716
A DDLICATION	FOR PERMIT T			N OR P	I LIG R	ACK	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	FOR PERIMIT I	O DRILL, L	<u> </u>	., OK 1	LOO D.	· ··	Mountain Ute =
1a. TYPE OF WORK DRII	LL 🛛	DEEPEN []	PL	JG BAC	K 🔲	7. UNIT AGREEMENT NAME
b. TYPE OF WELL	• —			NGLE .	MULTIPL	- □ ξ	S. FARM OR LEASE NAME
	CLL OTHER		ZO	NE XX	ZONE	<u></u>	
Energetics,	Inc					973	
3. ADDRESS OF OPERATOR	1110.					5	9. WELL NO.
222 W Hamp	don Avenue Sui	te 1010 Fr	റമിലയ	ood Cole	rado 8	0110	10. FIELD AND POOL, OR WILDCAT
4. LOCATION OF WELL (Re	den Avenue, Sui port location clearly and	in accordance wit	h any S	tate requireme	nts.		verde Gallup:
<u> </u>	' FNL & 1800 FW	, 				22	11. SEC., T., R., M., OR BLK.
At proposed prod. zone Same	e					<u>.</u>	S 18-T31N-R14W
	ND DIRECTION FROM NEAR	EST TOWN OR POS	T OFFIC	E\$.		12. COUNTY OR PARISH 13. STATE
11. DISTANCE III						1	San Juan 3 1 NM
15. DISTANCE FROM PROPO	SED*		16. NO	OF ACRES IN	LEASE	17. NO.	OF ACRES ASSIGNED 2
LOCATION TO NEAREST PROPERTY OR LEASE LI (Also to nearest drlg	INE, FT.		1	280		3	40
18. DISTANCE FROM PROPO TO NEAREST WELL, DE	OSED LOCATION*		19. PF	OPOSED DEPTH		20. ROTA	RY OR CABLE TOOLS
OR APPLIED FOR, ON THI	S LEASE, FT.		28	00			cary & Cable Tools
21. ELEVATIONS (Show whe	ther DF, RT, GR, etc.)	*				986 T	의 항송 기교 전쟁 등 등 활동을
5853 G.L.							
23.	P	ROPOSED CASI	NG ANI	O CEMENTING	J PROGRA	<u> </u>	
SIZE OF HOLE	SIZE OF CASING	WEIGHT PER F	00 T	SETTING	BPTH	* :	QUANTITY OF CEMENT.
12 1/4	8 5/8	20		100			200 St.
7 7/8	5 1/2	14		2600		<u> </u>	
4 3/4	Open hole			2600-	2800		teri
						<u>.</u>	의 원생이 의 실종이 불통을
(See Attac	hments)					1.1	or portion of party o
						San K	그는 목 곡 이 이 그는 그는 것 같다.
					•	ं हा -	<u>មី</u> មេរ៊ូ ត្រី៦» ភ្មឹង
						Ē	Hall And
						[543]\$	
			:1 :31	GEIV		9 3	
		li)		UEIV		<u>.</u>	
		L)	.) 	.	IF	ج بــــ	5 18 5 18 19 18 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			UE	C 14 197	8		CON COM.
							nist.
		¥.	S. GEC	ALOGICAL SU	NEY	 =	
IN AROVE SPACE DESCRIBE	PROPOSED PROGRAM: If	proposal is to dee	pen or	plug back, give	data on p	resent pro	ductive zone and proposed new productive
zone. If proposal is to	drill or deepen directions	lly, give pertinen	t data	on subsurface	locations at	nd measur	ed and true vertical depths. Give blowout
preventer program, if n. 24.	<u>, </u>						PROME DE BAGT
n ah	n (0) lodo n	nde .		Agent		5 27	nate 11-30-78
signed John	Alexander/		TLE			-	
(This space or Fede	eral or State office use)					4	- 발 한 환 전 보고 있었습니다. - 발 한 한 문에 발표 보고 있었다.
PERMIT NO.	(APPROVAL DAT	'E 3'		<u> </u>
							- T 및 대통령 위해 방향 8번 - II - T : # # 보고 등 등 # # # # # # # # # # # # # # # # #
APPROVED BY		Т	TLE				DATE
CONDITIONS OF APPROV	AL, IF ANY:					***	
oh Frank							

NEW MEXICO OIL CONSERVATION COMMISSION WELL LOCATION AND ACREAGE DEDICATION PLAT

All distances must be from the outer boundaries of the Section Operator Lease Well No. ENERGETICS. INCORPORATED UTE 1819 Unit Letter Section Township Range County 18 31N THM San Juan Actual Footage Location of Well: 1830 feet from the North 1800 line and West Ground Level Elev. feet from the line Producing Formation Dedicated Acreage: 5853 Gallup Verde Gallup 40 Acres 1. Outline the acreage dedicated to the subject well by colored pencil or hachure marks on the plat below. 2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty). 3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling. etc? Yes No If answer is "yes," type of consolidation _ If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.). No allowable will be assigned to the well until all interests have been consolidated (by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commis-CERTIFICATION I hereby certify that the information contained herein is true and complete to the Agent 1800 Energetics, Incorporated Company November 30, 1978 Sec 18 I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief. 1). S. GEOLOGICAL SURVEY Certificate 660 1320 1650 1980 2310 2000 1000 500 3950

ENERGETICS, INCORPORATED

FORMATION INFORMATION AND DRILLING PRACTICES

WELL Ute 1819 No. 22

LOCATION: 1830' FNL & 1800' FWL Sec. 18-T31N-R14W San Juan County, NM

LEASE NO.: NOO-C-1420-1716



11. S. GEOLOGICAL SURVEY

SURFACE FORMATION

Menefee

2. ESTIMATED TOPS OF IMPORTANT GEOLOGIC MARKERS

Point Lookout	•	902
Mancos		1286
Gallup	•	2648

3. HYDRO CARBON, WATER OR MINERAL BEARING FORMATION

2600' Oil

4. PROPOSED CASING PROGRAM

0-100'	8 5/8, 20#, new casing. Cement with 100 sk. Class B + 2% CaCl $_2$
0-2600	$5\frac{1}{2}$, 14# New casing. Cement with 230 sk Halliburton Light with $6\frac{1}{4}$ lb Gilsonite/sk. followed by 100 sk. Class B + 2% CaCl ₂ with $6\frac{1}{4}$ lb Gilsonite/sk.
2600-2800	Onen hole (drill with Cable tool)

5. SPECIFICATIONS FOR PRESSURE CONTROL EQUIPMENT

The attached schematic shows the type of blow out preventer to be used while drilling. The unit will be tested to 200 psi as soon as possible after its installation on the surface pipe. Testing will be done with the rig pump. This is a manual type preventer, and its operation will be manually checked when practical.

6. DRILLING FLUIDS

Depth Type		Viscosity	Weight	Fluid Loss	
0-100 100-2600 2600-2800	Gel-Lime Gel-Chem Water	35-55 30-40	8.9-9.2 8.6-9.5	N/C 10	

7. AUXILIARY EQUIPMENT

- A. Bit float
- B. Full opening valve for stabbing in drill pipe when the kelly is not in use



II. S. GEOLOGICAL SURVEY

Page 2

8. LOGGING - CORING - DRILL STEM TESTING

Logging: Induction Electric Log

Coring: None


Drill Stem Testing: None

9. ABNORMAL TEMPERATURES, PRESSURES, OR HAZARDOUS CONDITIONS

None Expected.

10. STARTING DATE

Anticipated starting date is January 1, 1979. Approximately 15 days will be needed to build roads and location and drill the well to total depth. If commercial, completion will commence immediately and require approximately 7 days to complete.



1). S. GEOLOGICAL SURVEY

ENERGETICS, INCORPORATED

SURFACE DEVELOPMENT PLAN

WELL: Ute 1819 #22

LOCATION: 1830'FNL & 1800' FWL Sec 18-T31N-R14W San Juan County, NM

LEASE NO.: Noo-C-1420-1716



II. S. GEOLOGICAL SURVEY

1. EXISTING ROADS (Shown in green)

The attached topographic map shows all existing roads within one mile of the proposed location. Access will be made to an existing road 1/4 mile North of the location.

Some existing roads are in poor condition and will have to be upgraded to handle normal drilling activity traffic.

2. PLANNED ACCESS ROAD (Shown in red)

The Planned access road will be approximately 1/4 mile long and 20' wide. Maximum grade will be 5%. No turnouts or culverts will be required. Water bars will be used to aid drainage and prevent erosion. No surfacing material will be required. No gates, cattle guards, or fences will be crossed. No cuts or fills should be required.

3. LOCATION OF EXISTING WELLS.

All wells (Water, abandoned, disposal, and drilling) are shown and so labeled on the attached section layout.

4. LOCATION OF TANK BATTERIES, PRODUCTION FACILITIES AND PRODUCTION, GATHERING AND SERVICE LINES.

All production facilities are to be contained withing the proposed location. Energetics does not own or control any such facilities in the area.

5. LOCATION AND TYPE OF WATER SUPPLY

Water for drilling will be trucked from the San Juan River located 15 miles southeast of location. This water is not on federal land.

6. SOURCE OF CONSTRUCTION MATERIAL

Any construction material required for road or location will be excess material accumulated during building of such sites.

7. METHODS OF HANDLING WASTE DISPOSAL

(Refer to attached well site layout)
All burnable material will be burned in the trash pit when conditions
permit. All nonburnable material (drilling fluids, cuttings, chemicals,
etc.) will be held in the reserve pit and buried when dry. Any oil
produced while drilling will be trucked from the location prior to
leaving the pit to dry. Pits will be fenced during dryout time, the
completely backfilled with dirt prior to preparing the location for
production or abandonment.

8. ANCILLARY FACILITIES

No ancillary facilities are planned.



U. S. GEOLOGICAL SURVEY

9. WELL SITE LAYOUT

The attached layout shows the drilling rig with all facilities. Cut and fill required is also indicated.

10. PLANS FOR RESTORATION OF SURFACE

Restoration of well site and access road will begin within 90 days of well completion, weather permitting.

Should the well be abandoned, the drilling site will be reshaped to its approximate former contour. The access road will be plowed and leveled. Both site and road will have top soil replaced and will be reseeded when germination can occur.

Should the well be commercial, that portion of the location, not needed for operation, will be repaired as above. The portion needed for daily production operations, and the access road, will be maintained in good repair.

In either case, clean up of the site will include burning any safely burnable material, filling of all pits, carrying away of all nonburnable material and chemicals that can not be buried. Any oil that has accumulated on the pits will be trucked away.

11. OTHER INFORMATION

General topography of the area may be seen on the attached map.

The drilling site is flat and is covered with sage brush and other native grasses. There are no creeks, rivers or ponds in the area. The soil is sandy loam. Small animals and sheep inhabit the area.


The surface is administered by the Bureau of Indian Affairs, and belongs to the Ute Mountain Tribe.

There are no occupied dwellings in the area.

There are no archaeological or cultural sites visible on the location. The archaeologist report is forthcoming.

12.

John Alexander
3E Company, Inc.
P.O. Box 190
Farmington, New Mexico 87401
Phone: 505-327-4020



13. I hereby certify that I or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in the plan are to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Energetics, Incorporated and its contractors and sub-contractors in conformity with this plan and the terms and conditions under which it is approved.

November 30, 1978

John Alexande



IJ. S. GEOLOGICAL SURVEY



BLOWOUT PREVENTERS

